PD CEN/TS 17716:2022

BSI Standards Publication

Plant biostimulants — Determination of *Escherichia coli*

Documents
Document Sharing Hub

Full document details: PD CEN/TS 17716:2022

National foreword

This Published Document is the UK implementation of CEN/TS 17716:2022.

The UK participation in its preparation was entrusted to Technical Committee EH/4/-/7, Plant Biostimulants.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 17305 5

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD CEN/TS 17716:2022

TECHNICAL SPECIFICATION

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

CEN/TS 17716

March 2022

ICS 65.080

English Version

Plant biostimulants - Determination of *Escherichia coli*

Biostimulants des végétaux - Détermination des *Escherichia coli*

Pflanzen-Biostimulanzien - Bestimmung von *Escherichia coli*

This Technical Specification (CEN/TS) was approved by CEN on 3 January 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2022 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CEN/TS 17716:2022 E

Documents
Document Sharing Hub

Full document details: PD CEN/TS 17716:2022

Contents

Page

European foreword 3
Introduction 4
1 Scope 5
2 Normative references 5
3 Terms and definitions 5
4 Principle 6
4.1 Qualitative method 6
4.2 Quantitative method 6
5 Diluent and culture media 6
5.1 General 6
5.2 Broth and culture media in the qualitative method 6
5.3 Diluent and culture media in the quantitative method 7
6 Apparatus and glassware 7
7 Handling of plant biostimulants products and sampling 7
8 Procedure 7
8.1 General 7
8.2 Qualitative method 7
8.3 Quantitative method 9
9 Expression of results 10
9.1 Expression of results in the qualitative test 10
9.2 Expression of results in the quantitative test 10
10 Test report 11
Annex A (informative) Enrichment broth in the qualitative method 12
Annex B (informative) Selective agar medium in the qualitative and quantitative method 14
Annex C (informative) Diluent in the quantitative method 17
Annex D (informative) Neutralization of the antimicrobial properties of the product 18
Bibliography 20

Documents
Document Sharing Hub
Full document details: PD CEN/TS 17716:2022

European foreword

This document (CEN/TS 17716:2022) has been prepared by Technical Committee CEN/TC 455 “Plant Biostimulants”, the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Documents
Document Sharing Hub
Full document details: PD CEN/TS 17716:2022

Introduction

This document was prepared by the experts of CEN/TC 455 "Plant Biostimulants". The European Committee for Standardization (CEN) was requested by the European Commission (EC) to draft European standards or European standardization deliverables to support the implementation of Regulation (EU) 2019/1009 of 5 June laying down rules on the making available on the market of EU fertilizing products ("FPR" or "Fertilising Products Regulation").

This standardization request, presented as M/564, also contributes to the Communication on "Innovating for Sustainable Growth: A Bio economy for Europe". The Working Group 5 "Labelling and denominations", was created to develop a work program as part of this request. The technical committee CEN/TC 455 "Plant Biostimulants" was established to carry out the work program that will prepare a series of standards. The interest in biostimulants has increased significantly in Europe as a valuable tool to use in agriculture. Standardization was identified as having an important role in order to promote the use of biostimulants. The work of CEN/TC 455 seeks to improve the reliability of the supply chain, thereby improving the confidence of farmers, industry, and consumers in biostimulants, and will promote and support commercialisation of the European biostimulant industry.

Biostimulants used in agriculture can be applied in multiple ways: on soil, on plants, as seed treatment, etc. A microbial plant biostimulant consists of a microorganism or a consortium of microorganisms, as referred to in Component Material Category 7 of Annex II of the EU Fertilising Products Regulation.

This document is applicable to all microbial biostimulants in agriculture.

Table 1 summarizes many of the agro-ecological principles and the role played by biostimulants.

Table 1 — Agro-ecological principles and the role played by biostimulants [1]

Increase biodiversity
By improving soil microorganism quality/quantity
Reinforce biological regulation and interactions
By reinforcing plant-microorganism interactions
— symbiotic exchanges i.e. *Mycorrhizae*
— symbiotic exchanges i.e. *Rhizobiaceae/Faba*
— secretions mimicking plant hormones (i.e. *Trichoderma*)
By regulating plant physiological processes
— e.g. growth, metabolism, plant development
Improve biogeochemical cycles
— improve absorption of nutritional elements
— improve bioavailability of nutritional elements in the soil
— stimulate degradation of organic matter

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

IMPORTANT — It is absolutely essential that tests conducted in accordance with this document be carried out by suitably trained staff.

Documents
Document Sharing Hub

Full document details: PD CEN/TS 17716:2022

1 Scope

This document gives general guidelines for the detection and identification of the specified microorganism *Escherichia coli* in technical and formulated biostimulant products, both in liquid and solid state, and also the horizontal method for the enumeration of *ß*-glucuronidase-positive *Escherichia coli* in plant biostimulants products (both in liquid and solid state).

The qualitative method described in this document is based on the detection of E*scherichia coli* in a non-selective liquid medium (enrichment broth), followed by isolation on a selective agar medium. Other methods can be appropriate, depending on the level of detection required.

NOTE For the detection of *Escherichia coli*, subcultures can be performed on non-selective culture media followed by suitable identification steps (e.g. using identification kits).

The quantitative method described in this document uses a colony-count technique at 44 °C on a solid medium containing a chromogenic ingredient for detection of the enzyme *ß*-glucuronidase.

WARNING — Strains of *Escherichia coli* which do not grow at 44 °C and, in particular, those that are *ß*-glucuronidase negative, such as *Escherichia coli* O157, will not be detected.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CEN/TS 17708, *Plant Biostimulants — Preparation of sample for microbial analysis*

EN ISO 21148, *Cosmetics — Microbiology — General instructions for microbiological examination (ISO 21148)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
Escherichia coli
gram-negative rod, motile, smooth colonies, member of *Enterobacteriaceae*

Note 1 to entry: The main characteristics for identification are catalase positive, oxidase negative, fermentation of lactose, production of indole, growth on selective medium containing bile salts with characteristic colonies.

Note 2 to entry: *Escherichia coli* can be isolated from moist environmental sources (air, water, soil) and is a faecal contamination indicator.

3.2
enrichment broth
non-selective liquid medium containing suitable neutralizers and/or dispersing agents and demonstrated to be suitable for the product under test

3.3
ß*-glucuronidase-positive *Escherichia coli
bacteria which at 44 °C form typical blue colony on tryptone-bile-glucuronide medium (TBX) under the conditions specified in the relative part of this document

Documents
Document Sharing Hub
Full document details: PD CEN/TS 17716:2022

3.4
enumeration of *ß*-glucuronidase-positive *Escherichia coli*
determination of the number of colony-forming-unit (CFU) of *ß*-glucuronidase-positive *Escherichia coli*, per millilitre or per gram of sample, when test and calculations are carried out in accordance with the relative part of this document

4 Principle

4.1 Qualitative method

The first step of the qualitative procedure is to perform an enrichment by using a non-selective broth medium to increase the number of microorganisms without the risk of inhibition by the selective ingredients that are present in selective/differential growth media.

The second step of the test (isolation) is performed on a selective medium followed by identification tests.

The presence or absence of *Escherichia coli* per gram or per millilitre of sample is calculated (see Clause 9).

4.2 Quantitative method

In the quantitative method, duplicate plates of tryptone-bile-glucuronic medium (TBX) are inoculated with the specified quantity of the test sample (if the product is liquid) or the initial suspension (if the product is solid).

Under the same conditions, using decimal dilutions of the test sample or of the initial suspension, two plates per dilution are inoculated.

The dishes are incubated for 18 h to 24 h at 44 °C ± 1 °C then examined to detect the presence of colonies which, from their characteristics, are considered to be *ß*-glucuronidase-positive *Escherichia coli*.

The number of colony-forming units (CFU) of *ß*-glucuronidase-positive *Escherichia coli* per gram or per millilitre of sample is calculated (see Clause 9).

5 Diluent and culture media

5.1 General

The following diluents and culture media are suitable for the detection of *Escherichia coli* and enumeration of *ß*-glucuronidase-positive *Escherichia coli* according to the proper procedure. Other diluents and culture media may be used if they have been demonstrated to be suitable for use.

Diluents and culture media may be prepared using the descriptions provided or from reagents/dehydrated culture media, according to the instructions from the manufacturer. The instructions provided by the supplier of the media/reagents should be followed for storage conditions, expiry date and use.

NOTE Ready-to-use diluents and media can be used when their composition and/or growth yields are comparable to those of the formulae given in the present document.

5.2 Broth and culture media in the qualitative method

5.2.1 Enrichment broth

The enrichment broth is used in the qualitative method to disperse the sample and to increase the initial microbial population. See Annex A for the non-exhaustive list and recipes of the possible enrichment broth.

Documents
Document Sharing Hub

Full document details: PD CEN/TS 17716:2022