PD CLC IEC/TR 62541-2:2021

BSI Standards Publication

OPC unified architecture

Part 2: Security Model

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

National foreword

This Published Document is the UK implementation of CLC IEC/TR 62541-2:2021. It is identical to IEC TR 62541-2:2020. It supersedes PD IEC TR 62541-2:2020 and PD CLC/TR 62541-2:2010, which are withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/65/3, Industrial communications: process measurement and control, including fieldbus.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 18632 1

ICS 25.040.40; 35.100.01

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 December 2020.

Amendments/corrigenda issued since publication

Date	Text affected
31 August 2021	This corrigendum renumbers PD IEC TR 62541-2:2020 as PD CLC IEC/TR 62541-2:2021

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

TECHNICAL REPORT

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

CLC IEC/TR 62541-2

July 2021

ICS 25.040.40; 35.100.01

Supersedes CLC/TR 62541-2:2010

English Version

OPC unified architecture - Part 2: Security Model (IEC/TR 62541-2:2020)

Architecture unifiée OPC - Partie 2: Modèle de sécurité (IEC/TR 62541-2:2020)

OPC Unified Architecture - Teil 2: Modell für die IT-Sicherheit (IEC/TR 62541-2:2020)

This Technical Report was approved by CENELEC on 2021-07-05.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. CLC IEC/TR 62541-2:2021 E

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

European foreword

This document (CLC IEC/TR 62541-2:2021) consists of the text of IEC/TR 62541-2:2020, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation".

This document supersedes CLC/TR 62541-2:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Technical Report IEC/TR 62541-2:2020 was approved by CENELEC as a European Technical Report without any modification.

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC/TR 62541-1	-	OPC Unified Architecture - Part 1: Overview and Concepts	CLC IEC/TR 62541-1	-
IEC 62541-4	-	OPC Unified Architecture - Part 4: Services	EN IEC 62541-4	-
IEC 62541-5	-	OPC Unified Architecture - Part 5: Information Model	EN IEC 62541-5	-
IEC 62541-6	-	OPC Unified Architecture - Part 6: Mappings	EN IEC 62541-6	-
IEC 62541-7	-	OPC unified architecture - Part 7: Profiles	EN IEC 62541-7	-
IEC 62541-12	-	OPC unified architecture - Part 12: Discovery and global services	EN IEC 62541-12	-
IEC 62541-14	-	OPC unified architecture - Part 14: PubSub	EN IEC 62541-14	-
IEC 62351	series	Power systems management and associated information exchange - Data and communications security	EN IEC 62351	series

Documents
Document Sharing Hub
Full document details: PD CLC IEC/TR 62541-2:2021

This page deliberately left blank

Documents
Document Sharing Hub

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms, definitions, and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Abbreviated terms 13
4 OPC UA security architecture 13
4.1 OPC UA security environment 13
4.2 Security objectives 14
4.2.1 Overview 14
4.2.2 Authentication 15
4.2.3 Authorization 15
4.2.4 Confidentiality 15
4.2.5 Integrity 15
4.2.6 Non-Repudiation 15
4.2.7 Auditability 15
4.2.8 Availability 15
4.3 Security threats to OPC UA systems 15
4.3.1 Overview 15
4.3.2 Denial of Service 16
4.3.3 Eavesdropping 17
4.3.4 Message spoofing 17
4.3.5 Message alteration 17
4.3.6 Message replay 17
4.3.7 Malformed Messages 18
4.3.8 Server profiling 18
4.3.9 Session hijacking 18
4.3.10 Rogue Server 18
4.3.11 Rogue Publisher 18
4.3.12 Compromising user credentials 19
4.3.13 Repudiation 19
4.4 OPC UA relationship to site security 19
4.5 OPC UA security architecture 20
4.5.1 Overview 20
4.5.2 Client / Server 21
4.5.3 Publish-Subscribe 22
4.6 SecurityPolicies 23
4.7 Security Profiles 24
4.8 Security Mode Settings 24
4.9 User Authentication 24
4.10 Application Authentication 24
4.11 User Authorization 25
4.12 Roles 25
4.13 OPC UA security related Services 25
4.14 Auditing 26
4.14.1 General 26

AVA Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

4.14.2 Single Client and Server ... 27
4.14.3 Aggregating Server ... 28
4.14.4 Aggregation through a non-auditing Server ... 28
4.14.5 Aggregating Server with service distribution ... 29
5 Security reconciliation ... 30
5.1 Reconciliation of threats with OPC UA security mechanisms ... 30
5.1.1 Overview ... 30
5.1.2 Denial of Service ... 31
5.1.3 Eavesdropping ... 32
5.1.4 Message spoofing ... 32
5.1.5 Message alteration ... 33
5.1.6 Message replay ... 33
5.1.7 Malformed Messages ... 33
5.1.8 Server profiling ... 33
5.1.9 Session hijacking ... 33
5.1.10 Rogue Server or Publisher ... 34
5.1.11 Compromising user credentials ... 34
5.1.12 Repudiation ... 34
5.2 Reconciliation of objectives with OPC UA security mechanisms ... 34
5.2.1 Overview ... 34
5.2.2 Application Authentication ... 34
5.2.3 User Authentication ... 35
5.2.4 Authorization ... 35
5.2.5 Confidentiality ... 35
5.2.6 Integrity ... 35
5.2.7 Auditability ... 35
5.2.8 Availability ... 36
6 Implementation and deployment considerations ... 36
6.1 Overview ... 36
6.2 Appropriate timeouts ... 36
6.3 Strict Message processing ... 36
6.4 Random number generation ... 37
6.5 Special and reserved packets ... 37
6.6 Rate limiting and flow control ... 37
6.7 Administrative access ... 37
6.8 Cryptographic Keys ... 38
6.9 Alarm related guidance ... 38
6.10 Program access ... 38
6.11 Audit event management ... 39
6.12 OAuth2, JWT and User roles ... 39
6.13 HTTPs, SSL/TLS & Websockets ... 39
6.14 Reverse Connect ... 39
7 Unsecured Services ... 40
7.1 Overview ... 40
7.2 Multicast Discovery ... 40
7.3 Global Discovery Server Security ... 40
7.3.1 Overview ... 40
7.3.2 Rogue GDS ... 40
7.3.3 Threats against a GDS ... 41

AVA Documents
Document Sharing Hub
Full document details: PD CLC IEC/TR 62541-2:2021

7.3.4 Certificate management threats 41
8 Certificate management 42
8.1.1 Overview 42
8.1.2 Self-signed certificate management 42
8.1.3 CA Signed Certificate management 43
8.1.4 GDS Certificate Management 44
Bibliography 47

Figure 1 – OPC UA network example 14
Figure 2 – OPC UA security architecture – Client / Server 20
Figure 3 – OPC UA security architecture – Publisher-Subscriber 21
Figure 4 – Role overview 25
Figure 5 – Simple Servers 27
Figure 6 – Aggregating Servers 28
Figure 7 – Aggregation with a non-auditing Server 29
Figure 8 – Aggregate Server with service distribution 30
Figure 9 – Manual Certificate handling 42
Figure 10 – CA Certificate handling 43
Figure 11 – Certificate handling 45

Table 1 – Security Reconciliation Threats Summary 31

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC UNIFIED ARCHITECTURE –

Part 2: Security Model

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62541-2, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition of IEC TR 62541-2, published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) protection-targets definition change;
b) threat type clarifications;
c) expanded best practices;

Documents
Document Sharing Hub

d) added Websockets;

e) added Pub/Sub.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/679/DTR	65E/703/RVDR

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Throughout this document and the referenced other Parts of the series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the “Terms and definition” clause in one of the parts of the series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The italicized terms and names are also often written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is AddressSpace instead of Address Space. This makes it easier to understand that there is a single definition for AddressSpace, not separate definitions for Address and Space.

A list of all parts of the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

OPC UNIFIED ARCHITECTURE –

Part 2: Security Model

1 Scope

This part of IEC 62541 describes the OPC Unified Architecture (OPC UA) security model. It describes the security threats of the physical, hardware, and software environments in which OPC UA is expected to run. It describes how OPC UA relies upon other standards for security. It provides definition of common security terms that are used in this and other parts of the OPC UA specification. It gives an overview of the security features that are specified in other parts of the OPC UA specification. It references services, mappings, and *Profile*s that are specified normatively in other parts of the OPC UA Specification. It provides suggestions or best practice guidelines on implementing security. Any seeming ambiguity between this part and one of the other normative parts does not remove or reduce the requirement specified in the other normative part.

It is important to understand that there are many different aspects of security that have to be addressed when developing applications. However, since OPC UA specifies a communication protocol, the focus is on securing the data exchanged between applications. This does not mean that an application developer can ignore the other aspects of security like protecting persistent data against tampering. It is important that the developers look into all aspects of security and decide how they can be addressed in the application.

This part is directed to readers who will develop OPC UA *Client* or *Server* applications or implement the OPC UA services layer. It is also for end Users that wish to understand the various security features and functionality provided by OPC UA. It also offers some suggestions that can be applied when deploying systems. These suggestions are generic in nature since the details would depend on the actual implementation of the *OPC UA Application*s and the choices made for the site security.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TR 62541-1, *OPC Unified Architecture – Part 1: Overview and Concepts*

IEC 62541-4, *OPC Unified Architecture – Part 4: Services*

IEC 62541-5, *OPC Unified Architecture – Part 5: Information Model*

IEC 62541-6, *OPC Unified Architecture – Part 6: Mappings*

IEC 62541-7, *OPC Unified Architecture – Part 7: Profiles*

IEC 62541-12, *OPC Unified Architecture – Part 12: Discovery and Global Services*

IEC 62541-14, *OPC Unified Architecture – Part 14: PubSub*

IEC 62351 (all parts), *Power systems management and associated information exchange*

AVA Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TR 62541-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1
Access Restriction
limit on the circumstances where an operation, such as a read, write or a call, can be performed on a *Node*

Note 1 to entry: Operations can only be performed on a *Node* if the *Client* has the necessary *Permissions* and has satisfied all of the *Access Restrictions*.

3.1.2
Access Token
digitally signed document that asserts that the subject is entitled to access a *Resource*

Note 1 to entry: The document includes the name of the subject and the *Resource* being accessed.

3.1.3
Application Instance
individual installation of a program running on one computer

Note 1 to entry: There can be several Application Instances of the same application running at the same time on several computers or possibly the same computer.

3.1.4
Application Instance Certificate
Certificate of an individual *Application Instance* that has been installed in an individual host

Note 1 to entry: Different installations of one software product would have different Application Instance Certificates. The use of an *Application Instance Certificate* for uses outside of what is described in the specification could greatly reduce the security provided by the *Application Instance Certificate* and should be discouraged.

3.1.5
Asymmetric Cryptography
Cryptography method that uses a pair of keys, one that is designated the *Private Key* and kept secret, the other called the *Public Key* that is generally made available

Note 1 to entry: Asymmetric Cryptography is also known as "public-key cryptography". In an Asymmetric Encryption algorithm when an entity “A” requires *Confidentiality* for data sent to entity “B”, then entity “A” encrypts the data with a Public Key provided by entity “B”. Only entity “B” has the matching Private Key that is needed to decrypt the data. In an asymmetric Digital Signature algorithm when an entity “A” requires message Integrity or to provide *Authentication* for data sent to entity “B”, entity A uses its Private Key to sign the data. To verify the signature, entity B uses the matching Public Key that entity A has provided. In an asymmetric key agreement algorithm, entity A and entity B each send their own Public Key to the other entity. Then each uses its own Private Key and the other's Public Key to compute the new key value.’ according to IS Glossary.

3.1.6
Asymmetric Encryption
mechanism used by *Asymmetric Cryptography* for encrypting data with the *Public Key* of an entity and for decrypting data with the associated *Private Key*

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

3.1.7
Asymmetric Signature
mechanism used by *Asymmetric Cryptography* for signing data with the *Private Key* of an entity and for verifying the data's signature with the associated *Public Key*

3.1.8
Auditability
security objective that assures that any actions or activities in a system can be recorded

3.1.9
Auditing
tracking of actions and activities in the system, including security related activities where *Audit* records can be used to review and verify system operations

3.1.10
Authentication
security objective that assures that the identity of an entity such as a *Client*, *Server*, or user can be verified

3.1.11
Authorization
ability to grant access to a system resource

Note 1 to entry: Authorization of access to resources should be based on the need-to-know principle. It is important that access is restricted in a system.

3.1.12
AuthorizationService
Server which validates a request to access a *Resource* and can return an *Access Token* that grants access to the *Resource*

Note 1 to entry: The *AuthorizationService* is also called STS (Security Token Service) in other standards.

3.1.13
Availability
security objective that assures that the system is running normally, that is, no services have been compromised in such a way to become unavailable or severely degraded

3.1.14
Certificate Authority
entity that can issue *Certificate*s, also known as a CA

Note 1 to entry: The *Certificate* certifies the ownership of a Public Key by the named subject of the *Certificate*. This allows others (relying parties) to rely upon signatures or assertions made by the Private Key that corresponds to the *Public Key* that is certified. In this model of trust relationships, a CA is a trusted third party that is trusted by both the subject (owner) of the *Certificate* and the party relying upon the *Certificate*. CAs are characteristic of many Public Key infrastructure (PKI) schemes

3.1.15
CertificateStore
persistent location where *Certificate*s and *Certificate* revocation lists (CRLs) are stored

Note 1 to entry: It may be a disk resident file structure, or, on Windows platforms, it may be a Windows registry location.

3.1.16
Claim
statement in an *Access Token* that asserts information about the subject which the *Authorization Service* knows to be true

Note 1 to entry: Claims can include username, email, and *Roles* granted to the subject.

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

3.1.17
Confidentiality
security objective that assures the protection of data from being read by unintended parties

3.1.18
Cryptography
transforming clear, meaningful information into an enciphered, unintelligible form using an algorithm and a key

3.1.19
Cyber Security Management System
program designed by an organization to maintain the security of the entire organization's assets to an established level of *Confidentiality*, *Integrity*, and *Availability*, whether they are on the business side or the industrial automation and control systems side of the organization

3.1.20
Digital Signature
value computed with a cryptographic algorithm and appended to data in such a way that any recipient of the data can use the signature to verify the data's origin and *Integrity*

3.1.21
Hash Function
algorithm such as SHA-1 for which it is computationally infeasible to find either a data object that maps to a given hash result (the "one-way" property) or two data objects that map to the same hash result (the "collision-free" property)

Note 1 to entry: See IS Glossary.

3.1.22
Hashed Message Authentication Code
MAC that has been generated using an iterative *Hash Function*

3.1.23
Integrity
security objective that assures that information has not been modified or destroyed in an unauthorized manner

Note 1 to entry: See IS Glossary.

3.1.24
Identity Provider
Server which verifies credentials provided by a *Security Principal* and returns a token which can be passed to an associated *Authorization Service*

3.1.25
Key Exchange Algorithm
protocol used for establishing a secure communication path between two entities in an unsecured environment whereby both entities apply a specific algorithm to securely exchange secret keys that are used for securing the communication between them

Note 1 to entry: A typical example of a Key Exchange Algorithm is the SSL Handshake Protocol specified in SSL/TLS.

3.1.26
Message Authentication Code
short piece of data that results from an algorithm that uses a secret key (see *Symmetric Cryptography*) to hash a *Message* whereby the receiver of the *Message* can check against alteration of the *Message* by computing a *MAC* that should be identical using the same *Message* and secret key

AVA Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021

3.1.27
Message Signature
Digital Signature used to ensure the *Integrity* of *Message*s that are sent between two entities

Note 1 to entry: There are several ways to generate and verify Message Signatures; however, they can be categorized as symmetric (See Entry 3.1.40) and asymmetric (See Entry 3.1.5) approaches.

3.1.28
Non-Repudiation
strong and substantial evidence of the identity of the signer of a *Message* and of *Message Integrity*, sufficient to prevent a party from successfully denying the original submission or delivery of the *Message* and the *Integrity* of its contents

3.1.29
Nonce
random number that is used once typically by algorithms that generate security keys

3.1.30
Permission
right to execute an operation, such as a read, write or a call, on a *Node*

3.1.31
Private Key
secret component of a pair of cryptographic keys used for *Asymmetric Cryptography*

Note 1 to entry: Public Key and Private Key are always generated as a pair, if either is updated the other shall also be updated.

3.1.32
Public Key
publicly-disclosed component of a pair of cryptographic keys used for *Asymmetric Cryptography*

Note 1 to entry: See IS Glossary.

Note 2 to entry: *Public Key* and *Private Key* are always generated as a pair, if either is updated the other shall also be updated.

3.1.33
Public Key Infrastructure
set of hardware, software, people, policies, and procedures needed to create, manage, store, distribute, and revoke *Certificates* based on *Asymmetric Cryptography*

Note 1 to entry: The core PKI functions are to register users and issue their public-key *Certificates*, to revoke *Certificates* when required, and to archive data needed to validate *Certificates* at a much later time. Key pairs for data *Confidentiality* may be generated by a *Certificate* authority (CA); it is a good idea to require a *Private Key* owner to generate their own key pair as it improves security because the *Private Key* would never be transmitted according to IS Glossary. See PKI and X509 for more details on *Public Key* Infrastructures.

3.1.34
Resource
secured entity which an application needs to access

Note 1 to entry: A *Resource* is usually a *Server*.

3.1.35
Rivest-Shamir-Adleman
algorithm for *Asymmetric Cryptography*, invented in 1977 by Ron Rivest, Adi Shamir, and Leonard Adleman

Note 1 to entry: See IS Glossary.

Documents
Document Sharing Hub
Full document details: PD CLC IEC/TR 62541-2:2021

3.1.36
Role
function assumed by a *Client* when it accesses a *Server*

Note 1 to entry: A *Role* may refer to a specific job function such as operator or engineer.

3.1.37
Scope
Claim representing a subset of a *Resource*

Note 1 to entry: A *Scope* may indicate a set *Nodes* managed by a *Server*.

3.1.38
Security Key Service
Server that accepts *Access Tokens* issued by the *Authorization Service* and returns security keys that can be used to access the specified *Resource*

Note 1 to entry: The keys are typically used for cryptography operations such as encrypting or decrypting messages sent on a *PubSub* stream.

3.1.39
Secure Channel
in OPC UA, communication path established between an OPC UA *Client* and *Server* that have authenticated each other using certain OPC UA services and for which security parameters have been negotiated and applied

3.1.40
Symmetric Cryptography
branch of cryptography involving algorithms that use the same key for two different steps of the algorithm (such as encryption and decryption, or signature creation and signature verification)

Note 1 to entry: See IS Glossary.

3.1.41
Symmetric Encryption
mechanism used by *Symmetric Cryptography* for encrypting and decrypting data with a cryptographic key shared by two entities

3.1.42
SecurityGroup
publisher and subscribers that utilize a shared security context

3.1.43
Symmetric Signature
mechanism used by *Symmetric Cryptography* for signing data with a cryptographic key shared by two entities

Note 1 to entry: The signature is then validated by generating the signature for the data again and comparing these two signatures. If they are the same, then the signature is valid, otherwise either the key or the data is different from the two entities.

3.1.44
TrustList
list of *Certificate*s that an OPC UA Application has been configured to trust

3.1.45
Transport Layer Security
standard protocol for creating *Secure Channel*s over IP based networks

Documents
Document Sharing Hub

Full document details: PD CLC IEC/TR 62541-2:2021