PD IEC/TS 62607-4-3:2015

BSI Standards Publication

Nanomanufacturing — Key control characteristics

Part 4-3: Nano-enabled electrical energy storage — Contact and coating resistivity measurements for nanomaterials

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: PD IEC/TS 62607-4-3:2015

National foreword

This Published Document is the UK implementation of IEC/TS 62607-4-3:2015.

The UK participation in its preparation was entrusted to Technical Committee NTI/1, Nanotechnologies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 86146 8
ICS 07.030

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2015.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD IEC/TS 62607-4-3:2015

IEC TS 62607-4-3

Edition 1.0 2015-08

TECHNICAL SPECIFICATION

colour inside

Nanomanufacturing – Key control characteristics – Part 4-3: Nano-enabled electrical energy storage – Contact and coating resistivity measurements for nanomaterials

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 07.030

ISBN 978-2-8322-2851-7

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

Documents
Document Sharing Hub

Full document details: PD IEC/TS 62607-4-3:2015

CONTENTS

FOREWORD....4
INTRODUCTION....6
1 Scope....7
2 Normative references....7
3 Terms, definitions, acronyms and abbreviations....7
3.1 Terms and definitions....7
3.2 Acronyms and abbreviations....8
4 Sample preparation methods....8
4.1 General....8
4.2 Reagents....9
4.2.1 Casting slurry....9
4.2.2 Isolator substrates....9
4.2.3 Metal collector strips and sample layout....9
4.3 Preparation of the electrode nanomaterial test samples....9
5 Measurement of electric properties....10
5.1 General....10
5.2 Coating resistivity....10
5.2.1 Demarcation of method....10
5.2.2 Measurement of the sample thickness....10
5.2.3 Experimental procedures and measurement conditions....10
5.3 Contact resistivity....11
5.3.1 Demarcation of method....11
5.3.2 Experimental procedures and measurement conditions....11
6 Data analysis / interpretation of results....11
6.1 Coating resistivity....11
6.2 Contact resistivity....12
Annex A (informative) Case study....13
A.1 Sample preparation....13
A.2 Results for a supercap EDLC-electrode and a lithium-ion battery NCM-cathode....15
A.2.1 Linear correlation between current and voltage of the electrode coating resistance of a supercap electrode (ohmic behaviour)....15
A.2.2 Results for coating resistivity....16
A.2.3 Results of measurement of contact resistivity....17
Bibliography....18

Figure 1 – Layout of the coating (left) and contact (right) resistivity measurement....9
Figure A.1 – Sample preparation....13
Figure A.2 – Construction steps....15
Figure A.3 – Correlation between current and voltage of the coating resistance of various supercap EDLC-electrodes (variation in amount of carbon black additive in the electrode recipe)....15
Figure A.4 – Coating resistivity of supercap electrodes with variation in the amount of carbon black in the electrode composite recipe and sample thickness....16
Figure A.5 – Coating resistivity of NCM-based lithium-ion battery cathode with variation in the amount of NCM, binder to carbon black value and sample thickness....16

AVA Documents
Document Sharing Hub
Full document details: PD IEC/TS 62607-4-3:2015

Figure A.6 – Contact resistivity of a supercap electrode in the state “as cast” and “densified” 17
Figure A.7 – Contact resistivity of a NCM-based lithium-ion battery cathode (81,3 vol.-% NCM) in the state “as cast” and “as densified” 17

Documents
Document Sharing Hub
Full document details: PD IEC/TS 62607-4-3:2015

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

NANOMANUFACTURING – KEY CONTROL CHARACTERISTICS –

Part 4-3: Nano-enabled electrical energy storage – Contact and coating resistivity measurements for nanomaterials

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62607-4-3, which is a Technical Specification, has been prepared by IEC technical committee 113: Nanotechnology standardization for electrical and electronic products and systems.

AVA Documents
Document Sharing Hub

Full document details: PD IEC/TS 62607-4-3:2015

The text of this Technical Specification is based on the following documents:

Enquiry draft	Report on voting
113/239/DTS	113/263A/RVC

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62607 series, published under the general title *Nanomanufacturing – Key control characteristics*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International Standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: PD IEC/TS 62607-4-3:2015