PD IEC TS 63428:2024

BSI Standards Publication

Guidance on material circulation considerations in environmentally conscious design

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

National foreword

This British Standard is the UK implementation of IEC TS 63428:2024.

The UK participation in its preparation was entrusted to Technical Committee GEL/111, Electrotechnical environment committee.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2024
Published by BSI Standards Limited 2024

ISBN 978 0 539 20762 0

ICS 13.020.01; 13.020.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2024.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

IEC TS 63428

Edition 1.0 2024-08

TECHNICAL SPECIFICATION

colour inside

Guidance on material circulation considerations in environmentally conscious design

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 13.020.01; 13.020.20

ISBN 978-2-8322-9553-3

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

CONTENTS

FOREWORD ... 3
INTRODUCTION ... 5
1 Scope ... 6
2 Normative references ... 6
3 Terms, definitions and abbreviated terms ... 6
3.1 Terms and definitions ... 6
3.2 Abbreviated terms ... 10
4 Principles of material circularity ... 10
4.1 Relationship between material circularity and environmentally conscious design ... 10
4.2 Material circularity principles ... 11
4.3 Functional analysis considerations on material circularity ... 12
5 Guidance for integrating material circularity aspects during design and development ... 13
5.1 General ... 13
5.2 Value proposition creation phase ... 15
5.3 Material selection phase ... 16
5.4 Manufacture phase ... 17
5.5 Distribution and installation phase ... 17
5.6 Product use phase ... 18
5.6.1 Framework for product durability ... 18
5.6.2 Product reliability ... 19
5.6.3 Ability of products to be dis- and re-assembled ... 19
5.6.4 Ability of products to be maintained ... 20
5.6.5 Product repairability ... 20
5.6.6 Ability of products to be updated and upgraded ... 21
5.6.7 Design products so that they can be reused or refurbished ... 22
5.6.8 Other considerations ... 22
5.7 End-of-life phase ... 23
5.7.1 General ... 23
5.7.2 Ability of products to be remanufactured and repurposed ... 23
5.7.3 Ability of the parts to be reused ... 24
5.7.4 Ability of products and parts to be recycled at end-of-life phase ... 24
6 Trade-offs between different ecodesign measures ... 25
6.1 General ... 25
6.2 Examples of potential trade-offs ... 25
6.3 Guidance on handling trade-offs ... 26
Bibliography ... 27

Figure 1 – Concept diagram of a circular economy ... 7
Figure 2 – Material efficiency hierarchy ... 11
Figure 3 – Functional, non-functional and limiting states of a product ... 18

Table 1 – Material circularity considerations during ECD process ... 14

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GUIDANCE ON MATERIAL CIRCULATION CONSIDERATIONS IN ENVIRONMENTALLY CONSCIOUS DESIGN

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 63428 has been prepared by IEC technical committee 111: Environmental standardization for electrical and electronic products and systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
111/759/DTS	111/772/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

INTRODUCTION

The circular economy can be described as a systemic approach to the design of processes, products (including services) and business models, that tackles global challenges like climate change, resource depletion, biodiversity loss, waste, and pollution. It is based on the principles driven by design: eliminate waste and pollution, decreasing the use of resources, circulate products and materials (at their highest value), and regenerate nature. As such it focuses on managing resources more effectively and increasingly closing material flows. Changing from the traditional linear economy to a circular economy represents a paradigm shift in the way that society and natural capital are interrelated.

Different geographies have already introduced or are expected to introduce soon, the concept of circular economy into their legal systems. Standards can assist the effective adoption of legislation. It is important that the international community speed up addressing this topic, for example, CEN and CENELEC are already doing this in Europe on the assessment of the different aspects of material efficiency such as durability, ability to repair, reuse and upgrade, recyclability and recoverability, proportion of reused components, proportion of recycled content, and the ability of a product to be remanufactured.

Current IEC standards deal with functional approaches and dependability topics. Both can support material circularity optimization during the design phase across the different life cycle stages. Material circularity for a product can be supported by a systematic design approach taking all life stages of the product into consideration.

The design for material circularity means a design contributing to circular economy. This covers several interrelated efficiencies such as material efficiency, energy efficiency, and environmental footprint efficiency. Safety and health as functional priorities are covered by other standards.

Whereas ISO 14009 provides guidance and requirements for management systems to support incorporating material circulation in design and development, this document focuses on integrating the material circularity aspects in the design and development processes.

The design for material circularity supports innovation and technology managers, product designers and engineers by analysing the consequences of their ideas and decisions to the different life cycle stages of a product. Facilitating circulation of materials by closing the flow will assist organizations in fulfilling the objectives of circular economy, which is increasingly becoming an important objective in many parts of the world.

Environmentally conscious design (ECD) is the overarching concept applying life cycle thinking (LCT), which includes material circularity. This document, focusing on material circularity, aims at minimizing material losses and closing the material flow of the product's entire life.

This document is intended to become a horizontal document in a future edition, for example, if it becomes an International Standard.

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

GUIDANCE ON MATERIAL CIRCULATION CONSIDERATIONS IN ENVIRONMENTALLY CONSCIOUS DESIGN

1 Scope

This document describes principles and provides guidance on how to embed material circularity aspects into the design and development of products.

This includes making efficient use of materials and closing material flows in design and production, extending the lifetime of products through increased durability and enabling parts and materials to be reused or recycled at end-of-life.

- Closing the material flows includes the use of recycled content and reused parts.
- Durability extensions include such measures as to improve reliability and maintenance, enable and facilitate repair, provide updates and upgrades, refurbish and reuse.
- Improvements in material recyclability, parts reuse, and remanufacturing are possible through measures such as design for disassembly, separability of materials, choice of materials, traceability of materials, and durability of parts.

This document builds on the jointly published (ISO and IEC) document, IEC 62430:2019 for requirements for environmentally conscious design (ECD) processes, and it supplements ECD by adding more specific guidance on the aspects of material circularity and material efficiency.

This document only deals with material circularity of products. Economic, social and energy aspects are excluded from the scope of this document.

This document is applicable to all electrotechnical products including goods and services.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

Documents
Document Sharing Hub

Full document details: PD IEC TS 63428:2024

3.1.1
circular economy
economic system that uses a systemic approach to the sustainable development by optimizing the use of natural resources, aiming to eliminate losses and emissions, circulate products and materials at their highest value for as long as possible

Note 1 to entry: Circular economy is driven by design aiming at enhancing value by increasing the satisfaction of the needs and expectations of users, in relation to the resources used.

Note 2 to entry: Circular economy supports natural systems regeneration.

Note 3 to entry: A concept diagram of a circular economy is given in Figure 1.



Figure 1 – Concept diagram of a circular economy

Note 4 to entry: This terminological entry is based on IEC 60050-193:—.

3.1.2
corrective maintenance
maintenance carried out after fault detection to effect restoration

Note 1 to entry: Corrective maintenance of software invariably involves some modification.

[SOURCE: IEC 60050-192:2015, 192-06-06]

3.1.3
critical raw material
CRM
materials which, according to a defined classification methodology, are economically important, and have a high risk associated with their supply

[SOURCE: EN 45558:2019, 3.1.1, modified – The note has been deleted.]

3.1.4
durability
<of a part or a product> ability to function as required, under specified conditions of use, maintenance and repair, until the end-of-life is reached

Note 1 to entry: The criteria for transition from non-functional state to end-of-life should be specified. The criteria is based on predictable aspects (e.g. technical aspects) so that the durability can be estimated.

Note 2 to entry: Durability can be expressed in units appropriate to the part or product concerned, e.g. calendar time, operating cycles, distance run, etc.

Note 3 to entry: This terminological entry is based on IEC 60050-193:—.

Documents
Document Sharing Hub
Full document details: PD IEC TS 63428:2024

3.1.5
environmentally conscious design
ECD
systematic approach which considers environmental aspects in the design and development with the aim to reduce adverse environmental impacts throughout the life cycle of a product

Note 1 to entry: Other terminology used worldwide with the same meaning includes ecodesign, design for environment (DFE), green design and environmentally sustainable design.

[SOURCE: IEC 62430:2019, 3.1.1]

3.1.6
functional analysis
systematic investigation of the functions of a real or planned system

[SOURCE: ISO/IEC/IEEE 24765:2017, 3.1685, modified – The second definition was deleted.]

3.1.7
maintenance
process to retain a product, or restore it to, a state in which it can perform as intended

[SOURCE: IEC 60050-192:2015, 192-06-01, modified –"combination of all technical and management actions intended" has been replaced with "process", "item" has been replaced with "product", "required" has been replaced with "intended", and the Note to entry has been deleted.]

3.1.8
material
(physical) matter composed by one or more substances

[SOURCE: IEC/ISO 82474-1:—, 3.1.7]

3.1.9
material circularity
capability for product, parts, and the materials they are composed of to be kept in value retention loops

Note 1 to entry: Value retention loops refer to the capability of products and parts to have their life maintained or extended through multiple uses and materials to be recovered at end-of-life.

Note 2 to entry: This terminological entry is based on IEC 60050-193:—.

3.1.10
material efficiency
degree to which a system or product performs its designated functions with effective use of materials

Note 1 to entry: An effective use of materials can be achieved through balancing material use, product durability, and recovery.

3.1.11
product
good, service or combination hereof

Note 1 to entry: This terminological entry is based on IEC 60050-193:—.

Documents
Document Sharing Hub
Full document details: PD IEC TS 63428:2024