



BSI Standards Publication

Cards and security devices for personal identification — Communication between contactless readers and fare media used in public transport

Part 1: Implementation requirements for ISO/IEC 14443 (all parts)

National foreword

This Published Document is the UK implementation of ISO/IEC TS 24192-1:2021.

The UK participation in its preparation was entrusted to Technical Committee IST/17, Cards and security devices for personal identification.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 05568 9

ICS 03.220.20; 35.240.15; 35.240.60

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2021.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION

ISO/IEC TS 24192-1

First edition
2021-05-05

Cards and security devices for personal identification — Communication between contactless readers and fare media used in public transport —

Part 1: Implementation requirements for ISO/IEC 14443 (all parts)

*Cartes et dispositifs de sécurité pour l'identification personnelle —
Communication entre terminaux et objets sans contact utilisés en
transport public —*

*Partie 1: Exigences d'implémentation pour l'ISO/IEC 14443 (toutes
les parties)*



Reference number
ISO/IEC TS 24192-1:2021(E)

AVA Documents
Document Sharing Hub
© ISO/IEC 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviations	2
5 Conformance	3
6 Dual conformance of PT devices to ISO/IEC TS 24192 (all parts) and EMV Contactless Interface Specification	3
7 Interoperability of PT devices and NFC mobile devices	3
7.1 Description of the “concept for interoperability”	3
7.2 References for implementation and test of NFC mobile devices	4
7.3 Limitations	4
8 Requirements and recommendations applicable to PT readers	5
8.1 General	5
8.1.1 Overview	5
8.1.2 IFM reader	5
8.1.3 Common reader	6
8.2 General requirements	7
8.3 Requirements on polling and recognizing contactless objects	8
8.4 Performance recommendations	8
9 Requirements and recommendations applicable to PT objects	9
9.1 General	9
9.2 Requirements	9
9.3 Performance recommendations	9
10 Implementation characteristics	9
10.1 General	9
10.2 ICS for PT readers – PCD	10
10.2.1 General	10
10.2.2 PCD general technical characteristics	10
10.2.3 PCD supported options	10
10.2.4 PCD test parameters	11
10.3 ICS for PT objects - PICC	12
10.3.1 General	12
10.3.2 PICC general technical characteristics	12
10.3.3 PICC supported options	12
10.3.4 PICC test parameters	14
11 Test conditions for PT reader and PT objects	14
11.1 General	14
11.2 Temperature	14
11.3 Test conditions for PT readers	15
11.3.1 General	15
11.3.2 Initial positions template	15
11.3.3 Test positions	16
11.3.4 Test mode	24
11.4 Test conditions for PT objects	24
11.4.1 Test positions	24
11.4.2 Test application	26
Annex A (informative) Examples of polling sequences and scenarios	27

Annex B (informative) Loopback interface for PT reader testing	29
Bibliography	30

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology, Information technology*, Subcommittee SC 17, *Cards and security devices for personal identification*.

A list of all parts in the ISO/IEC TS 24192 series can be found on the ISO and IEC website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

This document defines the requirements related to the use of ISO/IEC 14443 (all parts) to ensure interoperability between fare management system terminals and multiple-form-factor contactless fare media (smartcards, e-tickets, mobile phones, USB keys, tablets, etc.).

These implementation requirements are not designed to repeat or duplicate the referenced specifications, essentially ISO/IEC 14443 (all parts) and [ISO/IEC 10373-6](#), but to complement those specifications with public transport specific considerations.

Cards and security devices for personal identification — Communication between contactless readers and fare media used in public transport —

Part 1: Implementation requirements for ISO/IEC 14443 (all parts)

1 Scope

This document defines the technical requirements to be met by contactless public transport (PT) devices in order to be able to interface together using the ISO/IEC 14443 (all parts) contactless communications protocol.

This document applies to PT devices:

- PT readers which are contactless fare management system terminals acting as a PCD contactless reader based on ISO/IEC 14443 (all parts);
- PT objects which are contactless fare media acting as a PICC contactless object based on ISO/IEC 14443 (all parts).

This document addresses interoperability of consumer-market NFC mobile devices, compliant to NFC Forum specifications, with above mentioned PT devices, aligns with ISO/IEC 14443 (all parts) and does not seek to limit compliance for PT readers with EMV Contactless Interface Specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC/TS 24192-2, *Cards and security devices for personal identification — Communication between contactless readers and fare media used in public transport — Part 2: Test plan for ISO/IEC 14443 (all parts)*

[ISO/IEC 10373-6](#), *Cards and security devices for personal identification — Test methods — Part 6: Contactless proximity objects*

ISO/IEC 14443 (all parts), *Cards and security devices for personal identification — Contactless proximity objects*

[ISO/IEC 15693-2](#), *Cards and security devices for personal identification — Contactless vicinity objects — Part 2: Air interface and initialization*

ISO/IEC 18092, *Information technology — Telecommunications and information exchange between systems — Near Field Communication — Interface and Protocol (NFCIP-1)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in [ISO/IEC 14443-1](#), [ISO/IEC 14443-2](#), [ISO/IEC 14443-3](#), [ISO/IEC 14443-4](#), [ISO/IEC 10373-6](#) and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

common reader

PT reader (3.8) used in interoperable fare management system terminals with reduced performance requirements

Note 1 to entry: See 8.1.

3.2

IFM reader

PT reader (3.8) used in interoperable fare management system terminals

Note 1 to entry: See 8.1.

3.3

NFC mobile device

mobile device capable of near field communication that is offered in the consumer market and is used by PT customers as a contactless object or a contactless reader

3.4

NFC mobile device in card emulation mode

mobile device used as a *PT object* (3.7)

3.5

NFC mobile device in reader/writer mode

mobile device used as a *PT reader* (3.8)

3.6

PT device

PT reader (3.8) or *PT object* (3.7)

3.7

PT object

PICC specifically designed for the use in PT systems

Note 1 to entry: PICC is defined in ISO/IEC 14443 (all parts).

3.8

PT reader

PCD specifically designed for the use in PT systems

Note 1 to entry: PCD is defined in ISO/IEC 14443 (all parts).

4 Symbols and abbreviations

For the purposes of this document, the abbreviations given in [ISO/IEC 14443-1](#), [ISO/IEC 14443-2](#), [ISO/IEC 14443-3](#), [ISO/IEC 14443-4](#), [ISO/IEC 10373-6](#) and the following apply.

ICS	implementation conformance statements
NFC	near field communication
PT	public transport
t_{detect}	maximum reference PICC time-to-detection

5 Conformance

To claim conformance to this document, the following requirements shall be met:

- for a PT reader, all the requirements listed in [Clause 8](#) that are applicable according to the applicant's ICS, under the test conditions stipulated in [Clause 11](#) and following the PCD test plan defined in ISO/IEC TS 24192-2;
- for a PT object, all the requirements listed in [Clause 9](#) that are applicable according to the applicant's ICS, under the test conditions stipulated in [Clause 11](#) and following the PICC test plan defined in ISO/IEC TS 24192-2.

Conformance of NFC mobile devices is tested according to NFC Forum specifications and is out of scope of this document.

The description of the certification or qualification processes to be carried out for demonstrating the conformance of PT devices to this document is out of scope of this document.

6 Dual conformance of PT devices to ISO/IEC TS 24192 (all parts) and EMV Contactless Interface Specification

It is acknowledged that next to this document there is also EMV Contactless Interface Specification^[1] relevant for many PT devices; therefore this document is developed such that PT devices can comply with the requirements of both EMV Contactless Interface Specification^[1] and this document.

7 Interoperability of PT devices and NFC mobile devices

7.1 Description of the “concept for interoperability”

The contactless interface for NFC mobile devices follows the implementation and test specifications of the NFC Forum as specified by the NFC Forum and referenced in GSMA TS.26^[3] and TS.27^[4].

The ISO/IEC 14443 (all parts) contactless interface of PT devices is designed and tested according to the rules defined in this document.

The concept for interoperability is established to synchronise the specifications for the contactless interface of NFC mobile devices and those for the contactless interface of PT devices in order to:

- facilitate interoperability between NFC mobile devices and PT devices;
- avoid unnecessary test and certification effort.

The NFC Forum conducted a comparison of NFC Analog Specification^[5] and NFC Digital Specification^[6] with ISO/IEC 14443 (all parts) and [ISO/IEC 10373-6](#). Procedures that support correlation between results from tests according to NFC Forum specifications and those according to [ISO/IEC 10373-6](#) have been defined.

The correlation is used to translate test results from the NFC Forum's terminology into [ISO/IEC 10373-6](#)'s method for describing the relevant parameters. This is the foundation for the following characteristics of the concept for interoperability:

a) Development of PT devices and NFC mobile devices

Despite the fact that different methods for describing the relevant parameters are used, this document and the relevant implementation specifications from the NFC Forum can be synchronised. By synchronising the implementations' specifications, interoperability is integrated into the design processes of NFC mobile devices and PT devices and makes it a common feature for both types of devices.

b) Test and certification of PT devices and NFC mobile devices

Based on the concept for interoperability it is possible to judge if an NFC mobile device that went through NFC Forum testing is interoperable with a PT device that complies with the requirements for ISO/IEC 14443 (all parts) set out in this document. Therefore, it is sufficient evidence of interoperability to test and certify ISO/IEC 14443 (all parts) conformant PT devices according to ISO/IEC TS 24192-2 and to test and certify NFC mobile devices according to NFC Forum's test and certification procedures.

The detailed methodology used to demonstrate the concept of interoperability between NFC Forum compliant devices and ISO/IEC 14443 (all parts) compliant devices is described in Reference [8].

[Table 1](#) summarizes how contactless communication can be ensured either via conformity testing between PT readers and PT objects or via interoperability testing between PT devices and NFC mobile devices.

Table 1 — Conformity and interoperability matrix for NFC Forum specifications

		Contactless objects	
		PT objects Specified and tested according to ISO/IEC TS 24192	NFC mobile devices in card emulation mode Specified and tested according to NFC Forum specifications
Contactless readers	PT readers (IFM readers and common readers) Specified and tested according to ISO/IEC TS 24192 (all parts)	Conformity based on ISO/IEC TS 24192 (all parts)	Interoperability
	NFC mobile devices in reader/writer mode Specified and tested according to NFC Forum specifications	Interoperability	Conformity based on NFC Forum specifications

7.2 References for implementation and test of NFC mobile devices

The applicable NFC Forum specifications for designing and testing the contactless communication of NFC mobile devices are listed in the Bibliography (References [2] to [7]).

Conformance of NFC mobile devices to these specifications is a prerequisite to ensure interoperability of NFC mobile devices with PT devices as presented in [Table 1](#).

7.3 Limitations

Only parameters, parameter settings or modes of operations that are relevant for PT use cases have been regarded and aligned with for both NFC mobile and PT devices. These use cases are described in the STA document "Documentation of Use Cases for NFC Mobile Devices in Public Transport"[2].

The following parameters, settings or modes are currently not covered by the harmonization of specifications according to the concept for interoperability described in [7.1](#):

- a) communication bit rates higher than $f_c/128$ (~106 kbit/s);
- b) peer-to-peer mode according to NFC Forum specifications;
- c) ISO/IEC 18092 mode of communication;
- d) [ISO/IEC 15693-2](#) mode of communication.