PD ISO/TR 23022:2018

BSI Standards Publication

Traditional Chinese medicine — Controlled vocabulary on Japanese Kampo formulas and the indication codes for the products

Documents
Document Sharing Hub

Full document details: PD ISO/TR 23022:2018

National foreword

This Published Document is the UK implementation of ISO/TR 23022:2018.

The UK participation in its preparation was entrusted to Technical Committee CH/100/1, Traditional Chinese Medicine.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 51179 0

ICS 11.120.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2018.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD ISO/TR 23022:2018

TECHNICAL REPORT

ISO/TR 23022

First edition
2018-04

Traditional Chinese medicine — Controlled vocabulary on Japanese Kampo formulas and the indication codes for the products

Médecine traditionnelle chinoise - Vocabulaire contrôlé relatif aux formules Kampo japonaises et codes d'indication des produits

Reference number
ISO/TR 23022:2018(E)

Documents
Document Sharing Hub

© ISO 2018

Full document details: PD ISO/TR 23022:2018

COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TR 23022:2018

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **2**
4 Abbreviated terms **5**
5 Conformance **6**
6 Coding system **6**
Annex A (informative) **Controlled vocabulary of Japanese Kampo formulas** **8**
Bibliography **87**

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Introduction

Herbal medicines have been developed around the world by utilizing available vegetation to develop uses suitable for the physical constitution of the target population in each area.

Consequently, herbal prescriptions with the same name sometimes have different qualitative composition and quantitative composition strength in different parts of the world. In other words, there are plenty of polysemes (see ISO 1087-1) in the origin of crude drugs among some traditional medicines[20]. The resulting confusion is further complicated by the use of similar letters[12] in some countries.

These issues cannot be ignored in the process of standardizing contemporary terminology for medicinal products to keep with up-to-date drug information management policies, from clinical trials to post-market surveillance in the periodic safety update report (PSUR).

Furthermore, therapeutic indications are defined only for medicinal products, but not for formulas specified in some pharmacopoeias including Japan's[21][22]. It is important to take this into account in international standardization though this has not yet been achieved in ISO/TC 249.

Therefore, this document describes the controlled vocabulary for formula names used in Japanese Kampo formulas with the respective indications and efficacies of each product to avoid market distortions and health hazards. The information provided in this document is expected to encourage international trade.

Formulas or traditional medicines that are not controlled by the Japanese Pharmacopoeia and the related official documents published by the Medicinal Regulatory Agency in Japan are beyond the scope of this document.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Documents
Document Sharing Hub

Traditional Chinese medicine — Controlled vocabulary on Japanese Kampo formulas and the indication codes for the products

1 Scope

This document specifies the controlled vocabulary for formulas used in Japanese Kampo medicine with the therapeutic indications of each product according to the subset of IDMPs (ISO 11238, ISO 11615, ISO 11616[10], ISO 19844[15], ISO/TS 20443[16], ISO/TS 20451[17]).

This document is intended to be used by:

— traders and distributors of medicinal products in Kampo formulas and crude drugs used in Kampo medicine;

— terminologists and developers of new terminological resources concerning herbal medicines in Kampo medicine, and maintenance officers of existing terminological resources concerning Kampo medicine to enable their conformance;

— informaticians, developers, or managers of HIS, EMR, or EHR systems concerning Kampo medicine;

— officers, analysts or maintenance personnel of national health statistics, and policy proposal staff of national health policies;

— officers of WHO, and WHO statistics.

This edition of this document describes only medicinal products in accordance with the Kampo formula in Japan. Both OTC Kampo formula medicinal products and in-pharmacy formula medicinal products are omitted, although they are permitted under Japanese jurisdiction.

Topics considered out of scope of this document are:

— any medicinal products manufactured in accordance with the formula of traditional medicines that are not permitted under the Japanese jurisdiction;

— whole information models of medicinal products, pharmaceutical products and substances (see ISO 11238) because those are already specified in IMDPs;

— any categorical structure(s) of herbal medicaments (see ISO/TS 18062, ISO 17115[13] and EN 12264[18]).

The controlled vocabulary for formulas used in Japanese Kampo medicine is given in Annex A.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1087-1, *Terminology work — Vocabulary — Part 1: Theory and application*

ISO 11238, *Health informatics — Identification of medicinal products — Data elements and structures for the unique identification and exchange of regulated information on substances*

ISO 11615, *Health informatics — Identification of medicinal products — Data elements and structures for the unique identification and exchange of regulated medicinal product information*

© ISO 2018 – All rights reserved

Documents Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

ISO/TS 18062, *Health informatics — Categorial structure for representation of herbal medicaments in terminological systems*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1087-1, ISO 11238, ISO 11615 and ISO/TS 18062 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
ingredient
material (3.8) that is used in the preparation of a *medicinal product* (3.9)/*pharmaceutical product* (3.13)

Note 1 to entry: An ingredient is a part of a *medicinal product* (3.9), either by itself or in combination with one or more ingredients. An ingredient is also a component of a *pharmaceutical product* (3.13). An ingredient is equal to a detailed description of a substance playing a role in a product.

3.2
jurisdiction
geographical area or subject matter in which the authority of the Medicines Regulatory Agency applies

3.3
legal status of supply
jurisdictional rule on whether a medicinal product requires a medical prescription before it can be supplied to a patient or consumer

3.4
manufactured item
qualitative and quantitative composition of a product as described in the packaging of the *medicinal product* (3.9)

Note 1 to entry: A medicinal product may contain one or more manufactured items.

Note 2 to entry: *Pharmaceutical product* (3.13) and manufactured item are sometimes different when manufactured item(s) are processed before administration to the patient (as the pharmaceutical product).

Note 3 to entry: The manufactured item is not in direct contact with the outer packaging except where the outer packaging also serves as the immediate container.

3.5
marketing authorization
authorization issued by a Medicines Regulatory Agency allowing a *medicinal product* (3.9) to be sold on the market

3.6
marketing authorization holder
organization that holds the authorization for marketing a *medicinal product* in a jurisdiction

3.7
marketing authorization number
identifier assigned by a Medicines Regulatory Agency to a *medicinal product* (3.9)

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

3.8
material
substance or a specified substance of which a certain component is made

Note 1 to entry: This applies to *medicinal products* (3.9), packaging items (container), packages (component), and devices.

3.9
medicinal product
any substance or combination of substances that may be administered to human beings (or animals) to treat or prevent disease, to make a medical diagnosis, or to restore, correct, or modify physiological functions

Note 1 to entry: A medicinal product may contain one or more manufactured items, and one or more *pharmaceutical products* (3.13).

Note 2 to entry: In certain jurisdictions, a medicinal product may also be defined as any substance or a combination of substances that may be used to make a medical diagnosis.

Note 3 to entry: [SOURCE: ENV 13607:2000, modified]

3.10
medicinal product identifier
MPID
unique identifier allocated to a *medicinal product* that supplements any existing *marketing authorization number* as ascribed by a Medicines Regulatory Agency within a jurisdiction

Note 1 to entry: This identifier is for indexing purposes to contribute to improved patient safety by allowing for the unique identification of *medicinal products* worldwide.

3.11
medicinal product name
name as authorized by a Medicines Regulatory Agency

Note 1 to entry: This may either be an invented name not liable to be confused with the common name, or a common or a scientific name accompanied by a trademark or any other applicable descriptor.

3.12
medicines regulatory agency
institutional body that, according to the legal system under which it has been established, is responsible for the granting of marketing authorization for medicinal products

Note 1 to entry: In certain jurisdictions, the role of the institutional body, which grants the marketing authorization of medicinal products according to the legal system, may be complemented by an additional institutional body responsible for the evaluation and supervision of medicinal product. For example, in the EU, the European Commission is the institutional body that grants the marketing authorization of medicinal products, and the European Medicines Agency is the body responsible for the evaluation and supervision of medicinal products.

3.13
pharmaceutical product
qualitative and quantitative composition of a medicinal product in the dose form approved for administration in line with regulated product information

Note 1 to entry: A medicinal product can contain one or more pharmaceutical products.

Note 2 to entry: Pharmaceutical product and *manufactured item* (3.4) are sometimes different when manufactured item(s) are processed before administration to the patient [as the *pharmaceutical product* (3.13)].

3.14
pharmaceutical product identifier
PhPID
unique identifier for a pharmaceutical product

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

3.15
product classification
categorization or grouping of medicinal products based on specific properties

EXAMPLE Pharmacological classification, classification by therapeutic effect.

3.16
qualitative composition
composition of all the constituents of the investigational or authorized medicinal product, if applicable, after reconstitution, and the functioning of the constituents of:

— the substance and the specified substance;

— the constituent(s) of the excipients, whatever their nature or quantity used, including colouring materials, preservatives, adjuvants, stabilizers, thickeners, emulsifiers, flavouring, and aromatic substances, etc.

3.17
quantitative composition strength
amounts of substance and specified substance constituents in the investigational or authorized medicinal product expressed in a ratio scale

Note 1 to entry: It is necessary for the quantitative composition of the substance(s) or the specified substance descriptions of the finished investigational or authorized medicinal products (depending on the pharmaceutical form concerned) to specify the mass, or the number of units of biological activity, either as a per dosage unit or as per unit of mass or volume, of each substance or specified substance.

Note 2 to entry: Substance or specified substance descriptions present in the form of compounds or derivatives are always designated quantitatively by their total mass and, if necessary or relevant, by the mass of the active entity, or entities, of the molecule.

3.18
target population
type of patients or consumers for which the indication of a *medicinal product* (3.9) is authorized

3.19
therapeutic indication
intended use of the *medicinal product* (3.9) as authorized by the Medicines Regulatory Agency in a jurisdiction

Note 1 to entry: For clinical trials, this refers to the intended use under investigation and as described in the clinical trial protocol.

3.20
Kampo
kampo medicine
traditional medicine that has been developed in Japan

Note 1 to entry: Ancient Chinese medicine was introduced to Japan. After around 1 600 years, Kampo medicine has diverged from the ancient Chinese medicine.

3.21
kampo formula
combination of *crude drugs* (3.24) used in *Kampo medicine* (3.20), that is defined or authorized by the Medicines Regulatory Agency[21][22][23] and in Japan

Note 1 to entry: *Medicinal products* (3.9) made with this type of formula are supplied only when modern medical doctors order prescriptions. Cf. *legal status of supply* (3.3).

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

3.22
OTC kampo formula
combination of *crude drugs* (3.24) based on *Kampo medicine* (3.20), that is defined or authorized by the Medicines Regulatory Agency[21][22][23] in Japan

Note 1 to entry: *Medicinal products* (3.9) in accordance with this type of formula are supplied for the use of self-medication. Cf. *legal status of supply* (3.3).

3.23
in-pharmacy Kampo formula
combination of crude drugs based on Kampo medicine, defined or authorized by the Medicines Regulatory Agency in Japan

Note 1 to entry: *Medicinal products* (3.9) in accordance with this type of formula are produced in pharmacies. Cf. *legal status of supply* (3.3).

3.24
crude drug
natural medicine that is used as a component of a *Kampo formula* (3.21) defined or authorized in the Japanese Pharmacopeia and its addenda[21][22]

3.25
part of interest
medicinal part
part of a natural *material* (3.8) that is usable as source material for a *crude drug* (3.24)

EXAMPLE Seed, root, rhizome, stem, bark, leaf, bud, flower, fruit.

3.26
origin
definition of *crude drug* (3.24) including the name of the natural *material* (3.8) and the part of interest for medicinal use

3.27
medical domain
specific concepts *and* generic concepts of various medical systems

Note 1 to entry: Modern medicine is also a type of medical domain.

EXAMPLE Modern medicine, Ayurveda, traditional African medicine, traditional Australian (Aboriginal), traditional Canadian, Chinese or traditional Chinese (TCM), traditional Japanese (Kampo), traditional Korean, Mongolian, New Zealand (Maori), Thailand, Tibetan, or Vietnamese, and so on.

Note 2 to entry: Other country's pharmacopeia(s) or portion(s) of it may substantially indicate a certain medical domain.

3.28
batch
specific manufacturing release of a *medicinal product* (3.9) or item by the manufacturer

4 Abbreviated terms

BAID_1 Medicinal Product Batch Identifier (outer packaging)

BAID_2 Medicinal Product Batch Identifier (immediate packaging)

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

5 Conformance

The Japanese jurisdiction claims the following:

— crude drugs and pharmaceutical products using the Kampo formula shall conform to the Japanese Pharmacopeia and its addenda[21][22];

— medicinal products using the Kampo formula shall conform to the Japanese Pharmacopeia and its addenda[21][22];

— the medicinal product names of Kampo formula and their expression with letters shall conform to the Japanese Pharmacopeia and its addenda[21][21].

NOTE 1 Chemical and physical identification methods for substances in Kampo medicine are described in the Japanese Pharmacopeia and its addenda[21][22]. Some examples of these methods as well as genetic data are accessible from the website of the Research Center for Medicinal Plant Resources of the National Institute of Biomedical Innovation[24].

NOTE 2 Many crude drug names[20][21][22] in traditional medicines are polysemes. Such confusion is further aggravated by the use of similar letters or scripts[3] in various countries.

NOTE 3 To avoid confusion caused by similarities in naming, the names of the Kampo formula defined by the Japanese Medicines Regulatory Authority[21][22][23] are expressed with a superscript symbol <JP>. Such a symbol <XX> has three purposes: 1) to give attention to the recognition of the different meaning, 2) to prohibit inaccurate conversion of letters, and 3) to help distinguish between homonyms and polysemes (see ISO 1087-1 and References [1][2][3] and [12].

NOTE 4 Each medicinal product name using the Kampo formula contains names defined by the Japanese Medicines Regulatory Authority [21][22][23]. In other words, medicinal product names using the Kampo formula in the same product classification contains the name of the Kampo formula defined by the Japanese Medicines Regulatory Authority[21][22][23].

EXAMPLE 1 The symbol <JP> is added as superscript to the Latin name of crude drugs used in Kampo medicine in this document in order to distinguish crude drugs in Kampo medicine from those in the Chinese Materia Medica[14], 3.86. For example, the Latin name BUPLEURI RADIX<JP>[21], 7.2.29, is defined as the root of *Bupleurum falcatum* Linné (Umbelliferae), but the Latin name of Bupleuri radix in the Chinese Materia medica[14], 3.86, is defined as the root of *Bupleurum chinense* DC. or *Bupleurum scorzonerifolium* Willd.

EXAMPLE 2 ANGELICAE RADIX<JP>, Japanese Angelica Root<JP>, and □□<JP> is defined as the root of *Angelica acutiloba* Kitagawa or *Angelica acutiloba* Kitagawa var. *sugiyamae* Hikino (Umbelliferae), usually after being passed through hot water (7.2.9 in Reference [21]). This is different from □□in the Chinese Materia medica[14], 3.38, which is defined as the root of *Angelica sinensis* (Oliv.) Diels.

6 Coding system

ISO 11615 requires the description of the concepts of MPID with PhPID(s), BAID_1, and BAID_2. Those mainly focus on the following entries:

— name of the medicinal product;

— legal status of supply;

— terms of the marketing authorization;

— marketing authorization (licence) holder;

— manufacturer(s);

— authorizing Medicines Regulatory Agency;

— qualitative and quantitative compositions;

— ingredients, strength, pharmaceutical form, route of administration;

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

— device(s) as part of a medicinal product;

— clinical particulars, especially authorized therapeutic indication(s);

— product classification(s);

— package description;

— regulated product information and documentation.

It is explicitly or implicitly expected that the above are described with the following:

— country code[6][7][8];

— the marketing authorization number;

— unique identification of a medicinal product and the associated PhPID(s).

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Annex A
(informative)

Controlled vocabulary of Japanese Kampo formulas

A.1 Names and the specifics of Japanese Kampo formulas

This document covers only Kampo medicine. In Japan, the Medicines Regulatory Agency is the Ministry of Health, Labour, and Welfare (of Japan).

Authorized formulas and their names are defined in Japanese Pharmacopeia, its official addenda and related document[21][22]. Some formula has variation in qualitative and quantitative composition.

Qualitative and quantitative composition is simply expressed as the composition of crude drugs and their amount in weight.

The Kampo formulas consist of some crude drugs, and both of them are defined in Japanese Pharmacopeia and its official addenda[21][22]. The definitions of crude drug are not only specifying scientific names of the origins and the part of interest(s) but also laboratory tests and test methods.

The "approved number" are able to use as the marketing authorization number. The minister or the prefectural governors hold the authority to provide those numbers, and this information is also embedded in the marketing authorization number.

Authorized names of medicinal products in Kampo medicinal product are expressed in Japanese Katakana, Hiragana, Kanji letters, and English text.

No therapeutic indications are specified in Japanese Pharmacopeia and in its official addenda[21][22]. One reason is that medicinal products are manufactured with various ingredients other than active substances (ISO 1087-1, References [7] and [8]). Consequently, the characteristics of medicinal products are different from each other although they are manufactured conforming to the same formula and then they are belonging to the same product classification. Another reason is because therapeutic indications and contra-indications are immediately updated on the results of "post marketing surveillance" in Japan.

In this document, therapeutic indications are described in English text as well as ICD codes that are linked from the "medical insurance reimbursement code in Japan" used in EMR systems or HIS.

Table A.1 — Summary of fixed values for indication coding of medicinal products in Kampo in Japan

authorizing Medicines Regulatory Agency	fixed: the Ministry of Health, Labour, Welfare
with country code	fixed: Japan
name of authorized formula	
with country code	fixed: Japan
authorized qualitative and quantitative composition and its authorized variation, if existing	
marketing authorization (licence) holder	embedded in marketing authorization number. actually fixed for the medicinal product for Kampo formula, the Minister of MHLW.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Table A.1 *(continued)*

maybe with subdivision code	embedded in marketing authorization number. actually used for the medicinal product fonly for OTC Kampo formula.
marketing authorization number for medicinal product	
unique identifier of a medicinal product	substituted by marketing authorization number.
authorized name of the medicinal product	
actual composition	in conformance with qualitative and quantitative composition
manufacturer	includes VAR
with country code	
authorized therapeutic indications for medicinal product	
scope for therapeutic indications	—
country code	fixed: Japan
medical domain	fixed: modern medicine
Indication text	
Indication as "disease/symptom/procedure"	

A.2 Binding indications to each medicinal product of Japanese Kampo formula

A.2.1 Presented items, notes, and sources

The fixed value items in Table A.1 are omitted, then, presented items (bold-faced), notes, and information sources are illustrated in Table A.2.

Table A.2 — Presented items (bold-faced), notes, and information sources

name of authorized formula	Japanese Pharmacopeia, its addenda and related document[21][22][23].
authorized qualitative and quantitative composition and its authorized variation, if existing	Japanese Pharmacopeia, its addenda and related document[21][22][23], this item is not presented in A.2.2.
marketing authorization number for medicinal product	package insert in each medicinal product[15][16][17]. surrogate for unique identifier of a medicinal product, this item is shown as the anonymous number in A.2.2.
authorized name of the medicinal product	package insert in each medicinal product[15][16][17], this item is not presented in A.2.2.
actual composition	in conformance with authorized composition, expressed as composition of crude drugs[21][22].
manufacturer	package insert in each medicinal product[15][16][17], this item is not presented in A.2.2.
with country code	fixed: Japan

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Table A.2 *(continued)*

authorized therapeutic indications for medicinal product	package insert in each medicinal product[15][16][17].
Indication text	package insert in each medicinal product[15][16][17].
Indications as "disease/symptom/procedure" with controlled terms/identifiers	Compendiums of Kampo medicines[25][26][27].

In the tables under A.2.2, each Kampo medicinal product is classified in the Clause of corresponding Kampo formula. Each Clause has two tables: One is for indications, and the other illustrates the composition of each Kampo medicinal product.

In the first table, the values of "Controlled identifiers" are paired: the former one is "the codes used in Hospital Information Systems in Japan" and these codes are used for reimbursement of medical insurance. The latter one is ICD-10 code that is mapped from the former code[27].

In the second table, "Product No." is the anonymous number for the actual marketing authorization number of Kampo medicinal products regulated in the Medicinal Regulatory Agency in Japan[27]. "Indication" means the categories of the therapeutic indications. Then, the compositions of crude drugs are shown with quantity in the weight (g) if it is solid or the volume (ml) if it is liquid at room temperature in the prescription of daily dosage. The name of each crude drug is regulated in the Medicinal Regulatory Agency in Japan[21][22]. Please note better that the same names that are defined by other Medicinal Regulatory Agencies do not always designate a same crude drug[14]. Therefore, whole of the crude drugs used in Kampo medicinal products are superscripted with the symbol <JP>.

A.2.2 Japanese Kampo formulas and the indications of their medicinal products

A.2.2.1 Anchusan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients of the leptosome type whose abdominal muscles tend to relax and who have stomachache or abdominal pain sometimes accompanied by heartburn, belching, anorexia, nausea, etc.: Nervous gastritis, chronic gastritis, and gastric atony	7832001/R634, 8830562/R101, 8839710/R104, 7871001/R12, 8830990/R14, 7830003/R630, 7870012/R11, 3064021/F54, 3009007/F489, 8830417/K297, 5351003/K295, 8844662/K318, 7865013/R101, 8844737/R198
B	The following symptoms of those patients with poor circulation, nervousness, stomachache, and heartburn: Gastrointestinal disease, gastritis, hyperchlorhydria, and stomachache due to gastric ulcer	8839176/R688, 8834942/R450, 8830562/R101, 7871001/R12, 8830417/K297, 8831204/K318, 5319009/K259, 7865013/R101, 8844737/R198

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Cinnamon Bark<-JP>	Cinnamon Twig<-JP>	Corydalis Tuber<-JP>	Oyster Shell<-JP>	Fennel<-JP>	Amomum Seed<-JP>	Glycyrrhiza<-JP>	Alpinia Officinarum Rhizome<-JP>
1	A	5,0		4,0	4,0	2,0	1,5	1,5	0,7
2	A	4,0		3,0	3,0	1,5	1,0	1,0	0,5
3	B	4,0		3,0	3,0	1,5	1,0	1,0	0,5
4	A	4,0		3,0	3,0	1,5	1,0	1,0	1,0
5	A		3,0	3,0	3,0	2,0	2,0	2,0	1,0

A.2.2.2 Bakumondoto

Indications	Indications text	Controlled identifiers
A	Coughing with a hard, obstructive sputum, bronchitis, and bronchial asthma	7869009/R093, 8831159/R093, 7862008/R05, 4900009/J40, 4939008/J459, 8844664/R098, 8830642/F453
B	The following symptoms of those patients with hard coughing accompanied by redness of face, a small amount of viscous sputum, difficulty of expectoration, occasional bloody sputum or thirst due to hot flush and sensation of foreign body in larynx: Bronchitis, bronchial asthma, and cough in chest disease	7862008/R05, 8831159/R093, 7869009/R093, 7864002/R042, 8844802/R232, 8844710/R682, 3061005/F453, 7849002/F453, 8830642/F453, 8847726/F458, 4900009/J40, 4939008/J459,8844664/R098

Product No.	Indications	Ophiopogon Tuber<JP>	Pinellia Tuber<JP>	Brown Rice<JP>	Jujube<-JP>	Ginseng<JP>	Glycyrrhiza<JP>
1	A	10,0	5,0	5,0	3,0	2,0	2,0
2	B	10,0	5,0	5,0	3,0	2,0	2,0

A.2.2.3 Bofutsushosan

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with thick subcutaneous fat in the abdomen and a tendency to constipation: Accessory symptoms associated with hypertension (palpitation, shoulder stiffness, and hot flushes), obesity, swelling, and constipation	8840042/K590, 8833421/I10, 7851005/R002, 8831347/M6281, 8844802/R232, 8839404/E669, 7823024/R609
B	The following symptoms of those patients with thick subcutaneous fat, constipation, and decreased urinary output: Chronic constipation, hyperchlorhydria, kidney disease, cardiac debility, arteriosclerosis, hypertension, cerebral haemorrhage, and shoulder stiffness due to these diseases	8839404/E669, 8840042/K590, 7885005/R34, 5640018/K590, 8831204/K318, 5839010/N059, 8844106/N289, 4289018/I509, 8838263/I709, 8833421/I10, 4369009/I64, 8831347/M6281
C	The following symptoms of those patients with thick subcutaneous fat who have constipation, or pyrosis, shoulder stiffness, decreased urine volume, etc.: Obesity, hypertension, chronic constipation, hemorrhoids, chronic nephritis, and eczema	8840042/K590, 7871001/R12, 8831347/M6281, 7885005/R34, 8839404/E669, 8833421/I10, 5640018/K590, 4556002/I849, 5829003/N039, 5839010/N059, 6923002/L309

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Gardenia Fruit<JP>	Forsythia Fruit<JP>	Mentha Herb<JP>	Ginger<JP>	Fresh Ginger<JP>	Schizonepeta Spike<JP>	Saposhnikovia Root and Rhizome<JP>	Glehnia Root and Rhizome<JP>	Ephedra Herb<JP>	Rhubarb<JP>	Sodium Sulfate Hydrate<JP>	Anhydrous Sodium Sulfate<JP>	Atractylodes Rhizome<JP>	Platycodon Root<JP>	Scutellaria Root<JP>	Glycyrrhiza<JP>	Gypsum<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>
1	A	1,2	1,2	1,2	1,2	1,2	1,2	0,4		1,2	1,2		1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
2	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
3	B	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5		0,7	2,0	2,0	2,0	2,0	2,0	3,0
4	A	1,2	1,2	1,2	1,2	1,2	1,2	0,4		1,2	1,2		1,2	1,5		0,75	2,0	2,0	2,0	2,0	2,0	3,0
5	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5	0,7		2,0	2,0	2,0	2,0	2,0	3,0
6	C	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2		1,2	1,2	1,5		0,75	2,0	2,0	2,0	2,0	2,0	3,0
7	A	1,2	1,2	1,2	1,2	1,2	1,2	1,2		1,2	1,2		1,2	1,5		1,5	2,0	2,0	2,0	2,0	2,0	3,0
8	A	1,2	1,2	1,2	1,2	1,2	1,2		1,2	1,2	1,2		1,2	1,5	1,5		2,0	2,0	2,0	2,0	2,0	3,0
9	A	1,2	1,2	1,2	1,2	1,2	1,2	0,3		1,2	1,2		1,2	1,5		0,7	2,0	2,0	2,0	2,0	2,0	3,0

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TR 23022:2018

A.2.2.4 Boiogito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a white-complexion who are easily fatigued and perspire profusely: Obesity (with soft muscles and a flabby constitution), arthralgia, and oedema	8839426/R53, 7808004/R619, 8839404/E669, 7194005/M2559, 7823024/R609
B	The following symptoms of those patients with a white-complexion, flabby constitution who are easily fatigued, perspire profusely and develop oedema: Arthritis, rheumatoid arthritis, obesity, and hyperhidrosis	8839426/R53, 7808004/R619, 7823024/R609, 7169005/M1399, 8842106/M0690, 8839404/E669
C	The following symptoms of those patients with a white-complexion, soft muscles, a flabby constitution who are easily fatigued, perspire profusely, do not excrete enough urine, and develop oedema in the lower limbs and swelling and pain of the knee joint: Nephritis, nephrosis, nephropathy of pregnancy, hydrocele testis, obesity, arthritis, carbuncle, furuncle, myositis, oedema, dermatosis, hyperhidrosis, and menstrual irregularity	8839426/R53, 7808004/R619, 8844729/R34, 7823024/R609, 5839010/N059, 5819004/N049, 6462001/O268, 8843650/N433, 8839404/E669, 7169005/M1399, 6809003/L029, 6809001/L029, 7280003/M6099, 8833261/N926

Product No.	Indications	Sinomenium Stem and Rhizome<JP>	Astragalus Root<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Ginger<JP>	Jujube<JP>	Glycyrrhiza<JP>
1	A	5,0	5,0	3,0		1,0	3,0	1,5
2	A	5,0	5,0		3,0	1,0	3,0	1,5
3	B	5,0	5,0	3,0		0,8	3,0	1,5
4	C	5,0	5,0		3,0	1,0	3,0	1,5

A.2.2.5 Bukuryoin

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with blocked feeling in the stomach, stomach fullness, excessive gastric fluid, nausea, vomiting, anorexia, and decreased urinary output: Gastritis, gastroptosis, gastric atony, gastric neurosis, gastric dilatation, esophageal achalasia, and dyspepsia	8844736/R198, 8830416/K318, 7870002/R11, 8830971/R11, 7830003/R630, 7885005/R34, 8830417/K297, 8830420/K318, 8844662/K318, 3064002/F453, 5351003/K295, 3009007/F489, 5368008/K318, 8844663/R198, 8834689/K30, 8844736/R198, 8844737/R198
B	The following symptoms of those patients with nausea or heartburn and decreased urine volume: Gastritis, gastric atony, and excessive fluid retention in the stomach	7870012/R11, 7871001/R12, 7885005/R34, 8830417/K297, 8844662/K318, 8844663/R198, 8844736/R198, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Atractylodes Rhizome<JP>	Atractylodes Lancea Rhizome<JP>	Ginseng<JP>	Ginger<JP>	Citrus Unshiu Peel<JP>	Immature Orange<JP>
1	A	5,0	4,0		3,0	0,8	3,0	1,5
2	B	5,0		4,0	3,0	1,0	3,0	1,5

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

A.2.2.6 Bukuryoingohangekobokuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have depressed feelings and a feeling of foreign body in the throat and oesophagus and who sometimes have palpitation, dizziness, nausea, heartburn, and decreased urine volume: Anxiety neurosis, nervous gastritis, hyperemesis gravidarum, water brash, and gastritis	8844688/R454, 7849002/F453, 3061005/F453, 5309002/R198, 7851005/R002, 8841308/R42, 7870012/R11, 7871001/R12, 7885005/R34, 3000010/F411, 3064021/F54, 3009007/F489, 8830417/K297, 6430002/O210, 8844663/R198, 8844736/R198, 8844737/R198

Product No.	Indications	Poria Sclerotium<JP>	Atractylodes Lancea Rhizome<-JP>	Ginseng<JP>	Ginger<-JP>	Citrus Unshiu Peel<JP>	Immature Orange<JP>	Pinellia Tuber<-JP>	Magnolia Bark<JP>	Perilla Herb<-JP>
1	A	5,0	4,0	3,0	1,0	3,0	1,5	6,0	3,0	2,0

A.2.2.7 Bushirichuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with gastrointestinal weakness, a bad complexion, a face without vitality, high urine output, cold feeling in the extremities, tendency to diarrhoea, frequent nausea, dizziness, dull headache and stomachache: Chronic gastrointestinal catarrh and gastric atony	8844662/K318, 7884011/R35, 8839176/R688, 8833267/A09, 7870012/R11, 8841308/R42, 7840022/R51, 8830562/R101, 5580033/K529

Product No.	Indications	Ginseng<-JP>	Processed Aconite Root<JP>	Processed Ginger<JP>	Glycyrrhiza<-JP>	Atractylodes Rhizome<JP>
1	A	3,0	1,0	3,0	3,0	3,0
2	A	3,0	1,0	3,0	3,0	3,0

A.2.2.8 Byakkokaninjinto

Indications	Indications text	Controlled identifiers
A	Thirst and hot flushes	8833352/R631, 8844828/R232
B	The following symptoms of those patients with frequent thirst for water or excessive hot feeling: Early diabetes mellitus, sun stroke, and febrile disease	8833352/R631, 8844828/R232, 2500013/E14, 8844730/T678, 7806011/R509

Product No.	Indications	Anemarrhena Rhizome<JP>	Gypsum<-JP>	Glycyrrhiza<-JP>	Brown Rice<-JP>	Ginseng<-JP>
1	B	5,0	15,0	2,0	8,0	3,0
2	A	5,0	15,0	2,0	8,0	1,5
3	A	5,0	15,0	2,0	8,0	3,0

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

A.2.2.9 Chikujountanto

Indications	Indications text	Controlled identifiers
A	Patients with persisting fever during the convalescent phase of influenza, common cold, pneumonia, etc. or those who do not feel refreshed after the temperature has returned to normal and cannot have a good sleep with frequent coughing or expectoration	4871001/J111, 4609023/J00, 4860030/J189, 7806011/R509, 3000010/F411, 7862008/R05, 8831159/R093, 8839792/G470, 8844695/R198

Product No.	Indications	Bupleurum Root<-JP>	Bamboo Culm<JP>	Poria Sclerotium<-JP>	Ophiopogon Tuber<JP>	Citrus Unshiu Peel<JP>	Immature Orange<-JP>	Coptis Rhizome<-JP>	Glycyrrhiza<-JP>	Pinellia Tuber<-JP>	Cyperus Rhizome<-JP>	Ginger<-JP>	Platycodon Root<-JP>	Ginseng<-JP>
1	A	3,0	3,0	3,0	3,0	2,0	2,0	1,0	1,0	5,0	2,0	1,0	2,0	1,0

A.2.2.10 Choijokito

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590

Product No.	Indications	Rhubarb<JP>	Anhydrous Sodium Sulfate <JP>	Glycyrrhiza<JP>
1	A	2,0	0,5	1,0

A.2.2.11 Choreito

Indications	Indications text	Controlled identifiers
A	The relief of decreased urine volume, difficulty in micturition, and micturition pain or feeling of residual urine	7885005/R34, 7881001/R391, 7880004/R309, 7886003/R398
B	The following symptoms of those patients with thirst, painful micturition, dysuria, red urine or blood in urine, oedema of lower back or legs: Nephritis, nephrosis, bladder catarrh, urethritis, and dysuria due to renal/bladder calculus	8833352/R631, 7880004/R309, 7881001/R391, 5997009/R31, 8833170/R31, 7823024/R609, 5839010/N059, 5819004/N049, 5959015/N309, 5978015/N342, 8835588/N200, 8840130/N210
C	Cystitis, especially of acute cystitis, nephritis, dry mouth due to renal calculus or urethritis, increased urinary frequency, and micturition pain	5959015/N309, 5950005/N300, 5839010/N059, 8835588/N200, 5978015/N342, 8833352/R631, 8839433/R35, 7880004/R309
D	The following symptoms of those patients who complain of decreased urine volume, dysuria, and oral dryness: Urethritis, nephritis, renal calculus, blennorrhagic inflammation, micturition pain, hematuria, oedema of the lower part of the body from the waist down, feeling of residual urine, and diarrhoea	7885005/R34, 7881001/R391, 8833352/R631, 5978015/N342, 5839010/N059, 8835588/N200, 980013/A549, 7880004/R309, 8833170/R31, 7823024/R609, 7886003/R398, 8833267/A09

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>	Alisma Tuber<JP>	Donkey Glue<JP>	Gelatin<JP>
1	A	3,0	3,0	3,0	3,0	3,0	
2	B	3,0	3,0	3,0	3,0		3,0
3	A	3,0	3,0	3,0	3,0		3,0
4	C	3,0	3,0	3,0	3,0		3,0
5	D	3,0	3,0	3,0	3,0	3,0	

A.2.2.12 Choreitogoshimotsuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have dry skin and a constitution with an unhealthy complexion without any gastrointestinal disorder: Difficulty in micturition, micturition pain, feeling of residual urine, and frequent urination	7881001/R391, 7880004/R309, 7886003/R398, 8839433/R35

Product No.	Indications	Japanese Angelica Root<JP>	Peony Root<JP>	Cnidium Rhizome<JP>	Rehmannia Root<JP>	Polyporus Sclerotium<JP>	Poria Sclerotium<JP>	Aluminium Silicate Hydrate with Silicon Dioxide<JP>	Alisma Tuber<JP>	Donkey Glue<JP>
1	A	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0

A.2.2.13 Chotosan

Indications	Indications Text	Controlled identifiers
A	Chronic headache with hypertension in those middle-aged or elderly	7840016/R51, 7840024/R51, 8833421/I10

Product No.	Indications	Uncaria Hook<JP>	Citrus Unshiu Peel<JP>	Pinellia Tuber<JP>	Ophiopogon Tuber<JP>	Poria Sclerotium<JP>	Ginseng<JP>	Saposhnikovia Root and Rhizome<JP>	Chrysanthemum Flower<JP>	Glycyrrhiza<JP>	Ginger<JP>	Gypsum<JP>
1	A	3,0	3,0	3,0	3,0	3,0	3,0	3,0	3,0	1,0	1,0	3,0
2	A	3,0	3,0	3,0	3,0	3,0	2,0	2,0	2,0	1,0	1,0	5,0

A.2.2.14 Choyoto

Indications	Indications text	Controlled identifiers
A	Acute or chronic pain in the caecum or menstrual pain	8832414/R520, 8847821/R522, 8831434/R103, 6252001/N946

Product No.	Indications	Coix Seed<JP>	Benincasa Seed<JP>	Peach Kernel<JP>	Moutan Bark<JP>
1	A	9,0	6,0	5,0	4,0

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

A.2.2.15 Daibofuto

Indica-tions	Indications text	Controlled identifiers
A	The following symptoms of those patients who have swollen, painful, paralyzed, and stiff joints that are hard to bend or stretch: Articular rheumatism of the lower limbs, chronic arthritis, and gout	8838060/R529, 7820002/R208, 7185002/M2469, 8832803/M2589, 8842106/M0690, 8840315/M1399, 2749004/M1099

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Rehmannia Root<-JP>	Peony Root<-JP>	Glycyrrhiza<-JP>	Saposhnikovia Root and Rhizome<-JP>	Glehnia Root and Rhizome<-JP>	Atractylodes Rhizome<-JP>	Atractylodes Lancea Rhizome<-JP>	Processed Aconite Root<-JP>	Powdered Processed Aconite Root<-JP>	Eucommia Bark<-JP>	Notopterygium<JP>	Cnidium Rhizome<-JP>	Japanese Angelica Root<-JP>	Achyranthes Root<-JP>	Ginger<JP>	Processed Ginger<JP>	Astragalus Root<-JP>	Ginseng<-JP>	Jujube<-JP>
1	A	3,0	3,0	1,5		3,0	3,0		0,5		3,0	1,5	2,0	3,0	1,5	0,5		3,0	1,5	1,5
2	A	3,0	3,0	1,5	3,0			3,0		1,0	3,0	1,5	2,0	3,0	1,5		1,0	3,0	1,5	1,5

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TR 23022:2018

A.2.2.16 Daijokito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have constipation associated with hardness of and a blocked feeling in the abdomen or those patients who have constipation predisposed to obesity: Chronic constipation, acute constipation, hypertension, neurosis, and food poisoning	7893014/R14, 8840042/K590, 8839404/E669, 5640018/K590, 8833421/I10, 3009007/F489, 59003/T629

Product No.	Indications	Immature Orange<JP>	Magnolia Bark<JP>	Rhubarb<JP>	Anhydrous Sodium Sulfate<JP>
1	A	2,0	5,0	2,0	0,9
2	A	3,0	5,0	2,0	1,3

A.2.2.17 Daikenchuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with relaxation in the intestinal walls and gastrointestinal tract, abdominal cold feeling, vomiting, abdominal distension, increased bowel peristalsis, and severe abdominal pain: Gastroptosis, gastric atony, atonic diarrhoea, atonic constipation, chronic peritonitis, and abdominal pain	8839176/R688, 8830971/R11, 7893014/R14, 7874002/R192, 8839710/R104, 8830420/K318, 8844662/K318, 8833267/A09, 8840042/K590, 5678003/K658
B	Abdominal cold feeling and pain accompanied by abdominal flatulence	8839176/R688, 8833267/A09, 8839710/R104, 7893014/R14

Product No.	Indications	Zanthoxylum Fruit<JP>	Ginseng<JP>	Processed Ginger<JP>	Koi<JP>
1	A	2,0	3,0	5,0	20,0
2	B	2,0	3,0	5,0	10,0

A.2.2.18 Daiobotanpito

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with a comparatively strong constitution and lower abdominal pain who are likely to have constipation: Menstrual irregularity, dysmenorrhea, constipation, and hemorrhoid	8831434/R103, 8840042/K590, 8833261/N926, 8833259/N946, 4556002/I849, 8844666/R688, 8844727/R198
B	The following symptoms of those patients with caecal tenderness and fecal impaction, hard feces, red-purple or dark red skin, and tendency to congestion or bleeding: Chronic constipation, arteriosclerosis, various disorders due to menstrual irregularity, climacteric disturbance, eczema, urticaria, acne, skin boils, and bladder catarrh	7890025/R529, 4590002/R58, 5640018/K590, 8838263/I709, 8833261/N926, 6272001/N951, 6923002/L309, 8841304/L509, 7061017/L700, 6809001/L029, 5959015/N309, 8844666/R688, 8844727/R198

Product No.	Indications	Rhubarb<JP>	Moutan Bark<JP>	Peach Kernel<JP>	Anhydrous Sodium Sulfate<JP>	Sodium Sulfate Hydrate<JP>	Benincasa Seed<JP>
1	B	2,0	4,0	4,0	1,8		6,0
2	A	2,0	4,0	4,0		4,0	6,0
3	A	2,0	4,0	4,0	1,8		6,0

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

A.2.2.19 Daiokanzoto

Indications	Indications text	Controlled identifiers
A	Constipation	8840042/K590

Product No.	Indications	Rhubarb<JP>	Glycyrrhiza<JP>
1	A	4,0	1,0
2	A	4,0	2,0

A.2.2.20 Daisaikoto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with solid and comparatively strong constitution who are likely to have constipation: Gastritis, chronic constipation, symptoms associated with hypertension (shoulder stiffness, headache, and constipation), shoulder stiffness, and obesity	8840042/K590, 8839404/E669, 8833421/I10, 8831347/M6281, 7840024/R51, 5640018/K590, 8830417/K297, 8844733/R198, 8844695/R198, 8844665/R509
B	The following symptoms of those patients with sensation of liver pressure or epigastric tenderness, pain or pressure in the chest or flank, constipation or diarrhoea accompanied by tinnitus, shoulder stiffness, fatigue, and decreased appetite: Hypertension, arteriosclerosis, chronic constipation, obesity, jaundice, cholelithiasis, cholecystitis, gastrointestinal disease, bronchial asthma, insomnia, neurasthenia, impotence, hemorrhoids, and hemiplegia	8838060/R529, 8844733/R198, 8844695/R198, 8840042/K590, 8833267/A09, 8835241/H931, 8831347/M6281, 8839426/R53, 7830003/R630, 8833421/I10, 8838263/I709, 5640018/K590, 8839404/E669, 7824001/R17, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 4939008/J459, 8839792/G470, 8834946/F480, 3027006/F522, 4556002/I849, 3429014/G819, 8844665/R509
C	The following symptoms of those patients who have pressure or pain in the chest or flank, epigastric tenderness and discomfort, and constipation. Or those patients with diarrhoea, tinnitus, anorexia and fatigue, etc.: Cholecystitis, cholelithiasis, jaundice, gastrointestinal catarrh, arteriosclerosis, hypertention, cerebral haemorrhage, hemiplegia, obesity, asthma, neurasthenia, insomnia, chronic constipation, hemorrhoids, and intercostal neuralgia	8838060/R529, 8844733/R198, 8844695/R198, 8840042/K590, 8833267/A09, 8835241/H931, 7830003/R630, 8839426/R53, 8837151/K819, 8837169/K802, 8837184/K805, 8837094/K805, 7824001/R17, 91002/A09, 8838263/I709, 8833421/I10, 4369009/I64, 3429014/G819, 8839404/E669, 4939008/J459, 8834946/F480, 8839792/G470, 5640018/K590, 4556002/I849, 3548017/G580, 8844665/R509
D	The following symptoms of those patients with comparatively strong constitution having a tendency to constipation, right upper abdominal tenderness accompanied by fullness and discomfort, tinnitus, shoulder stiffness, etc: Cholelithiasis, cholecystitis, jaundice, hepatic dysfunction, hypertension, cerebral haemorrhage, urticaria, hyperchylia, acute gastrointestinal catarrh, nausea, vomiting, anorexia, hemorrhoid, diabetes mellitus, neurosis, and insomnia	8840042/K590, 8844733/R198, 8844695/R198, 8835241/H931, 8831347/M6281, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 7824001/R17, 5738002/K769, 8833421/I10, 4369009/I64, 8841304/L509, 8831204/K318, 91009/A09, 7870002/R11, 8830971/R11, 7830003/R630, 4556002/I849, 2500013/E14, 3009007/F489, 8839792/G470, 8844665/R509

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Fresh Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Jujube<JP>	Immature Orange<JP>	Rhubarb<JP>
1	A	6,0	4,0	1,5		3,0	3,0	3,0	2,0	2,0
2	A	6,0	4,0	1,0		3,0	3,0	3,0	2,0	1,0
3	A	6,0	3,0	1,0		3,0	3,0	3,0	2,0	1,0
4	B	6,0	4,0	1,0		3,0	3,0	3,0	2,0	2,0

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Fresh Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Jujube<JP>	Immature Orange<JP>	Rhubarb<JP>
5	C	6,0	4,0	2,0		3,0	3,0	3,0	2,0	1,0
6	A	6,0	4,0	2,0		3,0	3,0	3,0	2,0	1,0
7	A	6,0	3,0		4,0	3,0	3,0	3,0	2,0	1,0
8	D	6,0	4,0	1,0		3,0	3,0	3,0	2,0	1,0

A.2.2.21 Daisaikotokyodaio

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients who have pressure or pain in the chest or flank, diarrhoea, shoulder stiffness and anorexia, etc.: Hepatitis, cholecystitis, cholelithiasis, gastrointestinal catarrh, insomnia, intercostal neuralgia, arteriosclerosis, and hypertention	8844695/R198, 8833267/A09, 8831347/M6281, 7830003/R630, 5733005/K759, 8837151/K819, 8837169/K802, 8837184/K805, 8837094/K805, 91002/A09, 8839792/G470, 3548017/G580, 8838263/I709, 8833421/I10
B	The following symptoms of those patients with epigastric tenderness and pain or pressure in the chest or flank sometimes accompanied by tinnitus, shoulder stiffness, fatigue, and decreased appetite without constipation: Hypertension, arteriosclerosis, gastrointestinal disease, bronchial asthma, jaundice, cholelithiasis, cholecystitis, insomnia, neurasthenia, impotence, pleurisy, hemorrhoids, and hemiplegia	8844695/R198, 8835241/H931, 8831347/M6281, 8839426/R53, 7830003/R630, 8833421/I10, 8838263/I709, 4939008/J459, 7824001/R17, 8837169/K802, 8837184/K805, 8837094/K805, 8837151/K819, 8839792/G470, 8834946/F480, 3027006/F522, 5110003/R091, 4556002/I849, 3429014/G819

Product No.	Indications	Bupleurum Root<JP>	Pinellia Tuber<JP>	Ginger<JP>	Scutellaria Root<JP>	Peony Root<JP>	Jujube<JP>	Immature Orange<JP>
1	B	6,0	4,0	1,0	3,0	3,0	3,0	2,0
2	A	6,0	4,0	2,0	3,0	3,0	3,0	2,0

A.2.2.22 Eppikajutsuto

Indications	Indications text	Controlled identifiers
A	The following symptoms of those patients with oedema and decreased urinary output: Oedema in the early phase of nephritis and nephrosis, oedema in beriberi, gonarthrosis, articular rheumatism, acute conjunctivitis, phlyctenular keratoconjunctivitis, pterygium, and eczema	7823024/R609, 7885005/R34, 5839010/N059, 5819004/N049, 8831376/E511, 7153018/M179, 8842106/M0690, 3720008/H103, 3703004/H162, 3724001/H110, 6923002/L309
B	The following symptoms of those patients with thirst, severe oedema or blisters, decreased urinary output or pollakiuria or excessive secretion: Nephritis, nephrosis, eczema, and beriberi	8833352/R631, 8835713/L139, 7823024/R609, 7885005/R34, 8839433/R35, 5839010/N059, 5819004/N049, 6923002/L309, 8831376/E511
C	The following symptoms of those patients with oedema, diaphoresis, and difficulty in micturition: Nephritis, nephrosis, beriberi, articular rheumatism, nocturnal enuresis, and eczema	7823024/R609, 7808004/R619, 8844729/R34, 5839010/N059, 5819004/N049, 8831376/E511, 8842106/M0690, 3076004/F980, 6923002/L309

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018

Product No.	Indications	Glycyrrhiza<JP>	Ginger<JP>	Gypsum<JP>	Atractylodes Lancea Rhizome<JP>	Jujube<JP>	Ephedra Herb<JP>
1	A	2,0	1,0	8,0	4,0	3,0	6,0
2	B	2,0	0,8	8,0	4,0	3,0	6,0
3	C	2,0	1,0	8,0	4,0	3,0	6,0

A.2.2.23 Gokoto

Indications	Indications text	Controlled identifiers
A	Cough and bronchial asthma	7862008/R05, 4939008/J459

Product No.	Indications	Ephedra Herb<JP>	Apricot Kernel<JP>	Glycyrrhiza<JP>	Gypsum<JP>	Mulberry Bark<JP>
1	A	4,0	4,0	2,0	10,0	3,0

A.2.2.24 Goreisan

Indications	Indications text	Controlled identifiers
A-1	The following symptoms of those patients with thirst and decreased urine volume who have nausea or vomiting or stomachache or headache or swelling, etc.: Watery diarrhoea, acute gastroenteritis (do not use for tenesmus alvi), heat exhaustion, headache, and oedema	8833352/R631, 7885005/R34, 7870012/R11, 8830971/R11, 8839710/R104, 7840024/R51, 7823024/R609, 8833267/A09, 91009/A09, 8844730/T678, 8844737/R198, 8844663/R198, 8844754/R688
A-2	The following symptoms of those patients with thirst and decreased urine volume who have nausea or vomiting or stomachache or headache or swelling, etc.: Watery diarrhoea, acute gastroenteritis (do not use for tenesmus alvi), heat exhaustion, dull headache, and oedema	8833352/R631, 7885005/R34, 7870012/R11, 8830971/R11, 8839710/R104, 7840024/R51, 7823024/R609, 8833267/A09, 91009/A09, 8844730/T678, 8844737/R198, 8844663/R198, 8844754/R688
B	The following symptoms of those patients with thirst and decreased urinary output although drinking water accompanied by headache, heaviness of head, sweating in the head, nausea, vomiting or oedema: Acute gastrointestinal catarrh, diarrhoea in children and infants, hangover, sun stroke, jaundice, nephritis, nephrosis, and bladder catarrh	8833352/R631, 7885005/R34, 7840024/R51, 7840022/R51, 7870002/R11, 8830971/R11, 7823024/R609, 91009/A09, 8833267/A09, 3050006/F100, 8844730/T678, 7824001/R17, 5839010/N059, 5819004/N049, 5959015/N309, 8844737/R198, 8844663/R198, 8844754/R688
C	The following symptoms of those patients with dry mouth, dizziness, headache and oedema, etc.: Acute gastrointestinal catarrh, nausea, and nephrosis	8833352/R631, 8841308/R42, 7840024/R51, 7823024/R609, 91009/A09, 7870012/R11, 5819004/N049, 8844737/R198, 8844663/R198, 8844754/R688
D	The following symptoms of those patients with oral dryness and decreased urine volume: Oedema, nephrosis, alcoholic hangover, acute gastrointestinal catarrh, diarrhoea, nausea, vomiting, dizziness, water retention in the stomach, headache, uremia, heatstroke, and diabetes mellitus	8833352/R631, 7885005/R34, 7823024/R609, 5819004/N049, 3050006/F100, 91009/A09, 8833267/A09, 7870002/R11, 8830971/R11, 8841308/R42, 8844663/R198, 7840024/R51, 5859001/N19, 8844730/T678, 2500013/E14, 8844737/R198, 8844754/R688

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TR 23022:2018