PD ISO/TS 15638-14:2013

BSI Standards Publication

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)

Part 14: Vehicle access control (VAC)

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: PD ISO/TS 15638-14:2013

National foreword

This Published Document is the UK implementation of ISO/TS 15638-14:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 80658 2

ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2013.

Amendments issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-14:2013

TECHNICAL SPECIFICATION

ISO/TS 15638-14

First edition
2013-08-15

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 14: Vehicle access control (VAC)

Systèmes intelligents de transport — Cadre pour applications télématiques collaboratives pour véhicules de fret commercial réglementé (TARV) —

Partie 14: Titre de la partie

Reference number
ISO/TS 15638-14:2013(E)

Documents
Document Sharing Hub

© ISO 2013

Full document details: PD ISO/TS 15638-14:2013

COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-14:2013

Contents

Page

1 Scope 1
2 Conformance 1
3 Normative references 2
4 Terms and definitions 2
5 Symbols (and abbreviated terms) 8
6 General overview and framework requirements 9
7 Requirements for services using generic vehicle data 10
8 Application services that require data in addition to basic vehicle data 10
8.1 General 10
8.2 Quality of service requirements 10
8.3 Test requirements 10
8.4 Marking, labelling and packaging 10
9 Common features of regulated TARV application services 11
9.1 General 11
9.2 Common role of the jurisdiction, approval authority, service provider and user. 12
9.3 Common characteristics for instantiations of regulated application services 12
9.4 Common sequence of operations for regulated application services 12
9.5 Quality of service 12
9.6 Information security 12
9.7 Data naming content and quality 13
9.8 Software engineering quality systems 13
9.9 Quality monitoring station 13
9.10 Audits 13
9.11 Data access control policy 13
9.12 Approval of IVSs and service providers 13
10 Vehicle access control (*VAC*) 13
10.1 TARV VAC service description and scope - VAC use cases 13
10.1.1 Jurisdiction -Safety enhancement 13
10.1.2 Controlled zone managers – Access control monitoring and management 13
10.1.3 Vehicle operators – Access control monitoring and management 14
10.1.4 Jurisdiction- Levy 14
10.1.5 Controlled zone managers – Assessment of levies 14
10.1.6 Jurisdiction – Access control enforcement 14
10.1.7 Controlled zone managers – Enforcement 14
10.2 Concept of operations for vehicle access control 14
10.2.1 General 14
10.2.2 Statement of the goals and objectives of the TARV VAC system 16
10.2.3 Strategies, tactics, policies, and constraints affecting the system 18
10.2.4 Organisations, activities, and interactions among participants and stakeholders 19
10.2.5 Clear statement of responsibilities and authorities delegated 22
10.2.6 Equipment required for TARV VAC 23
10.2.7 Operational processes for the system – Define & update controlled access zone 24
10.2.8 Operational processes for the system – Approaching controlled access zone (Planned and unplanned) 24
10.2.9 Operational processes for the system – Access, reporting and feedback 25
10.2.10 'BigBubble' approaching and leaving 25
10.3 Sequence of operations for TARV VAC 25
10.3.1 VAC service element (VAC SE1): Define controlled zone 26

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-14:2013

10.3.2 VAC service element (VAC SE2): Publish regulation 26
10.3.3 VAC service element (VAC SE3): Detect approaching regulated vehicle 26
10.3.4 VAC service element (VAC SE4): ASP notifies CZM of approaching vehicle 26
10.3.5 VAC service element (VAC SE5): 'Interrogated' request for vehicle data 26
10.3.6 VAC service element (VAC SE6): Grant/deny access 26
10.3.7 VAC service element (VAC SE7): Periodic or requested updates 26
10.3.8 VAC service element (VAC SE8): 'Interrogated' request for vehicle consignment data 27
10.3.9 VAC service element (VAM SE9): Vehicle egress 27
10.4 Generic TARV VAC data naming content and quality 27
10.5 Specific TARV VAC data naming content and quality 28
10.6 TARV VAC application service specific provisions for quality of service 28
10.7 TARV VAC application service specific provisions for test requirements 28
10.8 TARV VAC application specific rules for the approval of IVSs and 'Service Providers' 29

11 Declaration of patents and intellectual property 29

Annex A (Informative) Independent testing of the protocols defined in this Part of ISO 15638 30
A.1 Objectives 30
A.2 Test script 1 LDT Service : VAM vehicle access monitoring (LDT) 32
CTP 1.1.1 Instigated LDT using 2G 32
CTP 1.1.2 Interrogated LDT using 2G 34
CTP 1.1.3 Interrogated LDT using 5.9GHz and responding using 2G or 3G 36
CTP 1.2.1 Instigated LDT using 3G 38
CTP 1.2.2 Interrogated at 5.9 GHz and send of LDT using 3G 40
CTP 1.3.1 Instigated LDT using 802.11p (WAVE) 5.9 GHz 42
CTP 1.3.2 Interrogated LDT using 802.11p (WAVE) 5.9 GHz 44
CTP 1.4.1 Instigated LDT using Mesh WiFi 46
CTP 1.4.2 Interrogated LDT using Mesh WiFi 48

Bibliography 50

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-14:2013

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)*:

— *Part 1 Framework and architecture*

— *Part 2: Common platform parameters using CALM*

— *Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

— *Part 5: Generic vehicle information*

— *Part 6: Regulated applications* [Technical Specification]

— *Part 7: Other applications*

— *Part 8: Vehicle access monitoring (VAM)* [Technical Specification]

— *Part 9: Remote electronic tachograph monitoring (RTM)* [Technical Specification]

— *Part 10: Emergency messaging system/eCall (EMS)* [Technical Specification]

— *Part 11: Driver work records (work and rest hours compliance) (DWR)* [Technical Specification]

— *Part 12: Vehicle mass monitoring (VMM)* [Technical Specification]

— *Part 14: Vehicle access control (VAC)* [Technical Specification]

— *Part 15: Vehicle location monitoring (VLM)* [Technical Specification]

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-14:2013

— *Part 16: Vehicle speed monitoring (VSM)* [Technical Specification]

— *Part 17: Consignment and location monitoring (CLM)* [Technical Specification]

— *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)* [Technical Specification]

— *Part 19: Vehicle parking facilities (VPF)* [Technical Specification]

— The following parts are under preparation:

— *Part 4: System security requirements* [Technical Specification]

— *Part 13: 'Mass' information for jurisdictional control and enforcement*

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

Introduction

Many ITS technologies have been embraced by commercial transport *operators (4.38)* and freight owners, in the areas of fleet management, safety and security. *Telematics (4.51)* applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction (4.34)* to *jurisdiction*, but include electronic on-board recorders, digital *tachograph (4.50)*, on-board *mass (4.36)* monitoring, 'mass' penalties and levies, vehicle *access (4.1) methods*, *hazardous goods (4.29)* tracking and e-call. Additional applications with a regulatory impact being developed include, fatigue management, speed monitoring and heavy vehicle penalties imposed based on location, distance and time.

In such an emerging environment of regulatory and *commercial applications (4.17)*, it is timely to consider an overall *architecture (4.12)* (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operate within such regulations. International Standards will allow for a speedy development and *specification (4.49)* of new applications that build upon the functionality of a generic specification platform. A suite of standards documents is required to describe and define the *framework (4.28)* and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions (4.34)*.

This suite of standards addresses and defines the *framework (4.28)* for a range of cooperative *telematics (4.51)* applications for *regulated commercial freight vehicles (4.42)* (such as *access methods (4.3)*, driver *f*atigue management, speed monitoring, on-board *mass (4.36)* monitoring, penalties and levies). The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated vehicles*, using an on-board ITS platform. The *framework* is based on a (multiple) *service provider (4.47)* oriented approach with provisions for the *approval (4.9)* and *auditing (4.13)* of *service providers*.

This suite of standards documents will:

- provide the basis for future development of cooperative *telematics (4.51)* applications for *regulated vehicles (4.42)*. Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications (4.49)* will use existing standards (such as *CALM*) wherever practicable.
- allow for a powerful platform for highly cost-effective delivery of a range of *telematics* applications for *regulated vehicles*.
- a business *architecture (4.12)* based on a (multiple) *service provider (4.47)* oriented approach
- address legal and regulatory aspects for the *approval (4.9)* and *auditing (4.13)* of *service providers.*

This suite of standards deliverables is timely as many governments (Europe, North America, Asia and Australia/New Zealand) are considering the use of *telematics (4.51)* for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of the ISO 15638 family of standards documents provides *specifications (4.49)* for Vehicle access control.

NOTE: The definition of what comprises a 'regulated commercial freight vehicle' is regarded as an issue for national decision, and may vary from *jurisdiction (4.34)* to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of how they define a *regulated vehicle (4.42)*.

NOTE: The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.34)* to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of which services for *regulated vehicle*s *(4.42) jurisdictions* will require, or support as an option, but will provide standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

Documents
Document Sharing Hub

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 12:
Vehicle mass monitoring (VMM)

1 Scope

This part of ISO 15638 addresses the provision of *'Vehicle access control'* and specifies the form and content of such data required to support such systems, and *access methods (4.3)* to that data.

This part of ISO 15638 provides *specifications (4.49)* for common communications and data exchange aspects of the *application service (4.6)* Vehicle access control that a *regulator (4.43)* may elect to require or support as an option, including:

a) high level definition of the service that a *service provider (4.47)* has to provide, (The service definition describes common service elements; but does not define the detail of how such an *application service (4.6)* is instantiated, not the acceptable value ranges of the data concepts defined)

b) means to realise the service

c) application data, naming content and quality that an *IVS (4.30)* has to deliver.

The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.34)* to *jurisdiction*. This document does not impose any requirements on nations in respect of which services for *regulated commercial freight vehicles (4.42) jurisdictions* will require, or support as an option, but provides standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

ISO 15638 has been developed for use in the context of *regulated commercial freight vehicles (4.42)*. There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services (4.6)* described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction (4.34)* where they are instantiated. Conformance requirements to meet the provisions of this International Standard are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service*(s) is/are instantiated.

The protocols defined in this Part of ISO 15638 have been independently tested. Annex A (Informative) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate the results may be used as part of its process of conformance compliance.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-14:2013

3 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15638-1 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 1: Framework and architecture*

ISO 15638 -2 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 2: Common platform parameters using CALM*

ISO 15638 -3 *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

ISO 15638 -4 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 4: System security requirements*[1]

ISO 15638 -5 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 5: Generic vehicle information*

ISO 15638 -6 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 6: Regulated applications*

ISO 15638 -8 *Intelligent transport systems – Framework for cooperative telematics applications for regulated vehicles (TARV) – Vehicle access monitoring*

ISO 15638-13 *Intelligent transport systems – Framework for cooperative telematics applications for regulated vehicles (TARV) –Mass penalties and levies (VMC)*[2]

ISO 15638-15 *Intelligent transport systems – Framework for cooperative telematics applications for regulated vehicles (TARV) –Vehicle location monitoring (VLM)*

ISO 15638-17 *Intelligent transport systems – Framework for cooperative telematics applications for regulated vehicles (TARV) –Consignment and location monitoring (CLM)*

4 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 15638-1 and the following apply.

4.1
access
admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

4.2
access control
procedures and measures to control admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

---

[1] Under preparation.

[2] Under preparation.

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

4.3
access methods
procedures and protocols to provision and retrieve data

4.4
access monitoring
observation and recording of vehicle related data when using the road network and/or associated infrastructure (bridges, tunnels etc.)

4.5
app
small (usually) *Java™* *(4.33)* applets, organised as software bundles, that support *application services* *(4.6)* by keeping the *data pantry* *(4.23)* of the IVS provisioned with up-to-date data

4.6
application service
service provided by a *service provider* *(4.47)* enabled by accessing data from the *IVS* *(4.30)* of a *regulated vehicle* *(4.42)* via a wireless communications network

4.7
application service provider
ASP
party that provides an *application service* *(4.6)*

4.8
app library
separately secure area of memory in *IVS* *(4.30)* where apps are stored (with different access controls to *data pantry* *(4.23)*)

4.9
approval
formal affirmation that an applicant has satisfied all the requirements for appointment as an *application service provider* *(4.7)* or that an application service delivers the required service levels.

4.10
approval agreement
written agreement made between an *approval authority (regulatory)* *(4.11)* and a *service provider* *(4.47)*

NOTE An *approval authority (regulatory)* *(4.11)* approval agreement recognises the fact that a *service provider* *(4.47),* having satisfied the *approval authority's* requirements for appointment as a *service provider,* is appointed in that capacity, and sets out the legal obligations of the parties with respect to the on-going role of the *service provider*

4.11
approval authority (regulatory)
organisation (usually independent) which conducts *approval* *(4.9)* and ongoing *audit* *(4.13)* for *service providers* *(4.47)* on behalf of a *jurisdiction* *(4.34)*

4.12
architecture
formalised description of the design of the structure of *TARV* and its *framework* *(4.28)*

4.13
audit/auditing
review of a party's capacity to meet, or continue to meet, the initial and ongoing *approval agreements* *(4.10)* as a *service provider* *(4.47)*

4.14
basic vehicle data
data that shall be maintained/provided by all *IVS* *(4.30)* (regardless of *jurisdiction* *(4.34)*)

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-14:2013

4.15
BigBubble
zones, such as metropolitan area, which include within them several *sensitive/restricted zones* *(4.45)*

4.16
CALM communications access for land mobiles
layered solution that enables continuous or quasi continuous communications between vehicles and the infrastructure, or between vehicles, using such (multiple) wireless telecommunications media that are available in any particular location, and which have the ability to migrate to a different available media where required and where media selection is at the discretion of *user* *(4.52)* determined parameters by using a suite of standards based on ISO 21217 (*CALM* architecture) and ISO21210 (*CALM* networking) that provide a common platform for a number of standardised media using *ITS-stations* *(4.32)* to provide wireless support for applications, such that the application is independent of any particular wireless medium

4.17
commercial application(s)
ITS applications in *regulated vehicles* *(4.42)* for commercial (non-regulated) purposes

Example asset tracking, vehicle and engine monitoring, cargo security, driver management etc.

4.18
consignment and load monitoring
monitoring of shipment of goods/cargo throughout or at specific points of a journey to a destination

4.19
controlled zone/controlled access zone
defined physical area which the *jurisdiction* *(4.34)* or *controlled zone* *(4.19)* manager determines require *access control* *(4.2)* for *regulated vehicle*s *(4.42)*

4.20
cooperative ITS
C-ITS
ITS applications for both regulatory and commercial purposes that require the exchange of data between uncontracted parties using multiple *ITS-stations* *(4.32)* communicating with each other and sharing data with other parties with whom they have no direct contractual relationship to provide one or more *ITS services* *(4.31)*

4.21
core data
basic vehicle data *(4.14)* plus any additional data required to provide an implemented *regulated application service* *(4.41)*

4.22
dangerous goods
substances or articles which are potentially hazardous (for example, poisonous to humans, harmful to the environment, explosive, flammable or radioactive) that require regulatory control when transported

4.23
data pantry
secure area of memory in *IVS* *(4.30)* where data values are stored [with different access controls to *app library* *(4.8)*]

4.24
driver
person driving the *regulated vehicle* at any specific point in time

4.25
driver work records
DWR
collection, collation, and transfer of *driver* *(4.24)* work and rest hours data from an *in-vehicle system* *(4.30)* to an *application service provider* *(4.7)*

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

4.26
emergency message system
EMS
collection, collation, and transfer of emergency message data from an *in-vehicle system* *(4.30)* to an *application service provider* *(4.7)*

4.27
facilities
layer that sits on top of the communication stack and helps to provide data interoperability and reuse, and to manage applications and enable dynamic real time loading of new applications

4.28
framework
particular set of beliefs, ideas referred to in order to describe a scenario or solve a problem

4.29
hazardous goods/HAZMAT
see *dangerous goods* *(4.22)* / *Accord européen relatif au transport international des marchandises Dangereuses par Route (ADR)*

4.30
in-vehicle system
IVS
ITS-station *(4.32)* and connected equipment on board a vehicle

4.31
ITS service
communication functionality offered by an *ITS-station* *(4.32)* to an *ITS-station* application

4.32
ITS-station
ITS-s
entity in a communication network, comprised of application, *facilities* *(4.27)*, networking and access layer components specified in ISO 21217 that operate within a bounded secure management domain

4.33
Java™
object oriented open source operating language developed by SUN systems

4.34
jurisdiction
government, road or traffic authority which owns the r*egulatory applications* *(4.40)*

EXAMPLE Country, state, city council, road authority, government department (customs, treasury, transport), etc.

4.35
local data tree
LDT
frequently updated data concept stored in the on on-board *data pantry* *(4.23)* containing a collection of data values deemed essential for either a) *TARV regulated application service* *(4.41)*, or b) *cooperative intelligent transport systems* *(4.20)*

4.36
mass
mass of a given heavy vehicle as measured by equipment affixed to the *regulated vehicle* *(4.42)*

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

4.37
'mass' data for regulatory control and management
MRC
collection, collation, and transfer of vehicle *mass* *(4.36)* data from an *in-vehicle system* *(4.30)* to an *application service provider* *(4.7)* to enable data provision to *jurisdictions* *(4.34)* for the control and management of equipped vehicles based on the *mass* of the *regulated vehicle* *(4.42),* or use of such data to enable compliance with the provisions of regulations.

4.38
operator
fleet manager of a *regulated vehicle*

4.39
prime service provider
service provider *(4.47)* who is the first contractor to provide *regulated application services* *(4.41)* to the *regulated vehicle* *(4.42),* or a nominated successor on termination of that initial contract

NOTE The *prime service provider* *(4.39)* is also responsible to maintain the installed *IVS* *(4.30)*; if the *IVS* was not installed during the manufacture of the vehicle the *prime service provider* *(4.39)* is also responsible to install and commission the *IVS* *(4.30)*

4.40
regulated/regulatory application
application arrangement using TARV utilised by *jurisdictions* *(4.34)* for granting certain categories of commercial vehicles rights to operate in regulated circumstances subject to certain conditions, or indeed to permit a vehicle to operate within the *jurisdiction*

NOTE This can be mandatory or voluntary at the discretion of the *jurisdiction.*

4.41
regulated application service
TARV application service to meet the requirements of a regulated application that is mandated by a regulation imposed by a *jurisdiction* *(4.34),* or is an option supported by a *jurisdiction*

4.42
regulated commercial freight vehicle/regulated vehicle ***(4.42)***
vehicle that is subject to regulations determined by the *jurisdiction* *(4.34)* as to its use on the road system of the *jurisdiction* in regulated circumstances, subject to certain conditions, and in compliance with specific regulations for that class of regulated vehicle

NOTE At the option of *jurisdictions*; this may require the provision of information via *TARV* or provide the option to do so.

4.43
regulator
see jurisdiction regulator

4.44
remote tachograph monitoring
RTM
collection, collation, and transfer of data from an on-board electronic *tachograph* *(4.50)* system to an *application service provider* *(4.7)*

4.45
sensitive/restricted zone
defined physical area which the *jurisdiction* *(4.34)* or sensitive/restricted zone manager determines require special monitoring

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

EXAMPLE For instance, (urban pedestrian areas, school and hospital surroundings,…), freight villages, ports, road sensitivity infrastructure (bridges, tunnels), weight restricted areas, width restricted areas, areas where there has been an accident or incident, etc.

4.46
sensitive/restricted zone management
monitoring and management of *regulated vehicle*s *(4.42)* in additional to normal traffic management, as specified by the *jurisdiction (4.34)* or its agents to apply to *regulated vehicle*s

4.47
service provider
party which is approved by a approval *authority (regulatory) (4.11)* as suitable to provide regulated or commercial ITS *application services (4.6)*

4.48
session
wireless communication exchange between the *ITS-station (4.32)* of an *IVS (4.30)* and the *ITS-station* of its *application service provider (4.7)* to achieve data update, data provision, upload apps, or otherwise manage the provision of the *application service (4.6),* or a wireless communication provision of data to the *ITS-station* of an *IVS (4.30)* from any other *ITS-station*

4.49
specification
explicit and detailed description of the nature and functional requirements and minimum performance of equipment, service or a combination of both

4.50
tachograph
sender unit mounted to a vehicle gearbox, a tachograph head and a digital driver card, which records the *regulated vehicle (4.42)* speed and the times at which it was driven and aspects of the *driver's (4.24)* activity selected from a choice of modes

4.51
telematics
use of wireless media to obtain and transmit (data) from a distant source

4.52
user
individual or party that enrols in and operates within a regulated or *commercial application (4.17) service (4.6)*

EXAMPLE *Driver (4.24),* transport *operator (4.38),* freight owner, etc.

4.53
vehicle access control
VAC
control of *regulated commercial freight vehicle*s ingress to and egress from controlled areas and associated penalties and levies

4.54
vehicle access management
VAM
monitoring and management of *regulated vehicle*s *(4.42)* approaching or within sensitive and controlled areas

4.55
vehicle location monitoring
VLM
collection, collation, and transfer of vehicle location data from an *in-vehicle system (4.30)* to an *application service provider (4.7)*

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

4.56
vehicle mass monitoring
VMM
collection, collation, and transfer of vehicle *mass* *(4.36)* data from an *in-vehicle system* *(4.30)* to an *application service provider* *(4.7)*

4.57
vehicle parking facility
VPF
system for booking and *access* *(4.1)* to and egress from a *vehicle parking facility (VPF)* *(4.57)*

4.85
vehicle speed monitoring
VSM
collection, collation, and transfer of vehicle speed data from an *in-vehicle system* *(4.30)* to an *application service provider* *(4.7)*

5 Symbols (and abbreviated terms)

ADR
Accord européen relatif au transport international des marchandises Dangereuses par Route (*dangerous goods* *(4.29)*)

app
applet (JAVA™ application or similar) *(4.5)*

AS
application service

ASP
application service provider *(4.7)*

CALM
communications access for land mobiles *(4.16)*

C-ITS
cooperative intelligent transport systems *(4.20)*

CZM
controlled access zone *(4.19)* management/manager

DWR
driver work records *(4.25)*

EMS
emergency message system *(4.26)*

ID
identity

IP
internet protocol

ITS-S
ITS station *(4.32)*

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

IVS
In-vehicle system *(4.30)*

LDT
local data tree *(4.35)*

RTM
remote tachograph monitoring *(4.44)*

SE
service element

SPF
secure parking facility *(4.57)*

SZM
sensitive/restricted zone management *(4.45)*/manager

TARV
telematics *(4.51)* applications for *regulated vehicles* *(4.42)*

VAC
vehicle access control *(4.53)*

VAM
vehicle access management *(4.54)*

VLM
vehicle location monitoring *(4.55)*

MRC
'mass' data for regulatory control and management *(4.37)*

VMM
vehicle mass monitoring *(4.56)*

VPF
vehicle parking facilities *(4.57)*

VSM
vehicle speed monitoring *(4.58)*

6 General overview and framework requirements

ISO TS 15638-1 provided a *framework* *(4.28)* and *architecture* *(4.12)* for *TARV*. It provided a general description of the roles of the actors in *TARV* and their relationships.

To understand clearly the *TARV* framework, *architecture* *(4.12)* and detail and *specification* *(4.49)* of the roles of the actors involved, the reader is referred to ISO TS 15638-1.

ISO TS 15638-6 provides the core requirements for all regulated applications. To understand clearly the general context in to which the provision of this application service, the reader is referred to ISO TS 15638-6.

In order to be compliant with this part of ISO 15638, the overall architecture employed shall comply to ISO 15638-1.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013

In order to be compliant with this part of ISO 15638, the communications employed shall comply to ISO 15638-2.

In order to be compliant with this part of ISO 15638, the operating requirements employed shall comply to ISO 15638-3.

In order to be compliant with this part of ISO 15638, the security employed shall comply to ISO 15638-4.

In order to be compliant with this part of ISO 15638, the basic vehicle data shall comply to ISO 15638-5.

In order to be compliant with this part of ISO 15638, the generic conditions for this application service shall comply to ISO 15638-6.

ISO 15638 has been developed for use in the context of regulated commercial freight vehicles (hereinafter referred to as 'regulated vehicles' *(4.42)).* There is nothing however to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

7 Requirements for services using generic vehicle data

The means by which the access commands for generic vehicle information specified in ISO 15638-5 can be used to provide all or part of the data required in order to support a *regulated application service (4.41)* shall be as defined in ISO 15638-6.

8 Application services that require data in addition to basic vehicle data

8.1 General

Shall be conducted as defined in ISO 15638-6.

8.2 Quality of service requirements

This part of ISO 15638 contains no general requirements concerning quality of service. Such aspects shall be determined by a *jurisdiction (4.34)* as part of its *specification (4.49)* for any particular *regulated application service (4.41).* However, where a specified *regulated application service (4.41)* has specific Q of S requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10.

8.3 Test requirements

This part of ISO 15638 contains no general requirements concerning test requirements. Such aspects shall be determined by a *jurisdiction (4.34)* as part of its *specification (4.49)* for any particular *regulated application service (4.41),* and issued as a formal test requirements *specification (4.49)* document. However, where a specified *regulated application service (4.41)* has specific test requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10 relating to this *regulated application service,* or in a separate standards document referenced within that Clause. And where multiple *jurisdictions* recognise a benefit to common test procedures for a specific *regulated application service,* this shall be the subject of a separate standards document.

8.4 Marking, labelling and packaging

This part of ISO 15638 has no specific requirements for marking labelling or packaging.

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-14:2013