PD ISO/TS 15638-19:2013

BSI Standards Publication

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)

Part 19: Vehicle parking facilities (VPF)

bsi.

...making excellence a habit.™

Document Sharing Hub

National foreword

This Published Document is the UK implementation of ISO/TS 15638-19:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013.
Published by BSI Standards Limited 2013

ISBN 978 0 580 80633 9
ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2013.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-19:2013

TECHNICAL SPECIFICATION

ISO/TS 15638-19

First edition
2013-07-01

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 19: Vehicle parking facilities (VPF)

Systèmes intelligents de transport — Cadre pour applications télématiques collaboratives pour véhicules de fret commercial réglementé (TARV) —

Partie 19: Installations de parcage du véhicule (VPF)

Reference number
ISO/TS 15638-19:2013(E)

Documents
Document Sharing Hub

© ISO 2013

Full document details: PD ISO/TS 15638-19:2013

COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Documents
Document Sharing Hub
© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-19:2013

Contents

Page

Foreword v
Introduction vii
1 Scope 1
2 Conformance 1
3 Normative references 2
4 Terms and definitions 2
5 Symbols (and abbreviated terms) 7
6 General overview and framework requirements 8
7 Requirements for services using generic vehicle data 9
8 Application services that require data in addition to basic vehicle data 9
8.1 General 9
8.2 Quality of service requirements 9
8.3 Test requirements 9
8.4 Marking, labelling and packaging 10
9 Common features of regulated TARV application services 10
9.1 General 10
9.2 Common role of the jurisdiction, approval authority, service provider and user 11
9.3 Common characteristics for instantiations of regulated application services 11
9.4 Common sequence of operations for regulated application services 11
9.5 Quality of service 11
9.6 Information security 12
9.7 Data naming content and quality 12
9.8 Software engineering quality systems 12
9.9 Quality monitoring station 12
9.10 Audits 12
9.11 Data access control policy 12
9.12 Approval of IVSs and service providers 12
10 TARV Vehicle parking facility (*VPF*) 12
10.1 TARV VPF service description and scope 12
10.1.1 TARV VPF use case 12
10.1.2 Description of TARV VPF regulated application service 16
10.2 Concept of operations for TARV VPF 17
10.2.1 General TARV VPF concept 17
10.2.2 Statement of the goals and objectives of the system 19
10.2.3 Strategies, tactics, policies, and constraints affecting the system 26
10.2.4 Organisations, activities, and interactions among participants and stakeholders 26
10.2.5 Clear statement of responsibilities and authorities delegated for TARV VPF 27
10.3 TARV VPF service procedures 28
10.3.1 Registration procedures incoming vehicles 28
10.4 Sequence of operations for TARV VPF - Service elements 29
10.4.1 VPF SE1: Service Group 1: Information to users and fleet managers 29
10.4.2 VPF SE2: Service Group 2: Information to drivers on the road 29
10.4.3 VPF SE3: Service Group 3: Pre-booking by application service provider or user 29
10.4.4 VPF SE4: Service Group 4: Pre-booking by driver via ASP Class A or ASP Class B 29
10.4.5 VPF SE5: Service Group 5: Pre-booking by driver directly via ASP Class D 30
10.4.6 VPF SE6: Service Group 6: Parking location within *VPF* 30
10.4.7 VPF SE6: 'Interrogated' request for vehicle consignment data 30

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-19:2013

10.5 Generic TARV VPF data naming content and quality 31
10.6 Specific TARV VPF data naming content and quality 31
10.7 TARV VPF application service specific provisions for quality of service 33
10.8 TARV VPF application service specific provisions for test requirements 33
10.9 ADRm application specific rules for the approval of IVSs and 'Service Providers' 33

11 Declaration of patents and intellectual property 33

Annex A (informative) **Independent testing of the protocols defined in this Part of ISO 15638** 35
A.1 Objectives 35
A.2 TEST SCRIPT SERVICE: VPF 37
CTP 11.1.1 Instigated Vehicle Parking Facilities using 2G 40
CTP 11.1.2 Interrogated Vehicle Parking Facilities using 2G 42
CTP 11.1.3 Interrogated Vehicle Parking Facilities using 5.9GHz and responding using 2G or 3G 44
CTP 11.2.1 Instigated Vehicle Parking Facilities using 3G 46
CTP 11.2.2 Interrogated at 5.9 GHz and send of Vehicle Parking Facilities using 3G 48
CTP 11.3.1 Instigated Vehicle Parking Facilities using 802.11p (WAVE) 5.9 GHz 50
CTP 11.3.2 Interrogated Vehicle Parking Facilities using 802.11p (WAVE) 5.9 GHz 52
CTP 11.4.1 Instigated Vehicle Parking Facilities using Mesh WiFi 54
CTP 11.4.2 Interrogated Vehicle Parking Facilities using Mesh WiFi 56

Bibliography 58

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-19:2013

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)*:

— *Part 1 Framework and architecture*

— *Part 2: Common platform parameters using CALM*

— *Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

— *Part 5: Generic vehicle information*

— *Part 6: Regulated applications* [Technical Specification]

— *Part 7: Other applications*

— *Part 8: Vehicle access monitoring (VAM)* [Technical Specification]

— *Part 9: Remote electronic tachograph monitoring (RTM)* [Technical Specification]

— *Part 10: Emergency messaging system/eCall (EMS)* [Technical Specification]

— *Part 11: Driver work records (work and rest hours compliance) (DWR)* [Technical Specification]

— *Part 12: Vehicle mass monitoring (VMM)* [Technical Specification]

— *Part 14: Vehicle access control (VAC)* [Technical Specification]

— *Part 15: Vehicle location monitoring (VLM)* [Technical Specification]

Documents
Document Sharing Hub

© ISO 2013 – All rights reserved

Full document details: PD ISO/TS 15638-19:2013

— *Part 16: Vehicle speed monitoring (VSM)* [Technical Specification]

— *Part 17: Consignment and location monitoring (CLM)* [Technical Specification]

— *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)* [Technical Specification]

— *Part 19: Vehicle parking facilities (VPF)* [Technical Specification]

— The following parts are under preparation:

— *Part 4: System security requirements* [Technical Specification]

— *Part 13: 'Mass' information for jurisdictional control and enforcement*

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

Introduction

Many ITS technologies have been embraced by commercial transport *operators (4.34)* and freight owners, in the areas of fleet management, safety and security. *Telematics (4.46)* applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction (4.30)* to *jurisdiction*, but include electronic on-board recorders, digital *tachograph (4.45)*, on-board *mass (4.32)* monitoring, *"mass' data for regulatory control and management (4.33)*, vehicle *access (4.1)*, *hazardous goods* tracking and *eCall (4.21)*. Additional applications with a regulatory impact being developed include, fatigue management, speed monitoring and heavy vehicle penalties imposed based on location, distance and time.

In such an emerging environment of regulatory and *commercial applications (4.14)*, it is timely to consider an overall *architecture (4.10)* (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operate within such regulations. International Standards will allow for a speedy development and *specification (4.44)* of new applications that build upon the functionality of a generic specification platform. A suite of standards documents is required to describe and define the *framework (4.24)* and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions (4.30)*.

This suite of standards addresses and defines the *framework (4.24)* for a range of cooperative *telematics (4.46)* ITS service applications for *regulated commercial freight vehicles (4.39)* (such as *access (4.1)*, driver fatigue management, speed monitoring, on-board *mass (4.32)* monitoring, *"mass' data for regulatory control and management (4.33)*). The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated commercial freight vehicles (4.39)*, using an on-board ITS platform. The *framework* is based on a (multiple) *service provider (4.42)* oriented approach with provisions for the *approval (4.7)* and *auditing (4.11)* of *service providers*.

This suite of standards documents will:

- provide the basis for future development of cooperative ITS *telematics (4.46)* applications for *regulated commercial freight vehicles (4.39)*. Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications (4.44)* will use existing standards (such as *CALM*) wherever practicable.
- allow for a powerful platform for highly cost-effective delivery of a range cooperative ITS *telematics* applications for *regulated commercial freight vehicles (4.39)*.
- a business *architecture (4.10)* based on a (multiple) *service provider (4.42)* oriented approach
- address legal and regulatory aspects for the *approval (4.7)* and *auditing (4.11)* of *service providers.*

This suite of standards deliverables is timely as many governments (Europe, North America, Asia and Australia/New Zealand) are considering the use of *telematics (4.46)* for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of the ISO 15638 family of standards documents provides *specifications (4.44)* for Vehicle parking Facility.

NOTE 1 The definition of what comprises a 'regulated' vehicle is regarded as an issue for national decision, and may vary from *jurisdiction (4.30)* to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of how they define a *regulated vehicle (4.39)*.

NOTE 2 The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.30)* to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of which services for *regulated vehicles (4.39) jurisdictions* will require, or support as an option, but will provide standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 19:
Vehicle parking facilities (VPF)

1 Scope

This part of ISO 15638 addresses the provision of *'Vehicle Parking Facility'* and specifies the form and content of such data required to support such systems, and *access methods (4.2)* to that data.

This part of ISO 15638 provides *specifications (4.44)* for common communications and data exchange aspects of the *application service (4.4)* 'Vehicle Parking Facility' that a *regulator (4.40)* may elect to require or support as an option, including:

a) high level definition of the service that a *service provider (4.42)* has to provide (the service definition describes common service elements, but does not define the detail of how such an *application service (4.4)* is instantiated, not the acceptable value ranges of the data concepts defined);

b) means to realise the service

c) application data, naming content and quality that an *IVS (4.26)* has to deliver.

The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction (4.30)* to *jurisdiction*. This document does not impose any requirements on nations in respect of which services for *regulated vehicles jurisdictions* will require, or support as an option, but provides standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

ISO 15638 has been developed for use in the context of regulated commercial freight vehicles [hereinafter referred to as 'regulated vehicles' *(4.39)*]. There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services (4.4)* described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction (4.30)* where they are instantiated. Conformance requirements to meet the provisions of this International Standard are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service*(s) is/are instantiated.

The protocols defined in this part of ISO 15638 have been independently tested. Annex A (Informative) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate the results may be used as part of its process of conformance compliance.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 15638-19:2013

3 Normative references

The following referenced documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15638-1 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 1: Framework and architecture*

ISO 15638 -2 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 2: Common platform parameters using CALM*

ISO 15638 -3 *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

ISO 15638 -4 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 4: System security requirements*[1]

ISO 15638 -5 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 5: Generic vehicle information*

ISO 15638 -6 *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) — Part 6: Regulated applications*

ISO 15638 -11 *Intelligent transport systems — Framework for cooperative Telematics Applications for Regulated Vehicles (TARV) — Part 11: Driver work records (work and rest hours compliance) (DWR)*

4 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 15638-1 and the following apply.

4.1
access
admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

NOTE This can also mean an ability to use data.

4.2
access methods
procedures and protocols for the provision and retrieval of data

4.3
app
small (usually) *Java™* *(4.29)* applets, organised as software bundles, that support *application services* *(4.4)* by keeping the *data pantry* *(4.18)* provisioned with up-to-date data

4.4
application service
service provided by a *service provider* *(4.42)* enabled by accessing data from the *IVS* *(4.26)* of a *regulated vehicle* *(4.39)* via a wireless communications network

[1] Under preparation.

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

4.5
application service provider
ASP
party that provides an *application service* *(4.4)*

4.6
app library
separately secure area of memory in *IVS* *(4.26)* where apps are stored [with different access controls to *data pantry* *(4.18)*]

4.7
approval
formal affirmation that an applicant has satisfied all the requirements for appointment as an *application service provider* *(4.5)* or that an application service delivers the required service levels

4.8
approval agreement
written agreement made between an *approval authority (regulatory)* *(4.9)* and a *service provider* *(4.42)*

NOTE An *approval authority (regulatory)* *(4.9)* approval agreement recognises the fact that a *service provider* *(4.42)*, having satisfied the *approval authority's* requirements for appointment as a *service provider,* is appointed in that capacity, and sets out the legal obligations of the parties with respect to the ongoing role of the *service provider*.

4.9
approval authority (regulatory)
organisation (usually independent) which conducts *approval* *(4.7)* and ongoing *audit* *(4.11)* for *service providers* *(4.42)* on behalf of a *jurisdiction* *(4.30)*

4.10
architecture
formalized description of the design of the structure of *TARV* and its *framework* *(4.24)*

4.11
audit/auditing
review of a party's capacity to meet, or continue to meet, the initial and ongoing *approval agreements* *(4.8)* as a *service provider* *(4.42)*

4.12
basic vehicle data
data that shall be maintained/provided by all *IVS* *(4.26)* [regardless of *jurisdiction* *(4.30)*]

4.13
CALM communications access for land mobiles
layered solution that enables continuous or quasi continuous communications between vehicles and the infrastructure, or between vehicles, using such (multiple) wireless telecommunications media that are available in any particular location, and which have the ability to migrate to a different available media where required and where media selection is at the discretion of *user* *(4.47)* determined parameters by using a suite of standards based on ISO 21217 (*CALM* architecture) and ISO 21210 (*CALM* networking) that provide a common platform for a number of standardised media using *ITS-stations* *(4.28)* to provide wireless support for applications, such that the application is independent of any particular wireless medium

4.14
commercial application(s)
ITS applications in *regulated vehicles* *(4.39)* for commercial (non-regulated) purposes

EXAMPLE Asset tracking, vehicle and engine monitoring, cargo security, driver management etc.

4.15
consignment
shipment of goods/cargo to a destination

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

4.16
cooperative ITS
C-ITS
ITS applications for both regulatory and commercial purposes that require the exchange of data between uncontracted parties using multiple *ITS-stations* *(4.28)* communicating with each other and sharing data with other parties with whom they have no direct contractual relationship to provide one or more *ITS services* *(4.27)*

4.17
core data
basic vehicle data *(4.12)* plus any additional data required to provide an implemented *regulated application service* *(4.38)*

4.18
data pantry
secure area of memory in *IVS* *(4.26)* where data values are stored [with different access controls to *app library* *(4.6)*]

4.19
driver
person driving the *regulated vehicle* at any specific point in time

4.20
driver work records
DWR
collection, collation, and transfer of *driver* *(4.19)* work and rest hours data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)*

4.21
eCall
specialised instantiation of an *EMS* *(4.22)* that provides incident messaging and communication with a public service assistance point via priority wireless telephone communications using its emergency call capabilities

4.22
emergency message system
EMS
collection, collation, and transfer of emergency message data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)*

4.23
facilities
layer that sits on top of the communication stack and helps to provide data interoperability and reuse, and to manage applications and enable dynamic real time loading of new applications

NOTE These are organised areas offering support capability for driver rest and safe keeping of vehicle and its *consignment* *(4.15)*.

4.24
framework
particular set of beliefs, ideas referred to in order to describe a scenario or solve a problem

4.25
global navigation satellite system
GNSS
comprises several networks of satellites that transmit radio signals containing time and distance data that can be picked up by a receiver, allowing the user to identify the location of its receiver anywhere around the globe

4.26
in-vehicle system
IVS
ITS-station *(4.28)* and connected equipment on board a vehicle

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

4.27
ITS service
communication functionality offered by an *ITS-station* *(4.28)* to an *ITS-station* application

4.28
ITS-station
ITS-s
entity in a communication network, comprised of application, *facilities* *(4.23)*, networking and access layer components specified in ISO 21217 that operate within a bounded secure management domain

4.29
Java™
object oriented open source operating language developed by SUN systems

4.30
jurisdiction
government, road or traffic authority which owns the r*egulatory applications* *(4.37)*

EXAMPLE Country, state, city council, road authority, government department (customs, treasury, transport), etc.

4.31
local data tree
LDT
frequently updated data concept stored in the on on-board *data pantry* *(4.18)* containing a collection of data values deemed essential for either a) *TARV regulated application service* *(4.38)*, or b) *cooperative intelligent transport systems* *(4.16)*

4.32
mass
mass of a given heavy vehicle as measured by equipment affixed to the *regulated vehicle* *(4.39)*

4.33
'mass' data for regulatory control and management
MRC
collection, collation, and transfer of vehicle *mass* *(4.32)* data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)* to enable data provision to *jurisdictions* *(4.30)* for the control and management of equipped vehicles based on the *mass* of the *regulated vehicle* *(4.39),* or use of such data to enable compliance with the provisions of regulations

4.34
operator
fleet manager of a *regulated vehicle*

4.35
prime mover
heavy-duty commercial vehicle tractor unit which serves as a method of moving trailers (most often semi-trailers) by coupling to the trailer using some sort of mechanical lock system, usually a fifth wheel coupling

NOTE Tractor units can couple to different types of trailers.

4.36
prime service provider
service provider *(4.42)* who is the first contractor to provide *regulated application services* *(4.38)* to the *regulated vehicle* *(4.39),* or a nominated successor on termination of that initial contract

NOTE The *prime service provider* *(4.36)* is also responsible to maintain the installed *IVS* *(4.26)*; if the *IVS* was not installed during the manufacture of the vehicle, the *prime service provider* *(4.36)* is also responsible to install and commission the *IVS* *(4.26).*

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

4.37
regulated/regulatory application
application arrangement using TARV utilised by *jurisdictions* *(4.30)* for granting certain categories of commercial vehicles rights to operate in regulated circumstances subject to certain conditions, or indeed to permit a vehicle to operate within the *jurisdiction*

NOTE This may be mandatory or voluntary at the discretion of the *jurisdiction.*

4.38
regulated application service
TARV application service to meet the requirements of a regulated application that is mandated by a regulation imposed by a *jurisdiction* *(4.30),* or is an option supported by a *jurisdiction*

4.39
regulated commercial freight vehicle/regulated vehicle ***(4.39)***
vehicle that is subject to regulations determined by the *jurisdiction* *(4.30)* as to its use on the road system of the *jurisdiction* in regulated circumstances, subject to certain conditions, and in compliance with specific regulations for that class of regulated vehicle

NOTE At the option of *jurisdictions*; this may require the provision of information via *TARV* or provide the option to do so.

4.40
regulator
agent of the *jurisdiction* *(4.30)* appointed to regulate and manage *TARV* within the domain of the *jurisdiction*

NOTE This may or may not be the approval authority (regulatory) (4.9).

4.41
remote tachograph monitoring
RTM
collection, collation, and transfer of data from an on-board electronic *tachograph* *(4.45)* system to an *application service provider* *(4.5)*

4.42
service provider
party which is approved by a approval *authority (regulatory)* *(4.9)* as suitable to provide regulated or commercial ITS *application services* *(4.4)*

4.43
session
wireless communication exchange between the *ITS-station* *(4.28)* of an *IVS* *(4.26)* and the *ITS-station* of its *application service provider* *(4.5)* to achieve data update, data provision, upload apps, or otherwise manage the provision of the *application service* *(4.4),* or a wireless communication provision of data to the *ITS-station* of an *IVS* *(4.26)* from any other *ITS-station*

4.44
specification
explicit and detailed description of the nature and functional requirements and minimum performance of equipment, service or a combination of both

4.45
tachograph
sender unit mounted to a vehicle gearbox, a tachograph head and a digital driver card, which records the *regulated vehicle* *(4.39)* speed and the times at which it was driven and aspects of the *driver's (4.19)* activity selected from a choice of modes

4.46
telematics
use of wireless media to obtain and transmit (data) from a distant source

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

4.47
user
individual or party that enrols in and operates within a regulated or *commercial application* *(4.14)* *service* *(4.4)*

Example *Driver (4.19),* transport *operator (4.34),* freight owner, etc.

4.48
vehicle access control
VAC
control of *regulated vehicle*s ingress to and egress from controlled areas and associated penalties and levies

4.49
vehicle access management
VAM
monitoring and management of *regulated vehicle*s approaching or within sensitive and controlled areas

4.50
vehicle location monitoring
VLM
collection, collation, and transfer of vehicle location data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)*

4.51
vehicle mass monitoring
VMM
collection, collation, and transfer of vehicle *mass* *(4.32)* data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)*

4.52
vehicle parking facility
VPF
system for booking and *access* *(4.1)* to and egress from a *vehicle parking facility (VPF)* *(4.52)*

4.53
vehicle speed monitoring
VSM
collection, collation, and transfer of vehicle speed data from an *in-vehicle system* *(4.26)* to an *application service provider* *(4.5)*

5 Symbols (and abbreviated terms)

app
applet (JAVA™ application or similar) *(4.3)*

AS
application service

ASP
application service provider *(4.5)*

ASS
Application service system

CALM
communications access for land mobiles *(4.13)*

C-ITS
cooperative intelligent transport systems *(4.16)*

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

DWR
driver work records *(4.20)*

eDL
electronic *driver* *(4.19)* licence

EMS
emergency message system *(4.22)*

GNSS
global navigation satellite system *(4.25)*

HMI
human/machine interface

ID
identity

IP
internet protocol

ITS-S
ITS station *(4.28)*

IVS
In-vehicle system *(4.26)*

LDT
local data tree *(4.31)*

RTM
remote tachograph monitoring *(4.41)*

SE
service element

TARV
telematics *(4.46)* applications for *regulated vehicles* *(4.39)*

VPF
vehicle parking facility facility *(4.52)*

WORM
write once read many times

6 General overview and framework requirements

ISO TS 15638-1 provided a *framework* *(4.24)* and *architecture* *(4.10)* for *TARV*. It provided a general description of the roles of the actors in *TARV* and their relationships.

To understand clearly the *TARV* framework, *architecture* *(4.10)* and detail and *specification* *(4.44)* of the roles of the actors involved, the reader is referred to ISO TS 15638-1.

ISO TS 15638-6 provides the core requirements for all regulated applications. To understand clearly the general context in to which the provision of this application service, the reader is referred to ISO TS 15638-6.

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

In order to be compliant with this part of ISO 15638, the overall architecture employed shall comply to ISO 15638-1.

In order to be compliant with this part of ISO 15638, the communications employed shall comply to ISO 15638-2.

In order to be compliant with this part of ISO 15638, the operating requirements employed shall comply to ISO 15638-3.

In order to be compliant with this part of ISO 15638, the security employed shall comply to ISO 15638-4[2].

In order to be compliant with this part of ISO 15638, the basic vehicle data shall comply to ISO 15638-5.

In order to be compliant with this part of ISO 15638, the generic conditions for this application service shall comply to ISO 15638-6.

ISO 15638 has been developed for use in the context of regulated commercial freight vehicles. There is nothing however to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

7 Requirements for services using generic vehicle data

The means by which the access commands for generic vehicle information specified in ISO 15638-5 can be used to provide all or part of the data required in order to support a *regulated application service (4.38)* shall be as defined in ISO 15638-6.

8 Application services that require data in addition to basic vehicle data

8.1 General

Shall be conducted as defined in ISO 15638-6.

8.2 Quality of service requirements

This part of ISO 15638 contains no general requirements concerning quality of service. Such aspects shall be determined by a *jurisdiction (4.30)* as part of its *specification (4.44)* for any particular *regulated application service (4.38).* However, where a specified *regulated application service (4.38)* has specific Q of S requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10.

NOTE This part of ISO 15638 is designated 'vehicle parking facility' with the specific objective that parallel but different approaches and methodologies are not taken for 'secure' parking facilities and other general organised parking facilities, especially in respect of reservations, ingress and egress.

8.3 Test requirements

This part of ISO 15638 contains no general requirements concerning test requirements. Such aspects shall be determined by a *jurisdiction (4.30)* as part of its *specification (4.44)* for any particular *regulated application service (4.38),* and issued as a formal test requirements *specification* document. However, where a specified *regulated application service (4.38)* has specific test requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10 relating to this *regulated application service,* or in a separate standards document referenced within that Clause. And where multiple *jurisdictions* recognise a benefit to common test procedures for a specific *regulated application service,* this shall be the subject of a separate standards document.

[2] Under preparation.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

8.4 Marking, labelling and packaging

This part of ISO 15638 has no specific requirements for marking labelling or packaging.

However, where the privacy of an individual may be potentially or actually compromised by any instantiation based on the ISO 15638 family of Standards, the contracting parties shall make such risk explicitly known to the implementing *jurisdiction* *(4.30)* and shall abide by the privacy laws and regulations of the implementing *jurisdiction* and shall mark up or label any contracts specifically and explicitly drawing attention to any loss of privacy and precautions taken to protect privacy. Attention is drawn to ISO TR 12859 in this respect.

9 Common features of regulated TARV application services

9.1 General

The details of the instantiation of *regulated application service* *(4.38)* are as designed by the application service system to meet the requirements of a particular *jurisdiction* *(4.30)* and are not defined herein. ISO 15638-6 specifies the generic roles and responsibilities of actors in the systems, and instantiations that claim compliance with this part of ISO 15638 shall also be compliant with the requirements of ISO 15638-6.

The means by which data is provisioned into the *data pantry* *(4.18)*, and the means to obtain the *TARV LDT* *(4.31)* and *core data* *(4.17)* are described in Clause 8 of ISO 15638-6.

In order to minimise demand on the *IVS* *(4.26)* (which it is assumed will be performing multiple *application services* *(4.4)* simultaneously, as well as supporting general safety related cooperative vehicle systems), and because national requirements and system offerings will differ, a ‘cloud’ approach has been taken in defining *TARV regulated application services* *(4.38)*.

The *TARV* approach is for the on-board *app* *(4.3)* supporting the application service to collect and collate the relevant data, and at intervals determined by the *app,* or on demand from the *application service provider* *(4.5)* *(ASP),* pass that data to the *ASP.* All of the actual application service processing shall occur in the mainframe system of the *ASP* (in the ‘cloud’).

For further information see Clause 9 of ISO 15638-6.

At a conceptual level, The *TARV* system is therefore essentially simple, as shown in Figure 1. The process is similar to that for CoreData, but data is supplied to a different on-board file in the *data pantry* *(4.18)*.

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013



Figure 1 — TARV Regulated application service on-board procedure

At a common generic functional level for this application service, the process may be seen as shown in Figure 2 below, however the connected equipment may/may not be required in all cases.

9.2 Common role of the jurisdiction, approval authority, service provider and user

The Common role of the jurisdiction, approval authority, application service provider and user shall be as defined in ISO 15638-6.

9.3 Common characteristics for instantiations of regulated application services

The common characteristics for instantiations of regulated application services shall be as defined in ISO 15638-6.

9.4 Common sequence of operations for regulated application services

The Common sequence of operations for regulated application services shall be as defined in ISO 15638-6.

9.5 Quality of service

Generic quality of service provisions for *application services (4.4)* shall be as defined in ISO 15638-6.

© ISO 2013 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013

9.6 Information security

Information security shall be as defined in ISO 15638-6.

9.7 Data naming content and quality

Data naming and quality shall be as defined in ISO 15638-6.

Variations specific to the Vehicle parking Facility *application service (4.4)* shall be as defined below.

9.8 Software engineering quality systems

Software engineering quality systems shall be as defined in ISO 15638-6.

9.9 Quality monitoring station

The availability of Quality monitoring stations shall be as defined in ISO 15638-6.

9.10 Audits

Audits shall be as defined in ISO 15638-6.

9.11 Data access control policy

To protect the data and information held by the *application service provider (4.5),* each provider shall adopt a risk based data access control policy for employees of the provider.

9.12 Approval of IVSs and service providers

Generic provisions for the *approval (4.7)* of *IVSs* and *service providers (4.42)* shall be as specified in ISO 15638-3 (*TARV* –Operating requirements, approval procedures, and enforcement provisions for the providers of regulated services). Detailed provisions for specific *regulated applications (4.37)* shall be as specified by the regime of the *jurisdiction (4.30).*

10 TARV Vehicle parking facility (*VPF*)

10.1 TARV VPF service description and scope

10.1.1 TARV VPF use case

Modern society is increasingly regional and global. It is taken for granted that produce and products are moved rapidly across not just *jurisdictions (4.30)*, but across continents, and between continents. Once a load arrives in, or is created in a location, it is increasingly likely that all or some of its movement to its consignee will be made via road transport. Other parts of ISO 15638 *(TARV)* 15638 provide Standards for data collection regarding management of load content, truck loading and routing etc. Combined with stricter driving hours and route restrictions, there is a significant and continuing growth of long distance transport that involves the requirement for overnight or rest period stops. There is growing concern about a growing trend of attacks on cargo and vehicles, coupled with the lack of adequate rest facilities for *drivers (4.19)*. 'Vehicle Parking Facilities' therefore recognises that the establishment of (especially secure) truck parking sites and associated information services is becoming increasingly important to help reduce crime and improve *driver* working conditions.

This *TARV* profile does not define the detail of a secure truck parking system. Such systems are being defined around the world, and will vary in detail according to local regulations and practices. This Part of ISO15638

© ISO 2013 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 15638-19:2013