



BSI Standards Publication

Test methods for repair materials for water-leakage cracks in underground concrete structures

Part 6: Test method for response to the substrate movement

National foreword

This Published Document is the UK implementation of ISO/TS 16774-6:2024.

The UK participation in its preparation was entrusted to Technical Committee B/517/8, Protection and repair of concrete structures.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2024
Published by BSI Standards Limited 2024

ISBN 978 0 539 18832 5

ICS 91.080.40

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2024.

Amendments/corrigenda issued since publication

Date	Text affected



Technical Specification

ISO/TS 16774-6

Test methods for repair materials for water-leakage cracks in underground concrete structures —

Part 6: Test method for response to the substrate movement

*Méthodes d'essai pour matériaux de réparation pour fissures
dus à l'eau dans les structures en béton —*

*Partie 6: Méthode d'essai de la réponse aux mouvements du
substrat*

**Second edition
2024-08**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative reference	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	2
6 Preparation	2
6.1 Test specimen and artificial crack conditions	2
6.2 Ambient conditions	3
7 Procedure	3
7.1 Substrate behaviour stress test	3
7.2 Permeability test	3
8 Presentation of results	3
9 Test report	4
9.1 Information on the repair material of the test target	4
9.1.1 General	4
9.1.2 Other information	4
9.2 Information on the test	4
Annex A (informative) Example test method	6
Bibliography	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and pre-stressed concrete*, Subcommittee SC 7, *Maintenance and repair of concrete structures*.

This second edition cancels and replaces the first edition (ISO/TS 16774-6:2017), which has been technically revised.

The main changes are as follows:

- in 6.1 a), a recommendation regarding the specification of the fine aggregate, as well as the necessary reference to the relevant standard, has been added;
- in 6.1 d), the text has been revised to provide clearer context.

A list of all parts in the ISO/TS 16774 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is linked to ISO/TR 16475. ISO/TR 16475 outlines six basic properties and the required performance levels of water-leakage repair materials; The ISO/TS 16774 series proposes sample testing methods for evaluating the respective properties of the repair materials.

The test methods in this document are intended to serve as reference for nations that have not yet developed a test method for the six required performance properties of water-leakage repair materials. Many of the dependent variables outlined in the reference test methods of this document are subject to change in accordance with the environmental conditions (temperature and humidity, chemical solution and concentration, width of movement activity, water pressure or water flow velocity, etc.) outlined in the standards used in respective countries.

In this document, ISO/TS 16774-1 and ISO/TS 16774-5, for the purpose of objectively comparing the performance of injected repair materials, artificial cracks of same width, height, and volume are used to control the usage of repair materials for each testing cycle and enable repetition of the same test methods under the same conditions.

The repair material injected into a test specimen with an artificial crack undergoes simulated movements normally caused by thermal expansion, settlement and vibrations in leakage cracks found in concrete structures outlined in different national testing parameters that reflect different environmental conditions. As such, the results are only intended to provide a comparative performance evaluation of the waterproofing repair materials between different products of the same type of repair material under the same environmental conditions.

NOTE 1 The test method in this document classifies and categorizes materials that are tested into families of similar properties for the purpose of making relative comparisons with the data results.

NOTE 2 Each individual repair material can be further tested in an actual construction site application for a complete assessment.

