PD ISO/TS 16976-2:2015

BSI Standards Publication

Respiratory protective devices — Human factors

Part 2: Anthropometrics

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: PD ISO/TS 16976-2:2015

National foreword

This Published Document is the UK implementation of ISO/TS 16976-2:2015. It superdedes DD ISO/TS 16976-2:2010 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PH/4, Respiratory protection.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 89493 0
ICS 13.340.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD ISO/TS 16976-2:2015

TECHNICAL SPECIFICATION

ISO/TS 16976-2

Second edition
2015-04-01

Respiratory protective devices — Human factors —

Part 2: Anthropometrics

Appareils de protection respiratoire — Facteurs humains — Partie 2: Anthropométrie

Reference number
ISO/TS 16976-2:2015(E)

Documents
Document Sharing Hub

© ISO 2015

Full document details: PD ISO/TS 16976-2:2015

COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 16976-2:2015

Contents

Page

Foreword ... **iv**
Introduction ... **v**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Anthropometric measurements ... **1**
4.1 Anthropometric instrument and software ... 1
4.2 Measurement procedures ... 2
4.2.1 Landmarking ... 2
4.2.2 Measuring ... 2
4.3 Dimensions to be measured ... 2
5 Anthropometric data for head, face, and neck dimensions ... **3**
6 Anthropometric data for torso dimensions ... **5**
7 Interface between headform and torso ... **6**
8 Human test panels for facial features ... **7**
8.1 General ... 7
8.2 Bivariate panel ... 7
8.3 Principal component analysis (PCA) panel ... 8
9 Models of headforms ... **12**
Annex A (normative) **Description, definition, and diagrams of selected landmarks** ... **15**
Annex B (normative) **Description, definition, and diagram of dimensions to be measured** ... **18**
Annex C (informative) **Examples of application of human test panels for facial features** ... **21**
Bibliography ... **24**

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 94, *Personal safety — Protective clothing and equipment*, Subcommittee SC 15, *Respiratory protective devices*.

This second edition cancels and replaces the first edition (ISO/TS 16976-2:2010), which has been technically revised. It also incorporates the Technical Corrigendum ISO 16976-2 Corr.1:2011.

The major technical changes are:

a) Inclusion of ISO/TS 16976-2 TECHNICAL CORRIGENDUM 1:2011

b) Change of values for W_5 and W_6 in 8.3.

ISO/TS 16976 consists of the following parts, under the general title *Respiratory protective devices — Human factors*:

— *Part 1: Metabolic rates and respiratory flow rates* [Technical Specification]

— *Part 2: Anthropometrics* [Technical Specification]

— *Part 3: Physiological responses and limitations of oxygen and limitations of carbon dioxide in the breathing environment* [Technical Specification]

— *Part 4: Work of breathing and breathing resistance: Physiologically based limits* [Technical Specification]

— *Part 5: Thermal effects* [Technical Specification]

— *Part 6: Psycho-physiological effects* [Technical Specification]

— *Part 7: Hearing and speech* [Technical Specification]

— *Part 8: Ergonomic factors* [Technical Specification]

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015

Introduction

For an appropriate design, selection, and use of respiratory protective devices, basic physiological demands of the user must be considered. Type and intensity of work affect the metabolic rate (energy expenditure) of the wearer. Weight and weight distribution of the device on the human body can also influence metabolic rate. Metabolic rate is directly correlated with oxygen consumption, which determines the respiratory demands and flow rates. The work of breathing is influenced by the air flow resistances of the device and the lung airways. The work (or energy cost) of a breath is related to the pressure gradient created by the breathing muscles and the volume that is moved in and out of the lung during the breath. Anthropometric and biomechanical data are required for appropriate design of various components of a respiratory protective device, as well as for the design of relevant test methods.

This Technical Specification forms one part of a series of documents providing basic anthropometric measurement methods and data on humans. It contains information about the description, definition, and diagram of landmarks and dimensions, up-to-date head and face data for various race/ethnic groups, and human test panels.

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015

TECHNICAL SPECIFICATION ISO/TS 16976-2:2015(E)

Respiratory protective devices — Human factors —

Part 2: Anthropometrics

1 Scope

This part of ISO/TS 16976 is one part of a series of Technical Specifications that provide information on factors related to human anthropometry, physiology, ergonomics, and performance for the preparation of standards for design, testing, and use of respiratory protective devices. This part of ISO/TS 16976 contains information related to anthropometry. In particular, information is given for:

— anthropometric measurement methods;

— anthropometric data for head, face, and neck dimensions;

— anthropometric data for torso dimensions;

— human test panels;

— models of headforms.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14143, *Respiratory equipment — Self-contained re-breathing diving apparatus*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in Annexes A and B apply.

4 Anthropometric measurements

4.1 Anthropometric instrument and software

The standard measurement tools which are recommended are the anthropometer, a spreading calliper, a sliding calliper, a pupillometer, and a steel measuring tape. A suitable data entry, editing, and analysis software is described in References [3] and [4].

4.1.1 Anthropometer, a specialized tool for measuring linear distance between points on the body and standard reference surfaces, such as the floor or a seat platform.

4.1.2 Spreading and sliding callipers, used for measuring the breadth and depth of body segments, as well as the distance between reference marks.

4.1.3 Measuring tape, used for measuring the arc and circumference of body segments.

4.1.4 Pupillometer, a standard ophthalmic device used for measuring the interpupillary distance.

© ISO 2015 – All rights reserved

AVA Documents Document Sharing Hub

Full document details: PD ISO/TS 16976-2:2015

4.2 Measurement procedures

4.2.1 Landmarking

Landmarks are generally, although not always, skeletal points that are usually marked on the skin overlying the point. Selected landmarks are listed in Table 1 and described in Annex A. Subjects are landmarked with a surgical marker or an eyeliner pencil prior to measurement.

Table 1 — List of landmarks

Landmarks	Landmark positioning
Alare	Right and left
Cheilion	Right and left
Chin	—
Ectocanthus	Right and left
Frontotemporale	Right and left
Glabella	—
Gonion	Right and left
Infraorbitale	Right and left
Menton	—
Nasal root point	Right and left
Pronasale	—
Pupil	Right and left
Sellion	—
Subnasale	—
Top of head	—
Tragion	Right and left
Zygion	Right and left
Zygofrontale	Right and left

4.2.2 Measuring

After landmarking, subjects are measured for each of the dimensions. Data are recorded on data sheets and simultaneously entered into computer software. The data entry and editing software evaluate each measurement as it is entered and indicate when a measurement value is out of the previously measured range or is otherwise unexpected. In such cases, the measurement shall be repeated or data input errors corrected.

4.3 Dimensions to be measured

The dimensions to be measured are listed in Table 2. The detailed dimension descriptions are provided in Annex B. All dimensions are measured in millimetres and body weight is measured in kilograms.

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015

Table 2 — List of face dimensions

Dimensions	Common terms
Bigonial breadth	Jaw width
Bitragion chin arc	
Bitragion coronal arc	
Bitragion frontal arc	
Bitragion subnasale arc	
Bizygomatic breadth	Face width
Head breadth	
Head circumference	
Head length	
Interpupillary distance	
Lip length	
Maximum frontal breadth	
Menton-sellion length	Face length
Minimum frontal breadth	
Nasal root breadth	
Neck circumference	
Nose breadth	
Nose protrusion	
Subnasale-sellion length	Nose length
Stature	Height
Weight	

5 Anthropometric data for head, face, and neck dimensions

Test panels for the development of an International Standard must be representative of the world population. An anthropometric study of the US work population was conducted by the National Institute for Occupational Safety and Health (NIOSH) in 2003 (see Reference [3]). The survey consisted of three age strata (18 years to 29 years, 30 years to 44 years, 45 years to 66 years), two gender strata (male and female), and four racial/ethnic group strata (white, African American, Hispanic, and other). The selected test panel could be seen as almost representative for the worldwide population, since the US population is multi-ethnic. Height, weight, 19 face dimensions, and neck circumferences were measured using traditional methods. A total of 3 997 subjects (2 543 male and 1 454 female) were measured. The sampling strategy called for equal representation in each of the sampling cells. This was done to ensure that we had adequately captured the anthropometric variability in all segments of the population. NIOSH research has resulted in the development of Table 3.

The NIOSH data were supplemented with additional measurements in China and other data for various countries. See References [5] and [6]. The data were compared to the NIOSH US Data and were found to be within the 5th and 95th percentiles for US population in Table 3.

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015

Table 3 — Anthropometric data for head, face, and neck dimensions by gender
(weight in kilograms, all other values in millimetres)

Dimension	Number	Mean	Standard deviation	Min.	Max.	Percentiles		
						5th	50th	95th
Males								
Bigonial breadth	2 543	120,4	10,4	90	160	105	120	140
Bitragion chin arc	2 543	331,2	15,5	271	393	306	330	355
Bitragion coronal arc	2 543	350,7	13,9	310	405	330	350	375
Bitragion frontal arc	2 543	304,1	13,0	263	349	282	305	326
Bitragion subnasale arc	2 543	294,8	13,2	253	345	275	295	315
Bizygomatic breadth	2 543	143,5	6,9	120	170	132	143	155
Head breadth	2 543	153,0	6,0	135	179	144	153	163
Head circumference	2 543	575,7	17,1	520	639	547	575	604
Head length	2 543	197,3	7,4	174	225	185	197	210
Interpupillary distance	2 543	64,5	3,6	53	79	59	65	71
Lip length	2 543	51,1	4,2	40	70	44	51	58
Maximum frontal breadth	2 543	112,3	5,5	95	131	104	112	122
Menton-sellion length	2 543	122,7	7,0	100	156	111	123	135
Minimum frontal breadth	2 543	105,5	5,7	90	127	95	105	115
Nasal root breadth	2 543	16,6	2,3	10	29	13	16	20
Neck circumference	1 023	406,7	32,6	312	570	355	403	465
Nose breadth	2 543	36,6	4,1	26	58	31	36	45
Nose protrusion	2 543	21,1	2,7	13	32	17	21	26
Stature	2 543	1 753,9	67,7	1 488	2 012	1 642	1 754	1 866
Subnasale-sellion length	2 543	52,0	4,1	40	66	45	52	59
Weight	2 540	90,4	17,5	42,9	167,8	65,7	88,4	122,7
Females								
Bigonial breadth	1 454	110,1	8,9	88	150	98	110	125
Bitragion chin arc	1 454	303,9	14,9	248	375	280	305	328
Bitragion coronal arc	1 454	339,3	15,0	290	425	315	340	365
Bitragion frontal arc	1 454	287,4	11,9	250	330	270	287	305
Bitragion subnasale arc	1 454	277,5	13,1	238	335	258	277	300
Bizygomatic breadth	1 454	135,1	6,5	115	157	124	135	146
Head breadth	1 454	146,8	5,6	129	165	137	146	156
Head circumference	1 454	554,9	17,8	475	654	527	555	585
Head length	1 454	187,5	7,2	152	215	175	187	199
Interpupillary distance	1 452	61,9	3,5	52	78	56	62	68
Lip length	1 454	48,0	4,0	35	63	42	48	55
Maximum frontal breadth	1 454	108,6	5,3	92	130	100	108	117
Menton-sellion length	1 454	113,4	6,1	91	135	104	113	124
Minimum frontal breadth	1 454	102,9	5,4	84	126	94	103	111
Nasal root breadth	1 454	16,3	2,0	10	25	13	16	20
Neck circumference	793	339,5	30,9	260	505	295	335	395

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 16976-2:2015