PD ISO/TS 37151:2015

BSI Standards Publication

Smart community infrastructures — Principles and requirements for performance metrics

bsi.

...making excellence a habit.™

Document Sharing Hub

National foreword

This Published Document is the UK implementation of ISO/TS 37151:2015.

The UK participation in its preparation was entrusted to Technical Committee SDS/1/8, Smart urban infrastructure metrics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 87092 7

ICS 13.020.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: PD ISO/TS 37151:2015

TECHNICAL SPECIFICATION

ISO/TS 37151

First edition
2015-05-01

Smart community infrastructures — Principles and requirements for performance metrics

Infrastructures communautaires intelligentes — Principes et exigences pour la métrique des performances

Reference number
ISO/TS 37151:2015(E)

Documents
Document Sharing Hub

© ISO 2015

Full document details: PD ISO/TS 37151:2015

COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 37151:2015

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **2**

3 Terms and definitions ... **2**

4 Overview ... **4**
4.1 Outline ... 4
4.2 Possible use ... 4
4.2.1 General ... 4
4.2.2 Support tool for community managers ... 4
4.2.3 Facilitation tool ... 4

5 Principles ... **5**
5.1 General ... 5
5.2 Ideal properties to be achieved ... 5
5.3 Relating community issues onto community infrastructure performances ... 6
5.4 Possible stakeholders to be considered ... 6

6 Requirements for common approach to identify metrics ... **7**
6.1 General requirements ... 7
6.2 Requirements for understanding the perspectives of key stakeholders for community infrastructures ... 9
6.2.1 General ... 9
6.2.2 Residents perspective ... 10
6.2.3 Community managers perspective ... 10
6.2.4 Environmental perspective ... 10
6.3 Requirements for identifying needs ... 10
6.3.1 General ... 10
6.3.2 Needs from the residents perspective ... 10
6.3.3 Needs from the community managers perspective ... 10
6.3.4 Needs from the environmental perspective ... 11
6.4 Guidance for translating needs into performance characteristics ... 11
6.4.1 General ... 11
6.4.2 Performance characteristics from the residents perspective ... 11
6.4.3 Performance characteristics from the community managers perspective ... 12
6.4.4 Performance characteristics from the environmental perspective ... 13
6.5 Requirements for identifying metrics ... 14

Annex A (informative) **Examples of applicability of the step-wise approach in Clause 6 to existing key performance indicators for particular types of community infrastructures** ... **16**

Annex B (informative) **Example of relating community issues onto community infrastructure performances** ... **49**

Bibliography ... **56**

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 268, *Sustainable development in communities,* Subcommittee SC 1, *Smart community infrastructures*.

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Introduction

Communities have various goals to achieve, including, e.g. quality of life, economic growth, poverty reduction, antipollution, congestion mitigation.

Community infrastructures such as energy, water, transportation, waste, information and communications technology (ICT), etc. are fundamental to support the operations and activities of communities. Investment in community infrastructures is an important enabler for communities in achieving the internationally recognized community goals, e.g. the United Nations Millennium Development Goals (MDGs)[1)] and promoting pro-poor growth.[2)] The demand for community infrastructures will continue to expand significantly in the decades ahead, driven by major factors of change, such as population growth, and urbanization. According to the Organization for Economic Co-operation and Development (OECD) report "Infrastructure 2030," total cumulative infrastructure requirements amount to about USD 53 trillion over 2010/2030.

It has long been argued that human activity is surpassing the capacity of the Earth. The imperative for further infrastructure (e.g. improving living standards and addressing resource efficiency) sometimes conflicts with a path to sustainability. As a result, there is a need for community infrastructures to contribute to sustainability and resilience of communities more effectively and efficiently by balancing multiple perspectives and integrating decision making. Such solutions are often referred to as "smart." A number of plans and projects to build "smart cities" are currently underway. In addition, there are increases in international trade for community infrastructure products and services including solution-providing services.

ISO deliverables are an important source of technological information. ISO deliverables help governments and businesses of all shapes and sizes to work more efficiently, increase productivity, increase credibility and confidence, and access new markets. For example, as they define the performances that products and services have to meet in the global markets, ISO deliverables help developing countries or small and medium-sized enterprises (SMEs) take part fairly in international trade.

The purpose of standardization in the field of smart community infrastructures is to promote the international trade of community infrastructure products and services and disseminate information about leading-edge technologies to improve sustainability in communities by establishing harmonized product standards. The users and associated benefits of these metrics are illustrated in Figure 1.

This Technical Specification gives principles and specifies requirements for community infrastructure performance metrics and gives recommendations for analysis of community infrastructures.

It is expected that this Technical Specification will be useful to the following individuals/groups:

— national and local governments;

— regional organizations;

— community planners;

— developers;

— community infrastructure operators (e.g. in the field of energy, water, transportation, waste, ICT);

— community infrastructure vendors (e.g. constructors, engineering firms, system integrators or component manufacturers);

— non-governmental organizations (e.g. consumer groups).

---

1) All 193 United Nations member states and at least 23 international organizations have agreed to achieve these goals by 2015. One of the main outcomes of the Rio+20 Conference was the agreement by member States to launch a process to develop a set of Sustainable Development Goals (SDGs), which will build upon the Millennium Development Goals and converge with the post 2015 development.

2) Stimulate economic growth for the benefit of poor people (primarily in the economic sense of poverty).

© ISO 2015 – All rights reserved

AVA Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Using a model of the community functions in Table 1, this Technical Specification focuses on assessing the performance of infrastructure layer and respects the societal or cultural diversity of communities as traits of each community.

As illustrated in Table 1:

— Functions of community infrastructures are fundamental to support the other two layers.

— Products and services of community infrastructures are more technology-oriented and more internationally-tradable than those in other layers and therefore appropriate for international standardization.

Table 1 — Layers of a community

Layers	Examples of functions
Community services	education, healthcare, public safety and security, tourism, etc.
Community facilities	residences, commercial buildings, office buildings, factories, hospitals, schools, recreation facilities, etc.
Community infrastructures	energy, water, transportation, waste, ICT, etc.
[SOURCE: ISO/TR 37150:2014, Introduction]	

Contribution

NOTE 1 Because of the diversity of communities, it is not realistic to apply 'one-size-fits-all' solutions.

NOTE 2 This Technical Specification considers not only built or constructed community infrastructures but also utilization of natural systems (e.g. green infrastructure which uses natural hydrologic features to manage water and provide environmental and community benefits).

NOTE 3 This Technical Specification recognizes two types of ICT: The first type is the ICT as community infrastructures, e.g. telecommunication, common database, etc. The second type is the ICT which are integrated within a facility or equipment as a means for control. This Technical Specification is focused on the former type of ICT although the latter type of ICT is often a useful means to achieve smart communities or smart community infrastructures.

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015



NOTE SOURCE: ISO/TR 37150:2014, "Introduction", modified.

Figure 1 — Users of the metrics and associated benefits

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Documents
Document Sharing Hub

Smart community infrastructures — Principles and requirements for performance metrics

1 Scope

This Technical Specification gives principles and specifies requirements for the

— definition,

— identification,

— optimization, and

— harmonization

of community infrastructure performance metrics, and gives recommendations for analysis, including

— smartness,

— interoperability,

— synergy,

— resilience,

— safety, and

— security

of community infrastructures.

Community infrastructures include, but are not limited to, energy, water, transportation, waste, and ICT.

The principles and requirements of this Technical Specification are applicable to communities of any size sharing geographic areas that are planning, commissioning, managing, and assessing all or any element of its community infrastructures. However, the selection and the importance of metrics or (key) performance indicators of community infrastructures is a result of the application of this Technical Specification and depends on the characteristics of each community.

In this Technical Specification, the concept of smartness is addressed in terms of performance relevant to technologically implementable solutions, in accordance with sustainable development and resilience of communities as defined in ISO/TC 268.

NOTE 1 This Technical Specification recognizes that solutions for similar problems in communities in different economic situations (e.g. developed and developing countries) can call for different importance of metrics or performance indicators of community infrastructures. This Technical Specification is not a recommendation document for best practices. This Technical Specification does not recommend, e.g. replicating existing specific smart infrastructures or leveling them up to the standards of such model projects at a large scale. It is left to the users whether setting targets or not when applying this Technical Specification.

NOTE 2 Though this Technical Specification does not address principles or requirements specific to a particular type of community infrastructures, compatibility of this Technical Specification with existing International Standards for a particular type of community infrastructure (e.g. ISO 24510:2007, ISO 24511:2007, and ISO 24512:2007) was considered.

NOTE 3 This Technical Specification does not address measurement, reporting or verification. For possible deliverables related to this Technical Specification, see ISO/TR 37150:2014, Clause 6. This Technical Specification is not into comparing different communities, but to allow communities to assess community infrastructures more effectively.

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub

Full document details: PD ISO/TS 37151:2015

2 Normative references

There are no normative references.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
community
group of people with an arrangement of responsibilities, activities and relationships

Note 1 to entry: In the context of this Technical Specification, a community shares geographic areas.

[SOURCE: ISO 24510:2007, 2.7, modified and adapted to sustainable development and resilience of communities.]

3.2
community infrastructure
system of facilities, equipment and services that support the operations and activities of communities

Note 1 to entry: Such community infrastructures include, but are not limited to, energy, water, transportation, waste and information and communication technologies (ICT).

[SOURCE: ISO 9000:2005, 3.3.3 "infrastructure," modified and adapted to communities.]

3.3
smart community infrastructure
community infrastructure with enhanced technological performance that is designed, operated, and maintained to contribute to sustainable development and resilience of the community

Note 1 to entry: It is the community infrastructure that is considered to be "smart" in this Technical Specification and not the community.

Note 2 to entry: Sustainable development tends to require community infrastructures that meet multiple, often contradictory, needs at a same time.

Note 3 to entry: Information and communication technologies (ICT) is an enabler but not a precondition for achieving smart community infrastructures.

3.4
sustainability
state of the global system, including environmental, social and economic aspects, in which the needs of the present are met without compromising the ability of future generations to meet their own needs

Note 1 to entry: The environmental, social, and economic aspects interact, are interdependent and are often referred to as the three dimensions of sustainability.

Note 2 to entry: Sustainability is the goal of *sustainable development* (3.5).

[SOURCE: ISO Guide 82:2014, 3.1]

3.5
sustainable development
development that meets the environmental, social, and economic needs of the present without compromising the ability of future generations to meet their own needs

Note 1 to entry: Derived from the Brundtland Report.

[SOURCE: ISO Guide 82:2014, 3.2]

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

3.6
environment
surroundings in which an organization operates, including air, water, land, natural resources, flora, fauna, humans, and their interrelation

Note 1 to entry: Surroundings in this context extend from within an organization to the global system.

[SOURCE: ISO 14050:2009, 3.1]

3.7
environmental impact
any change to the environment, whether adverse or beneficial, wholly or partially resulting from an organization's environmental aspects

[SOURCE: ISO 14001:2004, 3.7]

3.8
interoperability
ability of systems to provide services to and accept services from other systems and to use the services so exchanged to enable them to operate effectively together

[SOURCE: ISO 21007-1:2005, 2.30]

3.9
life cycle
consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

[SOURCE: ISO 14044:2006, 3.1]

3.10
life-cycle cost
total investment in product development, manufacturing, test, distribution, operation, support, training, and disposal

[SOURCE: ISO/IEC 26702:2007, 3.1.21]

3.11
metric
the defined measurement method and the measurement scale

[SOURCE: ISO/IEC 14598-1:1999, 4.20, modified — Note 1 and Note 2 have been removed.]

3.12
pro-poor growth
stimulate economic growth for the benefit of poor people (primarily in the economic sense of poverty)

Note 1 to entry: Pro-poor growth can be defined as absolute, where the benefits from overall growth in the economy, or relative, which refers to targeted efforts to increase the growth specifically among poor people.

EXAMPLE A pace and pattern of economic growth that helps poor women and men to participate in, contribute to and benefit from.

[SOURCE: OECD, 2008]

3.13
provider
person or organization involved in or associated with the delivery of products and/or services

[SOURCE: ISO/TR 12773-1:2009, 2.40, modified.]

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

3.14
safety
freedom from unacceptable risk

[SOURCE: ISO/IEC Guide 51:2014, 3.14, modified.]

4 Overview

4.1 Outline

This subclause provides an overview of Clause 4 to Clause 6 and annexes of this Technical Specification.

4.2 indicates possible uses of this Technical Specification.

Clause 5 specifies the principles which provide the conceptual backbone to the definition, identification, optimization, and harmonization of community infrastructure performance metrics. In the understanding of requirements and guidance described in Clause 6, these principles shall be read first by all readers of this Technical Specification because this clause is the conceptual backbone to the whole document including requirements.

Clause 6 provides the requirements and guidance for defining, identifying, optimizing and harmonizing smart community infrastructure performance metrics. 6.1 introduces a step-wise approach to identify community infrastructure performance metrics as a requirement. 6.2, 6.3, 6.4, and 6.5 provide requirements and guidance of conducting each step of the approach required in 6.1.

Annex A provides examples of the applicability of the step-wise approach to existing key performance indicators for specific types of community infrastructures.

Annex B provides an example of relating community issues onto community infrastructure performances.

4.2 Possible use

4.2.1 General

This subclause describes non-exhaustive possible uses of this Technical Specification. The users and associated benefits of these metrics are illustrated in Figure 1.

4.2.2 Support tool for community managers

This Technical Specification is intended to be used as a support tool for community managers, e.g.:

— to align the relationship between community issues and infrastructure performances;

— to prioritize investments in new community infrastructure and areas for improvement in existing community infrastructures among the different types of community infrastructures (e.g. to point out where to reach the highest effectiveness for investments in the community infrastructure by taking multiple perspectives into account);

— to identify metrics applied for the purpose of measurements of dynamic data that allow management and feedback to improve the community in terms of utilization and sustainability.

4.2.3 Facilitation tool

This Technical Specification is intended to be used as a facilitation tool for both owners and operators, and providers of community infrastructure products and services, e.g.:

— to serve as a framework for discussion on the performances of community infrastructures to be introduced;

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

— to provide a common language among multiple stakeholders, including owners and operators, and providers of community infrastructure products and services, by helping identify performance characteristics of community infrastructures to contribute to community priorities when they discuss community issues and the introduction or improvement of community infrastructures;

— to help owners and operators compare multiple proposals of the introduction or improvement of community infrastructure products and services from multiple providers in terms of performances;

NOTE This Technical Specification does not require its users to set targets.

5 Principles

5.1 General

This clause specifies the principles which provide the conceptual backbone to the definition, identification, optimization, and harmonization of community infrastructure performance metrics. 5.2 introduces the ideal properties to be considered in the process of defining or identifying a set of community infrastructure performance metrics. 5.3 requires relating performance characteristics to community issues/priorities. 5.4 addresses the stakeholders of communities to be considered in the definition, identification, optimization, and harmonization of community infrastructure performance metrics.

5.2 Ideal properties to be achieved

In the definition, identification, optimization or harmonization of community infrastructure performance metrics, the following ideal properties of smart community infrastructure performance metrics should be considered:

— be harmonized;

— include items useful for as many stakeholders as possible involved in trades of community infrastructure products and services (e.g. local governments, developers, suppliers, investors, and users);

— facilitate evaluation of the technical performance of community infrastructures, contributing to sustainability and resilience of communities;

— be applicable to different stages of the development of communities and community infrastructures;

— reflect the dynamic properties of the community infrastructures;

— be selected with consideration for the synergies and trade-offs of multiple issues or aspects that a community faces, such as environmental impacts and quality of community services. Only addressing a single issue or aspect might not be considered smart;

— focus on advanced features of community infrastructures such as interoperability, expandability, and efficiency rather than the status-quo;

— be applicable to a diverse range of communities (e.g. geographical location, sizes, economic structures, levels of economic development, stages of infrastructure development) and a diversity of individuals within communities i.e. considering full range of people (e.g. age, gender, income, disability, ethnicity, etc.);

— allow consideration of multiple community infrastructures (e.g. energy, water, transportation, waste, ICT) that support the operations and activities of communities;

— allow technologically implementable solutions;

— allow a holistic perspective of multiple community infrastructures. (More specifically, to consider an integrated system which includes the interaction and coordination of multiple community infrastructures);

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

— allow evaluation of the technical performance (e.g. efficiency, effectiveness) of community infrastructures rather than characteristics of specific technologies;

— be based on transparent and scientific logic.

NOTE Adapted from ISO/TR 37150:2014, 6.1, modified.

5.3 Relating community issues onto community infrastructure performances

In the definition, identification, optimization or harmonization of community infrastructure performance metrics, performances characteristics to be measured by the community infrastructure performance metrics should be related to community issues. This is to ensure that the identified community infrastructure performance metrics represent the community infrastructure performances that contribute to improve or cope with the community issues which are of interest to the users of this Technical Specification.

NOTE 1 Community issues are challenges that a community faces. Obviously, the issues and their priorities are usually different for different communities.

NOTE 2 Some indicators, e.g. Global City Indicators or United Nations Conference on Sustainable Development (UNCSD) indicators are useful to understand and align community issues.

One possible method to relate community issues with community infrastructure performances is to prepare a table of community infrastructure performance characteristics versus community issues and analyse the relation between the two (For details, see Table 2 and Annex B).

Table 2 — Informative image of relating table of community issues and infrastructure performances

Community infrastructure performance characteristics	Community issues				
	Issue 1	Issue 2	Issue 3	Issue 4	Issue 5
Performance characteristics A	***	**	*		
Performance characteristics B	**	**	*		
Performance characteristics C	*	***	*		
Performance characteristics D	*	***	*		

NOTE The number of "*" indicates the degree of relations between the performance listed in the row and the issue listed in the column.

5.4 Possible stakeholders to be considered

In general, a community has multiple stakeholders with multiple interests and it is not easy to meet all of them through conventional approaches. For example, it is easy to increase the convenience of public transportation by increasing the number of services. However, it is difficult to do so while reducing cost and environmental impacts at a same time. Therefore, community infrastructure performance metrics shall be identified in a well-balanced way which covers multiple perspectives of different stakeholders of communities. In the identification of community infrastructure performance metrics, the interests of the following stakeholders should be considered.

NOTE Key stakeholders of community infrastructures might be different for different users of this Technical Specification according to their interests and purposes.

— People or citizens: People or citizens of the community are one of the major users of community infrastructures. Therefore, the diversity of perspectives of people or citizens is essential to identify community infrastructure performance metrics.

— Industry or enterprises: Industries or enterprises which have or plan to have activities in the community are another major type of users of community infrastructures. Therefore, their perspectives are essential to identify community infrastructure performance metrics. In addition,

© ISO 2015 – All rights reserved
AVA Documents Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

interests of industries or enterprises are also essential for community governors and planners because the performance of community infrastructures is an important prerequisite to attract and bring industries or enterprises which play an essential part in the economy and functions of a community.

— Municipalities: Municipalities are usually the administrators that regulate the operation of community infrastructures.

— Infrastructure operators: Because infrastructure operators are the direct providers of community infrastructure services, they are stakeholders to which community infrastructure performances are closely related.

— Product, service, and solution providers: Although product, service, and solution providers are not always the direct providers of community infrastructure services, they provide machines, components, systems, services, and solutions which are necessary for infrastructure operators to provide community infrastructure services. Thus, interests of these stakeholders are also essential to identify community infrastructure performance metrics.

— Financial institutions and investors: As the construction and operation of community infrastructures tend to be large scale, long-span projects, the role of financial institutions and investors are essential. The planned, expected, and achieved performances of community infrastructures will be important for this group of stakeholders as a part of criteria for financing and investment.

6 Requirements for common approach to identify metrics

6.1 General requirements

The identification of community infrastructure performance metrics shall be conducted through a step-wise approach described below in accordance with the principles introduced in Clause 5.

Step a) Understand the perspectives of key stakeholders for community infrastructures, which include the views of residents/end-users/beneficiaries/consumers, community managers, and the environment;

Step b) Identify needs which are important from the perspectives determined in a);

Step c) Translate the needs identified in b) into performance characteristics;

Step d) Identify metrics (measurement methods and measurement scales) which are appropriate to measure each of the performance characteristics identified in b) and c).

Table 3 illustrates the identification of community infrastructure performance metrics following this approach.

In step a) of the above approach, perspectives shall be determined so that they represent multiple interests of different stakeholders of communities including residents, community managers, and the environment or the equivalents of these.

NOTE 1 The identified community infrastructure performance metrics using this approach might be different for communities or for different users because the determinations of perspectives and identifications of needs can be different.

NOTE 2 Those stakeholders can be found according to ISO 37120 and ISO 26000.

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Table 3 — Approach to identify community infrastructure performance metrics with examples of performance characteristics

Step a) Perspectives	Step b) Needs (minimum)	Step c) Performance characteristics (examples)	Step d) Metrics
Residents (end-users, beneficiaries, consumers)	Availability	Temporal coverage	XXX
		Areal coverage	XXX
		Population coverage	XXX
		Stability	XXX
	Accessibility	Capability of being accessed and used by a wide range of people	XXX
	Affordability	Service price	XXX
	Safety and security	Safety	XXX
		Cyber security and data privacy	XXX
		Physical security	XXX
	Quality of service	Service capacity	XXX
		Easy procedure to understand and use	XXX
		Proper invoicing	XXX
		Community infrastructure-specific qualities	XXX
		Provision of information	XXX
Community managers	Operational efficiency	Interoperability	XXX
		Appropriate size of facilities	XXX
		Flexibility for the size of demands	XXX
		Operational efficiency	XXX
	Economic efficiency	Total life-cycle cost	XXX
		Investment efficiency	XXX
	Performance information availability	Customer communication	XXX
	Maintainability	Appropriateness of maintenance	XXX
		Efficiency of maintenance	XXX
	Resilience	Robustness	XXX
		Redundancy	XXX
		Substitutability	XXX
		Swiftness of recovery	XXX

NOTE 1 A detailed description of "environment" is given in 6.2.4.

NOTE 2 Annex A provides examples of existing metrics.

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

Table 3 *(continued)*

Step a) Perspectives	Step b) Needs (minimum)	Step c) Performance characteristics (examples)	Step d) Metrics
Environment	Effective use of resources	Efficiency of energy consumption	XXX
		Efficiency of natural resources consumption	XXX
		Net amount of waste	XXX
	Mitigation of climate change	Amount of greenhouse gas (GHG) emission	XXX
	Prevention of pollution	Amount of pollutant emission	XXX
		Level of sensory nuisance	XXX
	Conservation of ecosystem	Amount of green space	XXX
		Control of surface run-off and drainage	XXX
		Contribution to human and public health	XXX

NOTE 1 A detailed description of "environment" is given in 6.2.4.

NOTE 2 Annex A provides examples of existing metrics.

6.2 Requirements for understanding the perspectives of key stakeholders for community infrastructures

6.2.1 General

This Technical Specification takes into account three perspectives at the minimum, i.e. residents, community managers, and environmental perspectives in step a) of the approach required in 6.1. For the ease of field application of the required approach, multiple diverse perspectives of community stakeholders are represented by one of these three conceptual stakeholders (For details, see Figure 2).



Figure 2 — Example of a model of multiple perspectives

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

6.2.2 Residents perspective

This perspective represents interests of users, consumers, or beneficiaries of community infrastructure services, e.g. people, citizens, visitors, industries, or enterprises. This perspective focuses on the community infrastructure performance characteristics which users directly sense and care about, e.g. accessibility, safety, and security of community infrastructures services.

NOTE This perspective addresses residents as the direct users of community infrastructure services. Residents who suffer from side effects of the community infrastructure operation, e.g. environmental pollution including noise, are addressed in the environmental perspective.

6.2.3 Community managers perspective

This perspective basically represents interests of planners, providers or administrators of community infrastructure services, e.g. municipalities and infrastructure operators.

This perspective focuses on the managerial performance needs with respect to providing services which users usually do not care about, e.g. operational efficiency, maintainability, expandability of community infrastructures.

6.2.4 Environmental perspective

This perspective basically represents environmental issues, e.g. resource limitation, pollution, ecosystem.

6.3 Requirements for identifying needs

6.3.1 General

In step b) of the approach required in 6.1, the following needs shall be considered as a minimum.

6.3.2 Needs from the residents perspective

— Availability: This means that the services are in place for the beneficiaries.

— Accessibility: This means that beneficiaries have access to services regardless of their physical or mental conditions.

— Affordability: This means that potential users can bear the expense of the service.

— Safety and security: This means that the lives, bodies, and properties of residents are not harmed or damaged by community infrastructure performance disruptions or other incidents.

— Quality of service: This means that a community infrastructure operator provides differentiated services beyond pure availability.

6.3.3 Needs from the community managers perspective

— Operational efficiency: This means that the community infrastructure facility is designed with an appropriate size meeting the community demands and the capacity is efficiently utilized.

— Economic efficiency: This means that the investment in community infrastructures is viable from socio-economic viewpoints.

— Performance information availability: This means that performance information of community infrastructures is available.

— Maintainability: This means that community infrastructure systems are easy to maintain.

— Resilience: This means that community infrastructure systems are designed to continue providing services in emergencies and to quickly recover from damage and suspension of services.

© ISO 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015

6.3.4 Needs from the environmental perspective

— Effective use of resources: This means that community infrastructure systems are designed to efficiently use natural resources such as materials and energy, including reduction of the amount of waste.

— Mitigation of climate change: This means that community infrastructures are designed, operated, and maintained to mitigate the effect on climate change.

— Prevention of pollution: This means that infrastructure systems are designed, operated, and maintained to decrease the extent of pollution.

NOTE Pollution includes air pollution, water pollution, soil pollution, vibration, noise, odour generated within or released to the outside of the community.

— Conservation of ecosystems: This means that community infrastructures are designed, operated, and maintained to conserve or to enhance the ecosystem(s).

6.4 Guidance for translating needs into performance characteristics

6.4.1 General

In step c) of the approach required in 6.1, the following performance characteristics can be considered.

NOTE This Technical Specification is intended to be neutral to any type of community infrastructure. However, there can be performance characteristics specific to the particular type of a community infrastructure.

6.4.2 Performance characteristics from the residents perspective

a) Performance characteristics for availability

1) Temporal coverage: The available hours of community infrastructure services

2) Areal coverage: The extent to which the community infrastructures physically cover the area of a community

3) Population coverage: The proportion of the population of a community that is served by the community infrastructure

4) Stability: The extent to which the community infrastructures operate without interruption

b) Performance characteristics for accessibility

1) Capability of being accessed and used by a wide range of people: The extent to which the community infrastructures are accessible for people regardless of their individual language, disability, etc.

c) Performance characteristics for affordability

1) Service price: The fee to use the community infrastructures

d) Performance characteristics for safety and security

1) Safety: The extent to which community infrastructures are designed, operated, and maintained to reduce risk to a tolerable level, which can vary among communities and types of community infrastructures

2) Cyber security and data privacy: The extent to which community infrastructures are designed, operated, and maintained to protect information and control systems against unintended accesses, manipulation or unintended distribution of data

© ISO 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: PD ISO/TS 37151:2015