

Status: Currently Official on 16-Feb-2025
 Official Date: Official as of 01-Dec-2022
 Document Type: USP Monographs
 DocId: GUID-0163BD1B-22C4-4F51-A269-BBB09F4E737D_4_en-US
 DOI: https://doi.org/10.31003/USPNF_M69400_04_01
 DOI Ref: i0egj

© 2025 USPC
 Do not distribute

Procaine Hydrochloride Injection

(This monograph has been updated to the current USP style. No revisions or changes to tests have been made.)

DEFINITION

Procaine Hydrochloride Injection is a sterile solution of Procaine Hydrochloride in Water for Injection. It contains NLT 95.0% and NMT 105.0% of the labeled amount of procaine hydrochloride ($C_{13}H_{20}N_2O_2 \cdot HCl$).

IDENTIFICATION

- **A. [SPECTROSCOPIC IDENTIFICATION TESTS \(197\)](#), [Infrared Spectroscopy](#):** 197K

Sample: Evaporate a portion of Injection, equivalent to 20 mg of procaine hydrochloride, on a steam bath just to dryness, and dry over silica gel for 18 h. Use the residue for the test.

- **B.**

Solution A: 100 mg/mL of [sodium hydroxide](#) in [water](#)

Solution B: 20 mg/mL of [2-naphthol](#) in *Solution A*

Analysis: Dissolve 10 mg of the residue obtained in *Identification A* in 1 mL of [water](#), add 1 drop each of [hydrochloric acid](#) and 100 mg/mL of [sodium nitrite](#) in [water](#), then add 1 mL of *Solution B*, and shake.

Acceptance criteria: A scarlet-red precipitate is formed.

ASSAY

PROCEDURE

Standard solution: Transfer to a 125-mL separator about 50 mg, accurately weighed, of [USP Procaine Hydrochloride RS](#) and dissolve in 20 mL of [water](#).

Sample solution: Transfer to a 125-mL separator an accurately measured volume of Injection, equivalent to about 50 mg of procaine hydrochloride, and dilute with [water](#) to 20 mL.

Instrumental conditions

Mode: UV

Analytical wavelength: 280 nm

Blank: [Chloroform](#)

Analysis

Samples: *Standard solution* and *Sample solution*

Add 5 mL of [ammonium hydroxide, 6 N](#), to both the *Standard solution* and *Sample solution*, then treat each as follows. Extract with five 25-mL portions of [chloroform](#), and filter the combined extracts through 1 g of [sodium sulfate, anhydrous](#) supported on a pledget of glass wool. Receive the filtrate in a 200-mL volumetric flask, and add [chloroform](#) to volume. Transfer 3.0 mL of this solution to a 100-mL volumetric flask, and add [chloroform](#) to volume. Concomitantly determine the absorbances of both solutions.

Calculate the percentage of the labeled amount of procaine hydrochloride ($C_{13}H_{20}N_2O_2 \cdot HCl$) in the portion of Injection taken:

$$\text{Result} = (A_U/A_S) \times (C_S/C_U) \times 100$$

A_U = absorbance of the *Sample solution*

A_S = absorbance of the *Standard solution*

C_S = concentration of [USP Procaine Hydrochloride RS](#) in the *Standard solution* (mg/mL)

C_U = nominal concentration of procaine hydrochloride in the *Sample solution* (mg/mL)

Acceptance criteria: 95.0%–105.0%

SPECIFIC TESTS

- **BACTERIAL ENDOTOXINS TEST (85):** It contains NMT 0.6 USP Endotoxin Units/mg of procaine hydrochloride.
- **pH (791):** 3.0–5.5
- **PARTICULATE MATTER IN INJECTIONS (788):** It meets the requirements under small-volume injections.
- **OTHER REQUIREMENTS:** Meets the requirements in [Injections and Implanted Drug Products \(1\)](#).

ADDITIONAL REQUIREMENTS

- **PACKAGING AND STORAGE:** Preserve in single-dose or in multiple-dose containers, preferably of Type I or Type II glass. The Injection may be packaged in 100-mL multiple-dose containers.
- **USP REFERENCE STANDARDS (11):**
[USP Procaine Hydrochloride RS](#)

Auxiliary Information - Please [check for your question in the FAQs](#) before contacting USP.

Topic/Question	Contact	Expert Committee
PROCAINE HYDROCHLORIDE INJECTION	Documentary Standards Support	SM52020 Small Molecules 5
REFERENCE STANDARD SUPPORT	RS Technical Services RSTECH@usp.org	SM52020 Small Molecules 5

Chromatographic Database Information: [Chromatographic Database](#)

Most Recently Appeared In:

Pharmacopeial Forum: Volume No. Information currently unavailable

Current DocID: GUID-0163BD1B-22C4-4F51-A269-BBB09F4E737D_4_en-US

DOI: https://doi.org/10.31003/USPNF_M69400_04_01

DOI ref: [i0egj](#)

OFFICIAL