



AEROSPACE INFORMATION REPORT

AIR1869™**REV. D**

Issued	1984-10
Reaffirmed	2008-06
Revised	2009-11
Stabilized	2022-05

Superseding AIR1869C

Wide-Body and Standard-Body Aircraft
Lower Deck Cargo Compartment
ULD Capacities

RATIONALE

This document has been "Stabilized" by the AGE-2 Technical Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

STABILIZED NOTICE

This document has been declared "Stabilized" by the SAE AGE-2 Air Cargo Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

SAE Executive Standards Committee Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2022 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: **Tel:** 877-606-7323 (inside USA and Canada)
 Tel: +1 724-776-4970 (outside USA)
 Fax: 724-776-0790
 Email: CustomerService@sae.org
 <http://www.sae.org>

SAE WEB ADDRESS:

Full document details: SAE AIR1869D

For more information on this standard, visit
<https://www.sae.org/standards/content/AIR1869D/>

Documents

Document Sharing Hub

TABLE OF CONTENTS

1.	SCOPE.....	3
1.1	Purpose	3
2.	APPLICABLE DOCUMENTS.....	3
2.1	SAE Publications.....	3
3.	NOTES AND DEFINITIONS	3
APPENDIX A	WIDE-BODY AIRCRAFT LOWER DECK ULDs (CARGO COMPARTMENT ULD ARRANGEMENTS NOT INCLUDED).....	212
FIGURE 1		11
FIGURE 2		14
FIGURE 3		17
FIGURE 4		22
FIGURE 5		27
FIGURE 6		30
FIGURE 7		34
FIGURE 8		36
FIGURE 9		39
FIGURE 10		41
FIGURE 11		46
FIGURE 12		49
FIGURE 13		55
FIGURE 14		57
FIGURE 15		62
FIGURE 16		64
FIGURE 17		68
FIGURE 18		70
FIGURE 19		72
FIGURE 20		74
FIGURE 21		76

FIGURE 22	78
FIGURE 23	80
FIGURE 24	82
FIGURE 25	85
FIGURE 26	88
FIGURE 27	91
FIGURE 28	96
FIGURE 29	101
FIGURE 30	110
FIGURE 31	112
FIGURE 32	115
FIGURE 33	117
FIGURE 34	120
FIGURE 35	123
FIGURE 36	127
FIGURE 37	130
FIGURE 38	134
FIGURE 39	137
FIGURE 40	141
FIGURE 41	145
FIGURE 42	150
FIGURE 43	152
FIGURE 44	162
FIGURE 45	165
FIGURE 46	169
FIGURE 47	171
FIGURE 48	174
FIGURE 49	176
FIGURE 50	178
FIGURE 51	180
FIGURE 52	182
FIGURE 53	185
FIGURE 54	187
FIGURE 55	190
FIGURE 57	196
FIGURE 58	198
FIGURE 59	203
FIGURE 60	206
FIGURE 61	208
FIGURE 62	210
FIGURE A1	212
FIGURE A2	216
FIGURE A3	218
FIGURE A4	220
FIGURE A5	222
FIGURE A6	225
FIGURE A7	226

TABLES

TABLE 1 - Quick Reference ULD Configuration Summary	5
TABLE A1 - Standard-Body Lower Deck Bulk Volumes (Continued)	229

1. SCOPE

This SAE Aerospace Information Report (AIR) covers information relative to ULDs (Unit Load Devices) container and pallet configurations, maximum usable container, pallet and bulk compartment volumes and tare weights for the lower deck of various wide-body aircraft. Bulk compartment volumes are also included for standard-body aircraft.

1.1 Purpose

This document brings together data concerning the lower deck capacity of wide-body and standard-body airplanes. The information includes airplanes manufactured by Airbus, Boeing, British Aerospace, British Aircraft, Fokker-VFW, Hawker Siddeley, Ilyushin, Lockheed and McDonnell-Douglas.

2. APPLICABLE DOCUMENTS

The following publications form a part of this document to the extent specified herein. The latest issue of SAE publications shall apply. The applicable issue of other publications shall be the issue in effect on the date of the purchase order. In the event of conflict between the text of this document and references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

2.1 SAE Publications

Available from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), www.sae.org.

AS1825 Methodology of Calculating Aircraft Cargo Volumes

3. NOTES AND DEFINITIONS

Container and pallet configurations are shown as arrangements 1, 2, 3, etc. Additional arrangements may be constructed by combining various compartment configurations. Combinations of differing ULDs within a compartment are also possible within the constraints of each particular aircraft.

Arrangements for wide-body containers such as the Air Transport Association (ATA) type LD-5, LD-6, LD-10, and LD-11 and the equivalent base size (60.4 in x 125 in) pallet are not included in this document. They occupy an equivalent space of two LD-1 or LD-3 containers in the wide-body configuration.

In addition, arrangements for ATA type LD-4 and LD-8 containers are not included as they occupy an equivalent space of two LD-2 containers. Netted pallet arrangements only are shown. ATA type LD-7 and LD-9 containers are not included as they have the equivalent base size of 88 in x 125 in pallet. For data on the above ULDs, see Appendix A.

Container volume used in each configuration reflects the maximum internal volume available for that particular unit. Volumes shown are in accordance with AS1825.

Weight limitations, as noted, consist of payload weight and tare weight.

Some weights and measures in this document are listed in a minimum-to-maximum range. A midpoint figure may not reflect the actual average weight or dimension of that type of unit in service.

Please note ULD tare weight figures presented in this document are for reference only and not reflecting the latest development which may be significantly lower. In addition balsa core pallet indications are no more relevant for the existing market.

A structural container is defined as a rigid shell made of composite, metal, or other suitable materials that in combination with an airplane pallet has been stressed to restrain cargo without the use of nets. The pallet is structurally attached to the shell to form a single structural unit.

A nonstructural container is defined as a bottomless rigid shell made of composite, metal, or other suitable materials. Its shape conforms to the interior contour of the airplane. It covers the maximum usable area of an airplane pallet to which it is secured with a cargo net assembly.

Cargo loading provisions for 88 in x 125 in and/or 96 in x 125 in pallets and containers are optional for some wide-body aircraft. The airline or airframe manufacturer should be consulted for the cargo loading system configuration for a specific airplane or airplane type.

- 3.1 A change bar (|) located in the left margin is for the convenience of the user in locating areas where technical revisions, not editorial changes, have been made to the previous issue of this document. An (R) symbol to the left of the document title indicates a complete revision of the document, including technical revisions. Change bars and (R) are not used in original publications, nor in documents that contain editorial changes only.

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY

Model	Galley Location	Compartment Location	Type LD-3	Total ft3	Volume m3
A300B2	Main Deck	Forward	12	1896	53.7
A300B4-100		Aft	8	1264	35.8
A300B4-200		Bulk	-	565	16.0
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	10	1580	44.7
		Bulk	-	611	17.3
A300B4-600	Main Deck	Forward	12	1896	53.7
A300B4-600R		Aft	11	1738	49.2
(Option)		Bulk	-	318	9.0
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	6	948	26.8
		Bulk	-	611	17.3
A310-200	Main Deck	Forward	8	1264	35.8
A310-300		Aft	7	1106	31.3
(Option)		Bulk	-	318	9.0
A330-200	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A330-200	Main Deck	Forward	14	2212	62.6
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-200	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A340-200	Main Deck	Forward	14	2212	62.6
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-200	Main Deck	Forward	14	2212	62.6
(Std.-8000))		Aft	4	632	17.9
		Bulk	-	695	19.7
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	14	2212	62.6
		Bulk	-	695	19.7
A340-300	Main Deck	Forward	18	2844	80.5
A330-300		Aft	15	2370	67.1
(Option)		Bulk	-	486	13.8
A340-500	Main Deck	Forward	18	2844	80.5
		Aft	12	1896	53.7
		Bulk	-	695	19.7
A340-500	Main Deck	Forward	18	2844	80.5
(Option)		Aft	13	2054	58.2
		Bulk	-	486	13.8
A340-600	Main Deck	Forward	24	3792	107.4
		Aft	18	2844	80.5
		Bulk	-	695	19.7
A340-600	Main Deck	Forward	24	3792	107.4
(Option)		Aft	19	3002	84.9
		Bulk	-	486	13.8

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY (CONTINUED)

Model	Galley Location	Compartment Location	Type LD-3	Total ft3	Volume m3
A350-800	Main Deck	Forward	14	2212	62.6
		Aft	12	1896	53.7
		Bulk	-	400	11.3
A350-800 (Option)	Main Deck	Forward	14	2212	62.6
		Aft	14	2212	62.6
		Bulk	-	400	11.3
A350-900	Main Deck	Forward	20	3160	89.5
		Aft	16	2528	71.6
		Bulk	-	400	11.3
A350-1000	Main Deck	Forward	26	4108	116.3
		Aft	18	2844	80.5
		Bulk	-	400	11.3
A380-800	Main Deck	Forward	20	3160	89.5
		Aft	16	2528	71.6
		Bulk	-	505	14.3
A380-800 (Option)	Main Deck	Forward	22	3476	98.4
		Aft	16	2528	71.6
		Bulk	-	505	14.3
A319**	Main Deck	Forward	2	254	7.2
		Aft	2	254	7.2
		Bulk	-	255	7.2
A320**	Main Deck	Forward	3	381	10.8
		Aft	4	508	14.4
		Bulk	-	208	5.9
A321**	Main Deck	Forward	5	635	18.0
		Aft	5	635	18.0
		Bulk	-	208	5.9
747-100/200 747-300	Main Deck	Forward	16	2528	71.6
		Aft	14	2212	62.6
		Bulk	-	1000	28.3*
747-100/200 747-300	Lower Deck	Forward	10	1580	44.7
		Aft	8	1264	35.8
		Bulk	-	1000	28.3*
747-400	Main Deck	Forward	16	2528	71.6
		Aft	14	2212	28.3
		Bulk	-	835	23.6*
747-400 (Option)	Main Deck	Forward	16	2528	71.6
		Aft	16	2528	71.6
		Bulk	-	490	13.9*
747-400 ER	Main Deck	Forward	14	2212	62.6
		Aft	14	2212	62.6
		Bulk	-	797	22.6

* For 747 F/C/Combi models bulk volume variations see corresponding layout pages for details

** LD3-46 in. height full size container (2K2C / IATA-AKH)

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY (CONTINUED)

Model	Galley Location	Compartment Location	Type LD-3	Total ft3	Volume m3
747-400 ER (Option)	Main Deck	Forward	14	2212	62.6
		Aft	16	2528	71.6
		Bulk	-	397	11.2
747SP	Main Deck	Forward	10	1580	44.7
		Aft	10	1580	44.7
		Bulk	-	400	11.3
767-200	Main Deck	Forward	6	948	26.8
		Aft	5	790	22.4
		Bulk	-	430	12.2
767-300	Main Deck	Forward	8	1264	35.8
		Aft	7	1106	31.3
		Bulk	-	430	12.2
767-400	Main Deck	Forward	10	1580	44.7
		Aft	9	1422	40.3
		Bulk	-	430	12.2
767-200 Based on LD-2	Main Deck	Forward	12	1440	40.8
		Aft	10	1200	34.0
		Bulk	-	430	12.2
767-300 Based on LD-2	Main Deck	Forward	16	1980	54.4
		Aft	14	1680	47.6
		Bulk	-	430	12.2
767-400 Based on LD-2	Main Deck	Forward	20	2400	68.0
		Aft	18	2160	61.2
		Bulk	-	430	12.2
777-200	Main Deck	Forward	18	2844	80.5
		Aft	14	2212	62.6
		Bulk	-	600	16.9
777-300	Main Deck	Forward	24	3792	107.3
		Aft	20	3160	89.4
		Bulk	-	600	16.9
787-8	Main Deck	Forward	16	2528	71.6
		Aft	12	1896	53.7
		Bulk	-	402	11.4
L-1011-1	Main Deck	Forward	16	2528	71.6
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-1	Lower Deck	Forward	8	1264	35.8
L-1011-100		Aft	8	1264	35.8
L-1011-200		Bulk	-	700	19.8
L-1011-500	Main Deck	Forward	12	1896	53.7
		Aft	7	1106	31.3
		Bulk	-	435	12.3
L-1011-500 (Option)	Main Deck	Forward	12	1896	53.7
		Aft	8	1264	35.8
		Bulk	-	160	4.5

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY (CONTINUED)

Model	Galley Location	Compartment Location	Type LD-3	Total ft3	Volume m3
DC-10-10, -15	Main Deck	Forward	16	2528	71.6
DC-10-30, -40		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10, -15	Main Deck	Forward	16	2528	71.6
DC-10-30, -40		Center	10	1580	44.7
(Option)		Bulk	-	510	14.4
DC-10-10, -15	Lower Deck	Forward	6	948	26.8
DC-10-30, -40		Center	8	1264	35.8
		Bulk	-	805	22.8
DC-10-10, -15	Lower Deck	Forward	6	948	26.8
DC-10-30, -40		Center	10	1580	44.7
(Option)		Bulk	-	510	14.4
MD-11	Main Deck	Forward	18	2844	80.6
		Center	14	2212	62.6
		Bulk	-	510	14.4
IL-86	Main Deck	Forward	8	1264	35.8
	&	Aft	8	1264	35.8
	Lower Deck	Bulk	-		
IL-86	Main Deck	Forward	4	632	17.9
	&	Aft	4	632	17.9
	Lower Deck	Bulk	-		
IL-96-300	Main Deck	Forward	6	948	26.8
		Aft	10	1580	44.7
		Bulk	-	530	15.0
IL-96-M	Main Deck	Forward	18	2844	80.5
		Aft	14	2212	62.6
		Bulk	-	crew rest space	
TU 204-100/-200***	Main Deck	Forward	5	389	11.0
		Aft	7	544	15.4
		Bulk	-	190	5.4
TU 204-200****	Main Deck	Forward	3	357	10.1
		Aft	5	595	16.9
		Bulk	-	190	5.4

*** 2AK-0.4/-0.7 base size 45.5 in x 43.4 in (1156 x 1102 mm)

**** LD3-46 container height limited to 43.2 in (1097 mm)

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY (CONTINUED)

Model	Galley Location	Compartment Location	Type	
			88 x 125 in 2235 x 3175 mm	96 x 125 in 2438 x 3175 mm
A300B2	Main Deck	Forward	4	4
A300B4-100		Aft	-	-
A300B4-200				
A300B4-600	Main Deck	Forward	4	4
A300B4-600R		Aft	-	-
A310-200	Main Deck	Forward	3	3
A310-300		Aft	-	-
A330-200	Main Deck	Forward	4	4
		Aft	4	4
A340-200	Main Deck	Forward	5	5
		Aft	4	4
A340-200 (Std.-8000)	Main Deck	Forward	5	5
		Aft	1	1
A340-300	Main Deck	Forward	6	6
A330-300		Aft	5	4
A340-500	Main Deck	Forward	6	6
		Aft	4	4
A340-600	Main Deck	Forward	8	8
		Aft	6	6
A350-800	Main Deck	Forward	5	5
		Aft	4	4
A350-900	Main Deck	Forward	6	6
		Aft	5	5
A350-1000	Main Deck	Forward	8	8
		Aft	6	6
A380-800	Main Deck	Forward	7	7
		Aft	3 (+6 LD3)	3 (+6 LD3)
A380-800 (Option)	Main Deck	Forward	7	7
		Aft	6	6
747-100/200	Main Deck	Forward	5	5
747-300/400		Aft	4	4
747-100/200/300	Main Deck	Forward	3	3
		Aft	2	2

TABLE 1 - QUICK REFERENCE ULD CONFIGURATION SUMMARY (CONTINUED)

Model	Galley Location	Compartment Location	Type	
			88 x 125 in 2235 x 3175 mm	96 x 125 in 2438 x 3175 mm
747-400 ER	Main Deck	Forward	4	4
		Aft	4 (+2 LD3)	4
747SP	Main Deck	Forward	3	3
		Aft	3	2
767-200	Main Deck	Forward	3	3
		Aft	-	-
767-300	Main Deck	Forward	4	4
		Aft	-	-
767-400	Main Deck	Forward	5	5
		Aft	-	-
777-200	Main Deck	Forward	6	6
		Aft (optional) (large door)	4	4
777-300	Main Deck	Forward	8	8
		Aft (optional) (large door)	6	6
787-8	Main Deck	Forward	5	5
		Aft	4	3 (+ 2 LD3)
L-1011-500	Main Deck	Forward	4	-
		Aft	-	-
L-1011-1	Main Deck	Forward	5	-
		Aft	-	-
L-1011-100				
L-1011-200				
L-1011-1	Lower Deck	Forward	2	-
		Aft	-	-
L-1011-100				
L-1011-200				
DC-10-10	Main Deck	Forward	5	-
		Aft	-	-
DC-10-15				
DC-10-30				
DC-10-40				
MD-11	Main Deck	Forward	6	6
		Aft (optional) (large door)	4	4
IL-86M	Main Deck	Forward	5	5
		Aft	-	-

Airbus Industrie A300 B2, B4 - 100 / 200 Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
 - Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
 - Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view
-

- Forward Compartment Door (prior a/c 157) :
96 x 66.8 in. (2 438 x 1 698 mm)

Note: The above dimensions refer to the
clear opening width x height.


FIGURE 1

A300 B2, B4-100/200 Lower Deck Container Configurations

Arrangement 1

Forward Compartment

Aft Compartment




(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3725 ft³ (105.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 1 (CONTINUED)

A300 B2, B4-100/200 Lower Deck Container Configurations


Arrangement 2

Forward Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment




(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2844 ft³ (80.5 m³)
Bulk compartment: 565 ft³ (16.0 m³)

Total capacity : 3409 ft³ (96.5 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 1 (CONTINUED)

Airbus Industrie A300 B2, B4 - 100 / 200 Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
 - Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
 - Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view
-

- Forward Compartment Door (prior a/c 157) :
96 x 66.8 in. (2 438 x 1 698 mm)


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 2

A300 B2, B4-100/200 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.1 m³)

Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container and pallet volume:	2752 ft ³	(77.9 m ³)
Bulk compartment:	565 ft ³	(16.0 m ³)
Total capacity :	3317 ft ³	(93.9 m ³)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)


Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 2 (CONTINUED)

A300 B2, B4-100/200 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment



(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.1 m³)


Aft Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Container and pallet volume:	2752 ft ³	(77.9 m ³)
Bulk compartment:	565 ft ³	(16.0 m ³)
Total capacity :	3317 ft ³	(93.9 m ³)

Note: From airplane 157 and on, (4) 96 x 125 in. (2438 x 3175 mm) pallets may be loaded through the standard 106 in. (2692 mm) forward cargo door.



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 2 (CONTINUED)

Airbus Industrie A300 B4 - 600

Lower Deck Container / Pallet ** Configurations

(With Main-Deck Galley)

- Forward Compartment Door (a/c 157 and on) :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

**Note: See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2
for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.

FIGURE 3

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 1




(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

(10) LD-3 containers
at 158 ft³ (4.47 m³) each
1580 ft³ (44.7 m³)

Container volume : 3476 ft³ (98.4 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 4087 ft³ (115.7 m³)

****Note:** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (CONTINUED)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations


Arrangement 2 Aft Compartment Option



Container volume : 3634 ft³ (102.9 m³)
 Bulk compartment: 318 ft³ (9.0 m³)

 Total capacity : 3952 ft³ (111.9 m³)

****Note:** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
 Tare weight : 150 to 370 lb (68 to 168 kg)
 Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (CONTINUED)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations

Arrangement 3 Aft Compartment Option



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)


(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3160 ft³ (89.5 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 3771 ft³ (106.8 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for
88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (CONTINUED)

A300 B4 - 600 Lower Deck Container / Pallet** Configurations


Arrangement 4 Aft Compartment Option

Forward Compartment



(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.7 m³)

Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)


Container volume : 2844 ft³ (80.5 m³)

Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 3455 ft³ (97.8 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.

** See A300B2, B4-100/200 forward compartment pallet arrangements 1 and 2 for 88 x 125 in. (2235 x 3175 mm) and 96 x 125 in. (2438 x 3175 mm) pallet layout.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 3 (CONTINUED)

Airbus Industrie A310 - 200 / 300
Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the
clear opening width x height.

FIGURE 4

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 1

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container volume : 2212 ft³ (62.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2823 ft³ (79.9 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (CONTINUED)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)


Aft Compartment



(7) LD-3 containers
at 158 ft³ (4.47 m³) each
1106 ft³ (31.29 m³)

Container volume : 2370 ft³ (67.1 m³)
Bulk compartment: 318 ft³ (9.0 m³)

Total capacity : 2688 ft³ (76.1 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (CONTINUED)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(4) LD-3 containers
at 158 ft³ (4.47 m³) each
632 ft³ (17.9 m³)

Container volume : 1896 ft³ (53.6 m³)
Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2507 ft³ (70.9 m³)

* Elimination of two containers in the aft compartment due to the possible integration of a body fuel tank.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (CONTINUED)

A310 -200 / 300 Lower Deck Container Configurations


Arrangement 4 Aft Compartment Option

Forward Compartment



(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Aft Compartment




(2) LD-3 containers
at 158 ft³ (4.47 m³) each
316 ft³ (8.9 m³)

Container volume : 1580 ft³ (44.7 m³)

Bulk compartment: 611 ft³ (17.3 m³)

Total capacity : 2191 ft³ (62.0 m³)

* Elimination of four containers in the aft compartment due to the possible integration of two body fuel tanks.



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 4 (CONTINUED)

Airbus A310 - 200 / 300

Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
71.3 x 67.4 in. (1 810 x 1 711 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view


Note: The above dimensions refer to the clear opening width x height.

FIGURE 5

A310 -200 / 300 Lower Deck Pallet Configurations


Arrangement 1

Forward Compartment




(3) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1116 ft³ (31.5 m³)

Aft Compartment



(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume:	2064 ft ³	(58.3 m ³)
Bulk compartment:	611 ft ³	(17.3 m ³)
Total capacity :	2675 ft ³	(75.6 m ³)



Type : Netted pallet / IATA - PAX


Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

- 1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)
- 2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 5 (CONTINUED)

A310 -200 / 300 Lower Deck Pallet Configurations


Arrangement 2

Forward Compartment




(3) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1221 ft³ (34.5 m³)

Aft Compartment




(6) LD-3 containers
at 158 ft³ (4.47 m³) each
948 ft³ (26.8 m³)

Container and pallet volume:	2169 ft ³	(61.5 m ³)
Bulk compartment:	611 ft ³	(17.3 m ³)
Total capacity :	2780 ft³	(78.6 m³)



Type : Netted pallet / IATA - PMx

Internal volume: 407 ft³ (11.5 m³)
Tare weight pallet:
Aluminum with balsa core : 258 lb (117 kg)
Tare weight of net : 32 to 38 lb (15 to 17 kg)
Weight limitations: 10 200 lb (4 626 kg)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)
Tare weight : 150 to 370 lb (68 to 168 kg)
Weight limitations: 3500 lb (1587 kg)

FIGURE 5 (CONTINUED)

Airbus A330 - 200

Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.


FIGURE 6

A330 - 200 Lower Deck Container Configurations

Arrangement 1

Forward Compartment


Aft Compartment



Container volume : 4108 ft³ (116.3 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (136.0 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)


FIGURE 6 (CONTINUED)

A330 - 200 Lower Deck Container Configurations

Arrangement 2 Aft Compartment Option

Forward Compartment

Aft Compartment




(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

(13) LD-3 containers
at 158 ft³ (4.47 m³) each
2054 ft³ (58.2 m³)

Container volume : 4266 ft³ (120.8 m³)

Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 4752 ft³ (134.6 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 6 (CONTINUED)

A330 - 200 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3476 ft³ (98.4 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4171 ft³ (118.1 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container

LDMCR 96"x125" / IATA Contour - F

6 or 7 bunks

FIGURE 6 (CONTINUED)

Airbus A330 - 200

Lower Deck Pallet Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.

FIGURE 7

A330 -200 Lower Deck Pallet Configurations

Arrangement 1



Airbus A330 - 200

Lower Deck Container Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.

FIGURE 8

A330 - 300 Lower Deck Container Configurations


Arrangement 1



Container volume : 5056 ft³ (143.1 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 5751 ft³ (162.8 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 8 (CONTINUED)

A330 - 300 Lower Deck Container Configurations


Arrangement 2 Aft Compartment Option



Container volume : 5214 ft³ (147.5 m³)

Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 5700 ft³ (161.3 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 8 (CONTINUED)

Airbus A330 - 300

Lower Deck Pallet Configurations

(With Main-Deck Galley)


- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.

FIGURE 9

A330 -300 Lower Deck Pallet Configurations

Arrangement 1



	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	4070 ft ³ (115.0 m ³)	4092 ft ³ (115.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4765 ft ³ (134.7 m ³)	4787 ft ³ (135.2 m ³)

* The cargo loading arrangement also allows for 3 pallets 96 x 125 in. plus 2 pallets 88 x 125 in.




FIGURE 9 (CONTINUED)

Airbus A340 - 200 and Airbus A340 - 200 Std. 8000 Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.


FIGURE 10

A340 - 200 Lower Deck Container Configurations

Arrangement 1

Forward Compartment

Aft Compartment




(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

(12) LD-3 containers
at 158 ft³ (4.47 m³) each
1896 ft³ (53.6 m³)

Container volume : 4108 ft³ (116.2 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4803 ft³ (135.9 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)


Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)

FIGURE 10 (CONTINUED)


A340 - 200 Lower Deck Container Configurations

Arrangement 2 Aft Compartment Option



Container volume : 4266 ft³ (120.7 m³)
 Bulk compartment: 486 ft³ (13.8 m³)

Total capacity : 4752 ft³ (134.5 m³)



Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)


Weight limitations: 3500 lb (1587 kg)

FIGURE 10 (CONTINUED)

A340 - 200 Lower Deck Container Configurations


Arrangement 3 Aft Compartment Option

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment




(8) LD-3 containers
at 158 ft³ (4.47 m³) each
1264 ft³ (35.8 m³)

Container volume : 3476 ft³ (98.4 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 4171 ft³ (118.1 m³)

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container

LDMCR 96"x125" / IATA Contour - F


6 or 7 bunks

FIGURE 10 (CONTINUED)

A340 - 200 Std. - 8000 Lower Deck Container Configurations


Arrangement for A340-200 Standard - 8000

Forward Compartment



(14) LD-3 containers
at 158 ft³ (4.47 m³) each
2212 ft³ (62.6 m³)

Aft Compartment



(4) LD-3 containers
at 158 ft³ (4.47 m³) each
632 ft³ (17.9 m³)


Container volume : 2844 ft³ (80.5 m³)

Bulk compartment: 695 ft³ (19.7 m³)

Total capacity : 3539 ft³ (100.2 m³)

* Two auxiliary center tanks "ACTs" are basic on Std. - 8000

** Elimination of one 96in.x125in. pallet in the aft compartment due to the possible integration of one LDMCR




Type : LD-3 container / IATA - AKE

Internal volume : 145 to 158 ft³ (4.1 to 4.47 m³)

Tare weight : 150 to 370 lb (68 to 168 kg)

Weight limitations: 3500 lb (1587 kg)



Typ : Lower Deck Mobile Crew Rest container
LDMCR 96"x125" / IATA Contour - F
6 or 7 bunks

FIGURE 10 (CONTINUED)

Airbus A340 - 200 and Airbus A340 - 200 Std. 8000 Lower Deck Pallet Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.


FIGURE 11

A340 -200 Lower Deck Pallet Configurations

Arrangement 1

Forward Compartment

Aft Compartment




(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.5 m³)

(4) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
1628 ft³ (46.0 m³)

(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

(4) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1488 ft³ (42.0 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
Pallet volume:	3663 ft ³ (103.5 m ³)	3348 ft ³ (94.5 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	4358 ft ³ (123.2 m ³)	4043 ft ³ (114.2 m ³)



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)


FIGURE 11 (CONTINUED)

A340 - 200 Std. 8000 Lower Deck Pallet Configurations

Arrangement for A340-200 Std. 8000 Aft Compartment Basic Provision

Forward Compartment

Aft Compartment



(5) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each
2035 ft³ (57.5 m³)

(1) pallets: 96x125 in. (2438x3175 mm)
at 407 ft³ (11.5 m³) each plus 2 LD3
723 ft³ (20.5 m³)


(5) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each
1860 ft³ (52.5 m³)

(1) pallets: 88x125 in. (2235x3175 mm)
at 372 ft³ (10.5 m³) each plus 2 LD3
688 ft³ (19.5 m³)

	Pallets 96 x 125 in.	Pallets 88 x 125 in.
ULD volume:	2758 ft ³ (78.1 m ³)	2548 ft ³ (72.2 m ³)
Bulk compartment:	695 ft ³ (19.7 m ³)	695 ft ³ (19.7 m ³)
Total capacity :	3453 ft ³ (97.8 m ³)	3243 ft ³ (91.9 m ³)

* Two auxiliary center tanks "ACTs" are basic on Std. - 8000

** Elimination of one 96in.x125in. pallet in the aft compartment due to integration of one LDMCR



Type : Netted pallet / IATA - PMx


Internal volume: 407 ft³ (11.5 m³)

Tare weight pallet:

Aluminum with balsa core : 258 lb (117 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 11 250 lb (5 103 kg)



Type : Netted pallet / IATA - PAX

Internal volume: 372 ft³ (10.5 m³)

Tare weight pallet:

1.) Solid aluminum sheet : 229 to 260 lb (104 to 118 kg)

2.) Aluminum with balsa core : 199 to 279 lb (90 to 127 kg)

Tare weight of net : 32 to 38 lb (15 to 17 kg)

Weight limitations : 10 200 lb (4 626 kg)

FIGURE 11 (CONTINUED)

Airbus A340 - 300

Lower Deck Container Configurations

(With Main-Deck Galley)

- Forward Compartment Door :
106.3 x 66.9 in. (2 701 x 1 699 mm)
- Aft Compartment Door :
107.1 x 66.2 in. (2 721 x 1 683 mm)
- Bulk Compartment Door :
37.4 x 42.2 in. (950 x 1 071 mm) plan view

Note: The above dimensions refer to the clear opening width x height.

FIGURE 12