



AEROSPACE INFORMATION REPORT

AIR4869™**REV. A**

Issued 1995-10
Revised 2009-05
Reaffirmed 2020-10

Superseding AIR4869

Design Considerations for Enclosed Turbofan/Turbojet Engine Test Cells

RATIONALE

AIR4869A has been reaffirmed to comply with the SAE five-year review policy.

FOREWORD

One of the strongest motives for documenting the considerations which are judged important in the design of enclosed ground-level testing facilities for turbofan and turbojet engines as described in this work was the generally poor understanding of the aerodynamics associated with the test cell environment. In those instances where the understanding was not so poor, there sometimes remained a lack of appreciation for the fundamental importance of the aerodynamics of the engine testing environment. It is known that such a poor understanding or a lack of appreciation for the importance of the aerodynamics of the testing environment can and does lead to disastrous consequences. Recent research work has led to a much improved understanding and heightened awareness of the fundamental importance of the aerodynamics of the engine testing environment and has resulted in significantly improved engine test facilities now in use worldwide. This document is intended for individuals associated with the ground-level testing of large and small gas turbine engines and particularly those who might be interested in upgrading their existing or acquiring new test cell facilities.

Turbofan and turbojet engines operating in a ground-level test cell can encounter a number of problems which are directly attributable to the characteristics of the test cell environment. Some of the more important factors which must be considered in the development of test cell designs leading to desired engine operational stability, aerodynamic performance, and acoustic control are described. Test cell performance goals which typically might be used to define "excellent" cell performance are included. When these cell performance goals are achieved, stable and repeatable engine operation can be assured. Recent research conducted in scale model test studies, reinforced by results from a number of full-scale operational experiences, has assisted the evolution of engine test cell design and attacked the need for improved engine test facilities.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2020 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
<http://www.sae.org>

SAE WEB ADDRESS:

Full document details: [SAE AIR4869A](#)

For more information on this standard, visit
<https://www.sae.org/standards/content/AIR4869A/>

Documents
Document Sharing Hub

TABLE OF CONTENTS

1.	SCOPE.....	3
1.1	Purpose.....	3
2.	REFERENCES.....	3
2.1	Applicable Documents.....	3
2.2	Symbols and Abbreviations.....	4
2.2.1	Parameters.....	4
2.2.2	Abbreviations.....	5
2.2.3	Subscripts.....	5
3.	TECHNICAL BACKGROUND.....	5
4.	TEST CELL SYSTEM DESIGN CONSIDERATIONS.....	6
4.1	Inlet Plenum.....	7
4.2	Test Chamber.....	7
4.3	Augmentor.....	7
4.4	Exhaust Stack.....	8
5.	FACTORS FOR EVALUATING TEST CELL PERFORMANCE.....	8
5.1	Front Cell Velocity Distortion.....	8
5.2	Front Cell Airflow.....	9
5.3	Bellmouth Total Pressure Distortion.....	9
5.4	Cell Bypass Ratio.....	10
5.5	Cell Depression.....	11
6.	GENERAL TEST CELL REQUIREMENTS AND GOALS.....	11
7.	CONCLUSIONS.....	12
8.	NOTES.....	12
APPENDIX A	AIRFLOW EQUATIONS.....	13
FIGURE 1	GENERAL DESIGN CONCEPTS FOR AN ENGINE TEST CELL FOR A LARGE, HIGH-BYPASS TURBOFAN ENGINE.....	6
FIGURE 2	BELLMOUTH-INGESTED VORTEX FORMATION RESULTS AS A FUNCTION OF CELL BYPASS RATIO AS DETERMINED FROM VIDEO TAPE RECORDS OF FLOW VISUALIZATION (FROM REFERENCE 2.1.2).....	10

1. SCOPE

This SAE Aerospace Information Report (AIR) has been written for individuals associated with the ground-level testing of large and small gas turbine engines and particularly for those who might be interested in upgrading their existing or acquiring new test cell facilities.

1.1 Purpose

There are several purposes served by this document:

- a. To provide guidelines for the design of state-of-the-art ground-level enclosed test facilities for turbofan and turbojet engine testing applications.
- b. To address the major test cell/engine aerodynamic and acoustic characteristics which can influence the operation of a gas turbine engine and its performance stability in a test cell.
- c. To consider acoustic environmental impact and methods to control it.

2. REFERENCES

The following publications form a part of this document to the extent specified herein. The latest issue of SAE publications shall apply. The applicable issue of the other publications shall be the issue in effect on the date of the purchase order. In the event of conflict between the text of this document and references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

2.1 Applicable Documents

The following is a list of some applicable references and documents used in the preparation of this document:

- 2.1.1 Karamanlis, A. I., Sokhey, J. S., Dunn, T. C., and Bellomy, D. C.: "Theoretical and Experimental Investigation of Test Cell Aerodynamics for Turbofan Applications", AIAA Paper No. 86-1732, Paper presented to the AIAA/ASME/SAE/ASEE 22nd Joint Propulsion Conference, Huntsville, Alabama, June 16-18, 1986
- 2.1.2 Freuler, R. J., and Dickman, R. A.: "Current Techniques for Jet Engine Test Cell Modeling", AIAA Paper No. 82-1272, Paper presented to the AIAA/SAE/ASME 18th Joint Propulsion Conference, Cleveland, Ohio, June 21-23, 1982
- 2.1.3 Karamanlis, A. I., Freuler, R. J., Lee, J. D., Hoelmer, W., and Bellomy, D. C.: "A Universal Turboshift Engine Test Cell - Design Considerations and Model Test Results", AIAA Paper No. 85-0382, Paper presented to the AIAA 23rd Aerospace Sciences Meeting, Reno, Nevada, January 1985
- 2.1.4 Grunnet, J. L., and Ference, E.: "Model Test and Full-Scale Checkout of Dry-Cooled Jet Runup Sound Suppressors", AIAA Paper No. 82-1239, AIAA/SAE/ASME 18th Joint Propulsion Conference, Cleveland, Ohio, June 21-23, 1982
- 2.1.5 "Gas Turbine Engine Test Cell Correlation", SAE Aerospace Recommended Practice ARP741, Society of Automotive Engineers, Warrendale, Pennsylvania, Issued March 1976, Reaffirmed October 1982. (Note: This ARP was revised and reissued as ARP741 Revision A in September 1993 and Revision B in November 2002; the original March 1976 version is the specific reference here)
- 2.1.6 Oran, F. M., and Schiff, M. I.: "Design of Air-Cooled Jet Engine Testing Facilities", Industrial Acoustics Company, Bronx, New York, 1979.
- 2.1.7 Ashwood, P. F., et al.: "Operation and Performance Measurements on Engines in Sea Level Test Facilities", AGARD Lecture Series No. 132 (AGARD-LS-132), Advisory Group for Aerospace Research and Development, North Atlantic Treaty Organization, Neuilly Sur Seine, France, 1984

- 2.1.8 Freuler, R. J.: "An Investigation of Jet Engine Test Cell Aerodynamics by Means of Scale Model Test Studies with Comparisons to Full-Scale Test Results", Ph.D. Dissertation, The Ohio State University, Columbus, Ohio, December 1991
- 2.1.9 Freuler, R. J.: "Recent Successes in Modifying Several Existing Jet Engine Test Cells to Accommodate Large, High-Bypass Turbofan Engines", AIAA Paper No. 93-2542, Paper presented to the AIAA/SAE/ASME/ASEE 29th Joint Propulsion Conference, Monterey, California, June 28-30, 1993
- 2.1.10 MacLeod, J. D.: "A Derivation of Gross Thrust for a Sea-Level Jet Engine Test Cell", Division of Mechanical Engineering Report No. DM-009, National Research Council Canada, Ottawa, Ontario, 1988
- 2.1.11 Bryan, J. J.: "Turbofan and Turbojet Engine Test Facilities Exhaust System Low Frequency Noise and Infrasonic", Engineering Report, General Electric Engine Facility Design Center, Cincinnati, Ohio, September 20, 1985
- 2.1.12 Karamanlis, A. I., and Pucher, S.: "Strother/Kansas CFM56/F110 GE Test Facility Scale Model Test", General Electric Technical Memorandum, TM No. 85-334, GE Aircraft Engines, Cincinnati, Ohio, July 1985
- 2.1.13 Dickman, R. A., Hoelmer, W., Freuler, R. J., and Hehmann, H. W.: "A Solution for Aero-Acoustic Induced Vibrations Originating in a Turbofan Engine Test Cell", AIAA Paper No. 84-0594, Paper presented to the AIAA 13th Aerodynamic Testing Conference, San Diego, California, AIAA Conference Proceedings CP841, March 1984, pp. 99-108
- 2.1.14 "Gas Turbine Engine Inlet Flow distortion Guidelines", SAE Aerospace Recommended Practice ARP1420, Society of Automotive Engineers, Warrendale, Pennsylvania, Issued March 1978, Reaffirmed May 1991
- 2.1.15 "Inlet Total Pressure Distortion Considerations for Gas Turbine Engines", SAE Aerospace Information Report AIR1419, Society of Automotive Engineers, Warrendale, Pennsylvania, Issued May 1983
- 2.1.16 Freuler, R. J. and Montgomery, K. A.: "Reducing Large Pressure Fluctuations in an Engine Test Cell by Modifying the Exhaust Blast Basket End Configuration", CEAS/AIAA Paper No. 95-128, Paper presented to the First Joint CEAS/AIAA Aeroacoustics Conference (16th AIAA Aeroacoustics Conference), Munich, Germany, Proceedings of the First Joint CEAS/AIAA Aeroacoustics Conference, Vol. 2, June 1995, pp. 903-909.
- 2.1.17 "Inlet Airflow Ramps for Gas Turbine Engine Test Cells", SAE Aerospace Information Report AIR5306, Society of Automotive Engineers, Warrendale, Pennsylvania, Issued July 2000
- 2.1.18 "Frequency-weighting Characteristic for Infrasonic Measurement"; ISO 7196:1995

2.2 Symbols and Abbreviations

The following parameters, abbreviations, and subscript notations are used in this report:

2.2.1 Parameters

- A - cross-sectional area
- C_d - flow coefficient
- g - gravitational constant
- M - Mach number
- p - pressure
- R - gas constant for air
- T - temperature
- V - velocity
- W - airflow rate
- a - cell bypass ratio
- g - ratio of specific heats