

|                                                                                                                                  |                                                                                       |  |
|----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--|
|  <b>AEROSPACE<br/>MATERIAL<br/>SPECIFICATION</b> | <b>AMS 4001J</b>                                                                      |  |
|                                                                                                                                  | Issued OCT 1943<br>Revised AUG 2002<br>Cancelled JUL 2007<br>Superseded by ASTM B 209 |  |
| Aluminum Sheet and Plate<br>0.12Cu (1100-0)<br>Annealed<br>(Composition similar to UNS A91100)                                   |                                                                                       |  |

#### RATIONALE

AMS 4001H has been cancelled and superseded because equivalent technical requirements are provided by ASTM B 209.

#### CANCELLATION NOTICE

This specification has been declared "CANCELLED" by the Aerospace Materials Division, SAE, as of July, 2007, and has been superseded by ASTM B 209, Alloy 1100, Temper 0. The requirements of the latest issue of ASTM B 209, Alloy 1100, Temper 0 shall be fulfilled whenever reference is made to the cancelled AMS 4001H. By this action, this document will remain listed in the Numerical Section of the Index of Aerospace Material Specifications, noting that it has been superseded by ASTM B 209, Alloy 1100, Temper 0.

Cancelled specifications are available from SAE.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2007 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

**TO PLACE A DOCUMENT ORDER:** Tel: 877-606-7323 (inside USA and Canada)  
 Tel: 724-776-4970 (outside USA)  
 Fax: 724-776-0790  
 Email: CustomerService@sae.org  
**SAE WEB ADDRESS:** <http://www.sae.org>

Full document details: SAE AMS4001J

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/PRODCODE>

**Documents**  
 Document Sharing Hub



Aluminum Sheet and Plate  
0.12Cu (1100-0)  
Annealed

(Composition similar to UNS A91100)

1. SCOPE:

1.1 Form:

This specification covers aluminum in the form of sheet and plate.

1.2 Application:

These products have been used typically for severely formed parts and for parts requiring welding, but usage is not limited to such applications.

2. APPLICABLE DOCUMENTS:

The issue of the following documents in effect on the date of the purchase order forms a part of this specification to the extent supplied herein. The supplier may work to a subsequent revision of a document unless a specific document issue is specified. When the referenced document has been cancelled and no superseding document has been specified, the last published issue of that document shall apply.

2.1 SAE Publications:

Available from SAE, 400 Commonwealth Drive, Warrendale, PA 15096-0001 or [www.sae.org](http://www.sae.org).

AMS 2355 Quality Assurance Sampling and Testing of Aluminum Alloys and Magnesium Alloys, Wrought Products (Except Forging Stock) and Flash Welded Rings

MAM 2355 Quality Assurance Sampling and Testing of Aluminum Alloys and Magnesium Alloys, Wrought Products (Except Forging Stock) and Flash Welded Rings, Metric (SI) Units

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2007 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)  
Tel: 724-776-4970 (outside USA)  
Fax: 724-776-0790  
Email: [CustomerService@sae.org](mailto:CustomerService@sae.org)  
<http://www.sae.org>

SAE WEB ADDRESS: