

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

**REV.
C**

AS27194™

FEDERAL SUPPLY CLASS
5330

RATIONALE

THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE.


FEDERAL SUPPLY CLASS HAS BEEN UPDATED FROM 5331 TO 5330.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE A-6C2 SEALS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAE values your input. To provide feedback on this Technical Report, please visit
<http://standards.sae.org/AS27194C>

THIRD ANGLE PROJECTION



CUSTODIAN: A-6/A-6C2

PROCUREMENT SPECIFICATION: NONE



AEROSPACE STANDARD

SEAL, BONDED, ALUMINUM ALLOY 6061-T6,
AMS4027, MOLD IN GROOVE, NBR RUBBER,
AMS-P-5315

AS27194™

**REV.
C**



Documents

Copyright © 2018 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: +1 724-776-4970 (outside USA)
Email: CustomerService@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

ISSUED 2001-03 REVISED 2014-04 STABILIZED 2018-11




FIGURE 1 - SEAL -12 THRU -32




FIGURE 2 - SEAL -40 THRU -48

	AEROSPACE STANDARD		AS27194™ SHEET 1 OF 6	REV. C
	SEAL, BONDED, ALUMINUM ALLOY 6061-T6, AMS4027, MOLD IN GROOVE, NBR RUBBER, AMS-P-5315			

Documents



