

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

REV. C
AS27197™

FEDERAL SUPPLY CLASS
5330

RATIONALE


THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE.

STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE SAE A-6C2 SEALS COMMITTEE AND WILL NO LONGER BE SUBJECTED TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAE values your input. To provide feedback on this Technical Report, please visit
<http://standards.sae.org/AS27197C>

THIRD ANGLE PROJECTION



CUSTODIAN: A-6/A-6C

PROCUREMENT SPECIFICATION: NONE



AEROSPACE STANDARD

SEAL, BONDED, 302 CORROSION RESISTANT
STEEL, AMS5516, MOLD IN GROOVE, SILICONE
RUBBER, AMS7268

AS27197™

**REV.
C**



Copyright © 2019 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: +1 724-776-4970 (outside USA)
Email: CustomerService@sae.org

SAE WEB ADDRESS: <http://www.sae.org>

ISSUED 2001-03 REVISED 2014-07 STABILIZED 2019-09




FIGURE 1 - SEAL -12 THRU -32






FIGURE 2 - SEAL -40 THRU -48



NOTE: DIMENSIONING AND TOLERANCING PER ASME Y14.5-2009

FIGURE 3 - SEAL -56 THRU -64



NOTE: DIMENSIONING AND TOLERANCING PER ASME Y14.5-2009

FIGURE 4 - ENLARGED SECTION, TYPICAL FOR ALL SIZES

	AEROSPACE STANDARD SEAL, BONDED, 302 CORROSION RESISTANT STEEL, AMS5516, MOLD IN GROOVE, SILICONE RUBBER, AMS7268	AS27197™ SHEET 2 OF 6	REV. 6
---	---	---------------------------------	---------------



Documents

Document Sharing Hub