

AVA Documents
Document Sharing Hub
means electronic, mechanical, photocopying, recording

TABLE 1A - DASH NO., A THD, AS870 DASH NO., AND DIMENSIONS B, ØC, D, ØE, F, ØG, AND H

DASH NO.	A THREAD	AS870 DASH NO.	B NOMINAL SIZE	ØC	D	ØE	F MIN	H MIN
-3	.1900-32 UNJF-3A	08	.2500	.1885-.1895	.1840-.1875	.365-.385	.335	.040
-4	.2500-28 UNJF-3A	10	.3125	.2485-.2495	.2435-.2475	.428-.448	.398	.060
-5	.3125-24 UNJF-3A	12	.3750	.3110-.3120	.3053-.3100	.490-.510	.460	.070
-6	.3750-24 UNJF-3A	14	.4375	.3735-.3745	.3678-.3725	.552-.572	.522	.090
-7	.4375-20 UNJF-3A	16	.5000	.4360-.4370	.4294-.4350	.678-.698	.648	.110
-8	.5000-20 UNJF-3A	18	.5625	.4985-.4995	.4919-.4975	.740-.760	.710	.125
-9	.5625-18 UNJF-3A	20	.6250	.5610-.5620	.5538-.5600	.865-.885	.835	.130
-10	.6250-18 UNJF-3A	22	.6875	.6235-.6245	.6163-.6225	.928-.948	.898	.150
-12	.7500-16 UNJF-3A	26	.8125	.7485-.7495	.7406-.7475	1.052-1.072	1.022	.178
-14	.8750-14 UNJF-3A	30	.9375	.8735-.8745	.8647-.8725	1.239-1.259	1.209	.198
-16	1.0000-12 UNJF-3A	34	1.0625	.9985-.9995	.9886-.9975	1.430-1.450	1.400	.222

TABLE 1B - DASH NO. AND DIMENSIONS K, R, T, U, ØV, ØAB, AC, AND AD

DASH NO.	K	CR	T MIN	(U)	ØAB	AC	AD
-3	.248-.268	.015-.025	.122	.120-.140	.118-.138	.006	.001
-4	.293-.313	.015-.025	.144	.158-.178	.178-.198	.007	.001
-5	.328-.348	.015-.025	.166	.166-.186	.209-.229	.008	.001
-6	.373-.393	.015-.025	.188	.174-.194	.271-.291	.010	.0008
-7	.444-.464	.020-.030	.210	.202-.222	.334-.354	.010	.0008
-8	.485-.505	.020-.030	.232	.240-.260	.396-.416	.012	.0006
-9	.551-.571	.020-.030	.254	.280-.300	.429-.449	.013	.0006
-10	.608-.628	.020-.030	.336	.325-.350	.491-.511	.016	.0006
-12	.701-.721	.020-.030	.371	.380-.405	.616-.636	.017	.0006
-14	.798-.818	.035-.045	.442	.435-.460	.741-.761	.022	.0006
-16	.913-.933	.045-.055	.512	.490-.515	.840-.860	.025	.0006



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEX EXTENDED
WASHER HEAD, CLOSE TOLERANCE SHANK,
UNS S66286 - 160 KSI

AS3530™
SHEET 2 OF 17

REV.



Documents

Document Sharing Hub

TABLE 2 - PART NUMBERS, DIMENSIONS L, M, N, AND APPROX MASS

PART NUMBER	L	M MAX	N MIN	APPROX MASS LB/100
AS3530-3-03	.629- .649	.198	.126	.98
AS3530-3-04	.691- .711	.260	.188	1.03
AS3530-3-05	.753- .773	.322	.250	1.07
AS3530-3-06	.815- .835	.385	.312	1.12
AS3530-3-07	.879- .899	.448	.376	1.17
AS3530-3-08	.941- .961	.510	.438	1.21
AS3530-3-09	1.003-1.023	.572	.500	1.26
AS3530-3-10	1.065-1.085	.635	.562	1.31
AS3530-3-11	1.129-1.149	.698	.626	1.36
AS3530-3-12	1.191-1.211	.760	.688	1.40
AS3530-3-13	1.253-1.273	.822	.750	1.45
AS3530-3-14	1.315-1.335	.885	.812	1.50
AS3530-3-15	1.379-1.399	.948	.876	1.54
AS3530-3-16	1.441-1.461	1.010	.938	1.59
AS3530-3-17	1.503-1.523	1.072	1.000	1.64
AS3530-3-18	1.565-1.585	1.135	1.062	1.68
AS3530-3-19	1.629-1.649	1.198	1.126	1.73
AS3530-3-20	1.691-1.711	1.260	1.188	1.78
AS3530-3-21	1.753-1.773	1.322	1.250	1.82
AS3530-3-22	1.815-1.835	1.385	1.312	1.87
AS3530-3-23	1.879-1.899	1.448	1.376	1.92
AS3530-3-24	1.941-1.961	1.510	1.438	1.96



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEX EXTENDED
WASHER HEAD, CLOSE TOLERANCE SHANK,
UNS S66286 - 160 KSI

AS3530™
SHEET 5 OF 17

REV.



Documents

Document Sharing Hub

TABLE 2 - PART NUMBERS, DIMENSIONS L, M, N, AND APPROX MASS (CONTINUED)

PART NUMBER	L	M MAX	N MIN	APPROX MASS LB/100
AS3530-4-03	.738-.758	.198	.117	1.82
AS3530-4-04	.800-.820	.260	.179	1.90
AS3530-4-05	.862-.882	.322	.241	1.98
AS3530-4-06	.925-.945	.385	.304	2.07
AS3530-4-07	.988-1.008	.448	.367	2.15
AS3530-4-08	1.050-1.070	.510	.429	2.23
AS3530-4-09	1.112-1.132	.572	.491	2.32
AS3530-4-10	1.175-1.195	.635	.554	2.40
AS3530-4-11	1.238-1.258	.698	.617	2.48
AS3530-4-12	1.300-1.320	.760	.679	2.57
AS3530-4-13	1.362-1.382	.822	.741	2.65
AS3530-4-14	1.425-1.445	.885	.804	2.73
AS3530-4-15	1.488-1.508	.948	.867	2.82
AS3530-4-16	1.550-1.570	1.010	.929	2.90
AS3530-4-17	1.612-1.632	1.072	.991	2.98
AS3530-4-18	1.675-1.695	1.135	1.054	3.07
AS3530-4-19	1.738-1.758	1.198	1.117	3.15
AS3530-4-20	1.800-1.820	1.260	1.179	3.24
AS3530-4-21	1.862-1.882	1.322	1.241	3.32
AS3530-4-22	1.925-1.945	1.385	1.304	3.40
AS3530-4-23	1.988-2.008	1.448	1.367	3.49
AS3530-4-24	2.050-2.070	1.510	1.429	3.57
AS3530-4-25	2.112-2.132	1.572	1.491	3.65
AS3530-4-26	2.175-2.195	1.635	1.554	3.74
AS3530-4-27	2.238-2.258	1.698	1.617	3.82
AS3530-4-28	2.300-2.320	1.760	1.679	3.90



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEX EXTENDED
WASHER HEAD, CLOSE TOLERANCE SHANK,
UNS S66286 - 160 KSI

AS3530™
SHEET 4 OF 17

REV.



Documents

Document Sharing Hub

TABLE 2 - PART NUMBERS, DIMENSIONS L, M, N, AND APPROX MASS (CONTINUED)

PART NUMBER	L	M MAX	N MIN	APPROX MASS LB/100
AS3530-5-04	.870-.890	.260	.167	3.07
AS3530-5-05	.932-.952	.322	.229	3.20
AS3530-5-06	.995-1.015	.385	.292	3.33
AS3530-5-07	1.058-1.078	.448	.355	3.47
AS3530-5-08	1.120-1.140	.510	.417	3.60
AS3530-5-09	1.182-2.002	.572	.479	3.73
AS3530-5-10	1.245-1.265	.635	.542	3.86
AS3530-5-11	1.308-1.328	.698	.605	3.99
AS3530-5-12	1.370-1.390	.760	.667	4.12
AS3530-5-13	1.432-1.452	.822	.729	4.26
AS3530-5-14	1.495-1.515	.885	.792	4.39
AS3530-5-15	1.558-1.578	.948	.855	4.52
AS3530-5-16	1.620-1.640	1.010	.917	4.65
AS3530-5-17	1.682-1.702	1.072	.979	4.78
AS3530-5-18	1.745-1.765	1.135	1.042	4.91
AS3530-5-19	1.808-1.828	1.198	1.105	5.05
AS3530-5-20	1.870-1.890	1.260	1.167	5.18
AS3530-5-21	1.932-1.952	1.322	1.229	5.31
AS3530-5-22	1.995-2.015	1.385	1.292	5.44
AS3530-5-23	2.058-2.078	1.448	1.355	5.57
AS3530-5-24	2.120-2.140	1.510	1.417	5.70
AS3530-5-25	2.182-2.202	1.572	1.479	5.83
AS3530-5-26	2.245-2.265	1.635	1.542	5.97
AS3530-5-27	2.308-2.328	1.698	1.605	6.10
AS3530-5-28	2.370-2.390	1.760	1.667	6.23
AS3530-5-29	2.432-2.452	1.822	1.729	6.36
AS3530-5-30	2.495-2.515	1.885	1.792	6.49
AS3530-5-31	2.558-2.578	1.948	1.855	6.63
AS3530-5-32	2.620-2.640	2.010	1.917	6.76
AS3530-5-33	2.682-2.702	2.072	1.979	6.89



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEX EXTENDED
WASHER HEAD, CLOSE TOLERANCE SHANK,
UNS S66286 - 160 KSI

AS3530™
SHEET 6 OF 17

REV.



Documents

Document Sharing Hub

TABLE 2 - PART NUMBERS, DIMENSIONS L, M, N, AND APPROX MASS (CONTINUED)

PART NUMBER	L	M MAX	N MIN	APPROX MASS LB/100
AS3530-6-04	.935-.955	.260	.167	4.62
AS3530-6-05	.997-1.017	.322	.229	4.81
AS3530-6-06	1.060-1.080	.385	.292	5.00
AS3530-6-07	1.123-1.143	.448	.355	5.20
AS3530-6-08	1.185-1.205	.510	.417	5.39
AS3530-6-09	1.247-1.267	.572	.479	5.58
AS3530-6-10	1.310-1.330	.635	.542	5.77
AS3530-6-11	1.373-1.393	.698	.605	5.96
AS3530-6-12	1.435-1.455	.760	.667	6.16
AS3530-6-13	1.497-1.517	.822	.729	6.35
AS3530-6-14	1.560-1.580	.885	.792	6.54
AS3530-6-15	1.623-1.643	.948	.855	6.73
AS3530-6-16	1.685-1.705	1.010	.917	6.92
AS3530-6-17	1.747-1.767	1.072	.979	7.11
AS3530-6-18	1.810-1.830	1.135	1.042	7.31
AS3530-6-19	1.873-1.893	1.198	1.105	7.50
AS3530-6-20	1.935-1.955	1.260	1.167	7.69
AS3530-6-21	1.997-2.017	1.322	1.229	7.88
AS3530-6-22	2.060-2.080	1.385	1.292	8.07
AS3530-6-23	2.123-2.143	1.448	1.355	8.27
AS3530-6-24	2.185-2.205	1.510	1.417	8.46
AS3530-6-25	2.247-2.267	1.572	1.479	8.65
AS3530-6-26	2.310-2.330	1.635	1.542	8.84
AS3530-6-27	2.373-2.393	1.698	1.605	9.03
AS3530-6-28	2.435-2.455	1.760	1.667	9.22
AS3530-6-29	2.497-2.517	1.822	1.729	9.41
AS3530-6-30	2.560-2.580	1.885	1.792	9.61
AS3530-6-31	2.623-2.643	1.948	1.855	9.80
AS3530-6-32	2.685-2.705	2.010	1.917	9.99
AS3530-6-33	2.747-2.767	2.072	1.979	10.18
AS3530-6-34	2.810-2.830	2.135	2.042	10.37
AS3530-6-35	2.873-2.893	2.198	2.105	10.57
AS3530-6-36	2.935-2.955	2.260	2.167	10.76



AEROSPACE STANDARD

BOLT, MACHINE - DOUBLE HEX EXTENDED
WASHER HEAD, CLOSE TOLERANCE SHANK,
UNS S66286 - 160 KSI

AS3530™
SHEET 6 OF 17

REV.



Documents

Document Sharing Hub