

Issued 1997-08
Cancelled 2002-06
Superseded by AS5498

Spray Equipment, Aircraft Windshield, Anti-Icing

CANCELLATION NOTICE

This document has been declared "CANCELLED" as of June 2002 and has been superseded by AS5498. By this action, this document will remain listed in the Numerical Section of the Aerospace Standards Index noting that it is superseded by AS5498.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright 2002 Society of Automotive Engineers, Inc.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER:

Tel: 877-606-7323 (inside USA and Canada)
Tel: 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: custsvc@sae.org
<http://www.sae.org>

SAE WEB ADDRESS:

FOREWORD

This document has been taken directly from U.S. Military Specification MIL-S-6625A and contains only minor editorial and format changes required to bring it into conformance with the publishing requirements of SAE technical standards.

The original Military Specification was adopted as an SAE standard under the provisions of the SAE Technical Standards Board (TSB) Rules and Regulations (TSB 001) pertaining to accelerated adoption of government specifications and standards. TSB rules provide for (a) the publication of portions of unrevised government specifications and standards without consensus voting at the SAE Committee level, (b) the use of the existing government specification or standard format, and (c) the exclusion of any qualified product list (QPL) sections.

1. SCOPE:

- 1.1 This specification covers one type of spray equipment for the elimination of ice formation on aircraft windows.

SAE AS6625 Revision A

2. APPLICABLE SPECIFICATIONS, STANDARDS, DRAWINGS, AND PUBLICATIONS:

- 2.1 The following specifications, standard, drawing, and publication, of the issue in effect on date of invitation for bids, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Military

MIL-A-140	Adhesive, Water-Resistant, Waterproof Barrier-Material
MIL-A-6091	Alcohol; Ethyl, Specially Denatured, Aircraft
MIL-D-5028	Drawings and Data Lists; Preparation of (For Engines, Accessories, and Other Auxiliary Equipment)
MIL-E-5272	Environmental Testing, Aeronautical and Associated Equipment, General Specification for
MIL-F-5566	Fluid; Anti-Icing (Isopropyl Alcohol)
MIL-M-7911	Marking, Identification of Aeronautical Equipment, Assemblies, and Parts
MIL-P-116	Preservation, Methods of
MIL-P-7105	Pipe Threads, Taper, Aeronautical National Form, Symbol ANPT
JAN-P-105	Packaging and Packing for Overseas Shipment - Boxes, Wood, Cleated, Plywood
JAN-P-106	Packaging and Packing for Overseas Shipment - Boxes; Wood, Nailed
JAN-P-108	Packaging and Packing for Overseas Shipment - Boxes, Fiberboard (V-Board and W-Board), Exterior and Interior
JAN-P-125	Packaging and Packing for Overseas Shipment - Barrier-Materials, Waterproof, Flexible

STANDARDS

MIL-STD-129	Marking of Shipments
-------------	----------------------

DRAWINGS

U.S. Air Force

42B3581	Cap and Adapter Assembly - Tank Filler
---------	--

PUBLICATIONS

Air Force-Navy Aeronautical Bulletin

No. 143	Specifications and Standards; Use of
---------	--------------------------------------

(Copies of specifications, standards, and drawings required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)