



SURFACE VEHICLE RECOMMENDED PRACTICE

J1802™-1

JUL2016

Issued 1996-10
Revised 2011-05
Stabilized 2016-07

Superseding J1802-1 MAY2011

Test Component Specifications

RATIONALE

This technical report is being Stabilized because it covers technology, products, or processes which are mature and not likely to change in the foreseeable future.

STABILIZED NOTICE

This document has been declared "Stabilized" by the SAE Truck and Bus Foundation Brake Committee and will no longer be subjected to periodic reviews for currency. Users are responsible for verifying references and continued suitability of technical requirements. Newer technology may exist.

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be revised, reaffirmed, stabilized, or cancelled. SAE invites your written comments and suggestions.

Copyright © 2016 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Tel: +1 724-776-4970 (outside USA)
Fax: 724-776-0790
Email: CustomerService@sae.org
<http://www.sae.org>

SAE WEB ADDRESS:

Full document details: [SAE J1802_1_201607](http://www.sae.org/technical/standards/J1802_1_201607)

SAE values your input. To provide feedback
on this Technical Report, please visit
http://www.sae.org/technical/standards/J1802/1_201607

Documents

Document Sharing Hub

TABLE OF CONTENTS

1.	SCOPE.....	1
2.	REFERENCES.....	1
2.1	Applicable Document	1
3.	NOTES	2
3.1	Marginal Indicia	2
APPENDIX A	BRAKE ASSEMBLY MOUNTING/DYNAMOMETER STUB AXLE FIXTURE.....	3
APPENDIX B	COMPONENTS PART LIST	4
APPENDIX C	COMPONENT SKETCHES	5

1. SCOPE

This SAE Recommended Practice contains the reference information for SAE J1802.

2. REFERENCES

2.1 Applicable Document

The following publication forms a part of this specification to the extent specified herein. Unless otherwise indicated, the latest issue of SAE publications shall apply.

2.1.1 SAE Publication

Available from SAE International, 400 Commonwealth Drive, Warrendale, PA 15096-0001, Tel: 877-606-7323 (inside USA and Canada) or 724-776-4970 (outside USA), www.sae.org.

SAE J1802 Brake Block Effectiveness Rating

3. NOTES

3.1 Marginal Indicia

A change bar (|) located in the left margin is for the convenience of the user in locating areas where technical revisions, not editorial changes, have been made to the previous issue of this document. An (R) symbol to the left of the document title indicates a complete revision of the document, including technical revisions. Change bars and (R) are not used in original publications, nor in documents that contain editorial changes only.

PREPARED BY THE SAE TRUCK AND BUS FOUNDATION BRAKE COMMITTEE
OF THE SAE TRUCK AND BUS BRAKE AND STABILITY CONTROL STEERING COMMITTEE

APPENDIX A - BRAKE ASSEMBLY MOUNTING/DYNAMOMETER STUB AXLE FIXTURE

A.1 BRAKE ASSEMBLY MOUNTING/DYNAMOMETER STUB AXLE FIXTURE

See Figure A1.




FIGURE A1 - BRAKE ASSEMBLY MOUNTING/DYNAMOMETER STUB AXLE FIXTURE