

DEP SPECIFICATION

GROUTING OF EQUIPMENT AND STRUCTURE BASES

DEP 34.19.19.11-Gen.

September 2011

ECCN EAR99

DESIGN AND ENGINEERING PRACTICE



© 2011 Shell Group of companies

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, published or transmitted, in any form or by any means, without the prior written permission of the copyright owner or Shell Global Solutions International BV.

This document contains information that is classified as EAR99 and, as a consequence, can neither be exported nor re-exported to any country which is under an embargo of the U.S. government pursuant to Part 746 of the Export Administration Regulations (15 C.F.R. Parts 746) nor can be made available to any national of such country. In addition, the information in this document cannot be exported nor re-exported to an end-user or for an end-use that is prohibited by Part 744 of the Export Administration Regulations (15 C.F.R. Parts 744).

PREFACE

DEP (Design and Engineering Practice) publications reflect the views, at the time of publication, of Shell Global Solutions International B.V. (Shell GSI) and, in some cases, of other Shell Companies.

These views are based on the experience acquired during involvement with the design, construction, operation and maintenance of processing units and facilities. Where deemed appropriate DEPs are based on, or reference international, regional, national and industry standards.

The objective is to set the recommended standard for good design and engineering practice to be applied by Shell companies in oil and gas production, oil refining, gas handling, gasification, chemical processing, or any other such facility, and thereby to help achieve maximum technical and economic benefit from standardization.

The information set forth in these publications is provided to Shell companies for their consideration and decision to implement. This is of particular importance where DEPs may not cover every requirement or diversity of condition at each locality. The system of DEPs is expected to be sufficiently flexible to allow individual Operating Units to adapt the information set forth in DEPs to their own environment and requirements.

When Contractors or Manufacturers/Suppliers use DEPs, they shall be solely responsible for such use, including the quality of their work and the attainment of the required design and engineering standards. In particular, for those requirements not specifically covered, the Principal will typically expect them to follow those design and engineering practices that will achieve at least the same level of integrity as reflected in the DEPs. If in doubt, the Contractor or Manufacturer/Supplier shall, without detracting from his own responsibility, consult the Principal.

The right to obtain and to use DEPs is restricted, and is typically granted by Shell GSI (and in some cases by other Shell Companies) under a Service Agreement or a License Agreement. This right is granted primarily to Shell companies and other companies receiving technical advice and services from Shell GSI or another Shell Company. Consequently, three categories of users of DEPs can be distinguished:

- 1) Operating Units having a Service Agreement with Shell GSI or another Shell Company. The use of DEPs by these Operating Units is subject in all respects to the terms and conditions of the relevant Service Agreement.
- 2) Other parties who are authorised to use DEPs subject to appropriate contractual arrangements (whether as part of a Service Agreement or otherwise).
- 3) Contractors/subcontractors and Manufacturers/Suppliers under a contract with users referred to under 1) or 2) which requires that tenders for projects, materials supplied or - generally - work performed on behalf of the said users comply with the relevant standards.

Subject to any particular terms and conditions as may be set forth in specific agreements with users, Shell GSI disclaims any liability of whatsoever nature for any damage (including injury or death) suffered by any company or person whomsoever as a result of or in connection with the use, application or implementation of any DEP, combination of DEPs or any part thereof, even if it is wholly or partly caused by negligence on the part of Shell GSI or other Shell Company. The benefit of this disclaimer shall inure in all respects to Shell GSI and/or any Shell Company, or companies affiliated to these companies, that may issue DEPs or advise or require the use of DEPs.

Without prejudice to any specific terms in respect of confidentiality under relevant contractual arrangements, DEPs shall not, without the prior written consent of Shell GSI, be disclosed by users to any company or person whomsoever and the DEPs shall be used exclusively for the purpose for which they have been provided to the user. They shall be returned after use, including any copies which shall only be made by users with the express prior written consent of Shell GSI. The copyright of DEPs vests in Shell Group of companies. Users shall arrange for DEPs to be held in safe custody and Shell GSI may at any time require information satisfactory to them in order to ascertain how users implement this requirement.

All administrative queries should be directed to the DEP Administrator in Shell GSI.

TABLE OF CONTENTS

1.	INTRODUCTION	4
1.1	SCOPE.....	4
1.2	DISTRIBUTION, INTENDED USE AND REGULATORY CONSIDERATIONS	4
1.3	DEFINITIONS	4
1.4	CROSS-REFERENCES	5
1.5	COMMENTS ON THIS DEP	5
1.6	DUAL UNITS.....	5
2.	DESIGN AND SELECTION.....	6
2.1	GENERAL	6
2.2	GROUT MATERIAL SELECTION	6
3.	FIELD QUALITY CONTROL OF GROUT	9
3.1	GENERAL	9
3.2	GROUT MANUFACTURERS TECHNICAL REPRESENTATIVE	9
3.3	MATERIAL DELIVERY CONDITION AND STORAGE	9
3.4	TESTING AND SAMPLING	9
3.5	MATERIAL AND FIELD QUALITY CONTROL OF EPOXY GROUT	10
4.	EXECUTION	11
4.1	GENERAL	11
4.2	EXTREME WEATHER.....	11
4.3	PREPARATION	11
4.4	INSTALLATION OF GROUT	12
4.5	CURING/ POST CURING.....	13
4.6	DISPOSAL	14
5.	SUBMITTALS	15
6.	REFERENCES	16

1. INTRODUCTION

1.1 SCOPE

This new DEP specifies requirements and gives recommendations for the supply and installation of grout for equipment and structural column baseplates. The following aspects are covered:

- Engineering;
- materials and labour necessary for the formwork;
- proper mixing, placing, finishing and curing;
- supervision.

Grouting refers to all work to be carried out to properly fill the spaces between concrete surfaces and baseplates of equipment, steel structures or prefabricated concrete elements with mortar in order to achieve adequate transfer of horizontal and vertical forces.

Although injection of grout for concrete tendons is not part of this DEP, some requirements herein may be used as guidance in these works.

For the installation of grout for rotating equipment and other equipment subject to vibration, this DEP supplements the requirements of Part V of API RP 686.

1.2 DISTRIBUTION, INTENDED USE AND REGULATORY CONSIDERATIONS

Unless otherwise authorised by Shell GSI, the distribution of this DEP is confined to Shell companies and, where necessary, to Contractors and Manufacturers/Suppliers nominated by them. Any authorised access to DEPs does not for that reason constitute an authorization to any documents, data or information to which the DEPs may refer.

This DEP is intended for use in facilities related to oil and gas production, gas handling, oil refining, chemical processing, gasification, distribution and supply/marketing. This DEP may also be applied in other similar facilities.

When DEPs are applied, a Management of Change (MOC) process should be implemented; this is of particular importance when existing facilities are to be modified.

If national and/or local regulations exist in which some of the requirements could be more stringent than in this DEP, the Contractor shall determine by careful scrutiny which of the requirements are the more stringent and which combination of requirements will be acceptable with regards to the safety, environmental, economic and legal aspects. In all cases the Contractor shall inform the Principal of any deviation from the requirements of this DEP which is considered to be necessary in order to comply with national and/or local regulations. The Principal may then negotiate with the Authorities concerned, the objective being to obtain agreement to follow this DEP as closely as possible.

1.3 DEFINITIONS

1.3.1 General definitions

The **Contractor** is the party that carries out all or part of the design, engineering, procurement, construction, commissioning or management of a project or operation of a facility. The Principal may undertake all or part of the duties of the Contractor.

The **Principal** is the party that initiates the project and ultimately pays for it. The Principal may also include an agent or consultant authorised to act for, and on behalf of, the Principal.

The **Manufacturer/Supplier** is the party that manufactures or supplies materials, equipment and services to perform the duties specified by the Contractor.

The word **shall** indicates a requirement.

The word **should** indicates a recommendation.

1.3.2 Specific definitions

Term	Definition
Cement based grout	Cement based grouts are used to fill voids and cracks in pavements, building and dam foundations, and brick and concrete masonry wall assemblies; between baseplates or soleplates and foundation; to construct floor toppings or provide flooring underlayment; to place ceramic tile; and to bind preplaced-aggregate concrete.
Epoxy grout	A two part grout system consisting of epoxy resin and epoxy hardener. Made to have impervious qualities, stain and chemical resistant. Used to fill joints between tiles, anchors, baseplates, etc.
Grouting	Grouting refers to all work to be carried out to properly fill the spaces between concrete surfaces and baseplates of equipment, steel structures or prefabricated concrete elements with mortar in order to achieve adequate transfer of horizontal and vertical forces.
Technical Authority	Refer to the DCAF system.

1.4 CROSS-REFERENCES

Where cross-references to other parts of this DEP are made, the reference section number is shown in brackets (). Other documents referenced by this DEP are listed in (6).

1.5 COMMENTS ON THIS DEP

Comments on this DEP may be sent to the Administrator at standards@shell.com, using the DEP Feedback Form. The DEP Feedback Form can be found on the main page of "DEPs on the Web", available through the Global Technical Standards web portal <http://swwww.shell.com/standards> and on the main page of the DEPs DVD-ROM.

1.6 DUAL UNITS

This DEP contains both the International System (SI) units, as well as the corresponding US Customary (USC) units, which are given following the SI units in brackets. When agreed by the Principal, the indicated USC values/units may be used.