



SSTD-8070-0039-WELD

Revision A
January 2014

National Aeronautics and
Space Administration
John C. Stennis Space Center
Stennis Space Center, MS 39529-6000

COMPLIANCE IS MANDATORY

John C. Stennis Space Center

ASME GTAW & SMAW Weld Procedure for Carbon Steel Pipe - Maximum 2-Inch Material Thickness

Original signed by

NASA SSC Center Operations Directorate
Project Management Division

1-9-14
Date

NASA SSC Engineering & Test
Directorate

1-21-14
Date

NASA SSC Center Operations Directorate
Operations & Maintenance Division

2/9/14
Date

Issued by

ISSUED CEF
Central Engineering Files

JAN 22 2014
Date

Stennis Standard	SSTD-8070-0039-WELD	A
	<i>Number</i>	<i>Rev.</i>
	Effective Date: January 15, 2014	
	Review Date: January 15, 2019	
	Page 2 of 9	
Responsible Office: NASA SSC Center Operations Directorate Design & Construction Project Management Division		
SUBJECT: ASME GTAW & SMAW Weld Procedure for Carbon Steel Pipe - Maximum 2-Inch Material Thickness		

Document History Log

Revision	Date	Originator/ Phone	Description
Basic	10/16/08	Steve Rathbun x8-3572	Initial release. Supersedes SSC Standard 34-108-MI.
A	1/15/2014	D. Dike 8-2803	Regular five year review. Updated references.

Stennis Standard	SSTD-8070-0039-WELD	A
	<i>Number</i>	<i>Rev.</i>
	Effective Date: January 15, 2014	
	Review Date: January 15, 2019	
Page 3 of 9		
Responsible Office: NASA SSC Center Operations Directorate Design & Construction Project Management Division		
SUBJECT: ASME GTAW & SMAW Weld Procedure for Carbon Steel Pipe - Maximum 2-Inch Material Thickness		

Table of Contents

1.0 SCOPE 4

2.0 APPLICABILITY..... 4

3.0 REFERENCED AND APPLICABLE DOCUMENTS 4

4.0 RESPONSIBILITIES 4

5.0 REQUIREMENTS AND PROCEDURES 4

6.0 RECORDS AND FORMS..... 5

7.0 ACRONYMS AND ABBREVIATIONS..... 5

ATTACHMENT A.1 - WPS WELD PROCEDURE 34-108-MI 6

ATTACHMENT A.2 - PQR WELD PROCEDURE 34-108-MI 8