Status: Currently Official on 17-Feb-2025
Official Date: Official Prior to 2013
Document Type: USP Monographs
DocId: GUID-C47F25E6-4415-41AC-83C4-01A1E71578F8_2_en-US
DOI: https://doi.org/10.31003/USPNF_M83769_02_01
DOI Ref: 14lss

© 2025 USPC
Do not distribute

Tobramycin and Dexamethasone Ophthalmic Suspension

DEFINITION

Tobramycin and Dexamethasone Ophthalmic Suspension is a sterile aqueous suspension containing Tobramycin and Dexamethasone. It contains NLT 90.0% and NMT 120.0% of the labeled amount of tobramycin ($C_{18}H_{37}N_5O_9$), and NLT 90.0% and NMT 110.0% of the labeled amount of dexamethasone ($C_{22}H_{29}FO_5$).

IDENTIFICATION

• **A. Thin-Layer Chromatography**

Diluent: Butyl alcohol and pyridine (100:1)

Standard solution: 6 mg/mL of USP Tobramycin RS in water

Sample solution: To 1 mL of Ophthalmic Suspension in a test tube add 100 mg of sodium sulfate, disperse by shaking, and centrifuge. Use the clear supernatant.

Solution A: *Standard solution* and *Sample solution* (1:1)

Chromatographic system

(See *Chromatography ⟨621⟩, Thin-Layer Chromatography*.)

Adsorbent: 0.25-mm layer of chromatographic silica gel mixture

Application volume: 3 µL

Developing solvent system: Methanol, chloroform, and ammonium hydroxide (60:25:30)

Spray reagent: 10 mg/mL of ninhydrin in *Diluent*

Analysis

Samples: *Standard solution*, *Sample solution*, and *Solution A*

Apply the *Standard solution*, the *Sample solution*, and *Solution A* to the plate. Place the plate in a suitable chromatographic chamber, and develop the chromatogram in the *Developing solvent system* until the solvent front has moved about three-fourths of the length of the plate. Remove the plate from the chamber, allow the solvent to evaporate, and heat the plate at 110° for 15 min. Immediately locate the spots on the plate by spraying it with *Spray reagent*.

Acceptance criteria: Tobramycin appears as a pink spot, and the R_F values of the spots of the *Sample solution* and of *Solution A*, respectively, correspond to those of the *Standard solution*.

• **B.** The retention time of the major peak of the *Sample solution* corresponds to that of the *Standard solution*, as obtained in the *Assay* for *Dexamethasone*.

ASSAY

• **Tobramycin**

Mobile phase: Dissolve 2.0 g of tris(hydroxymethyl)aminomethane in 800 mL of water. Add 20 mL of 1 N sulfuric acid, and dilute with acetonitrile to obtain 2000 mL of solution. Cool, and pass through a filter of 0.2-µm or finer pore size.

Solution A: 10 mg/mL of 2,4-dinitrofluorobenzene in alcohol. This solution may be used for 5 days if refrigerated when not in use.

Solution B: 15 mg/mL of tris(hydroxymethyl)aminomethane in water. This solution may be used for 1 month if refrigerated when not in use.

Solution C: 3 mg/mL of tris(hydroxymethyl)aminomethane prepared as follows. Transfer 40 mL of *Solution B* to a 200-mL volumetric flask. Add dimethyl sulfoxide while mixing, and dilute with dimethyl sulfoxide to volume. Use this reagent within 4 h. If kept immersed in an ice-water bath below 10°, the reagent may be used for up to 8 h.

Standard stock solution: 1.1 mg of USP Tobramycin RS prepared as follows. Transfer 55 mg of USP Tobramycin RS into a 50-mL volumetric flask. Add 1 mL of 1 N sulfuric acid and enough water to dissolve it, and dilute with water to volume.

Standard solution: 0.22 mg/mL of USP Tobramycin RS from *Standard stock solution* in water

Sample solution: Nominally 0.09 mg/mL of tobramycin from Ophthalmic Suspension in water

Derivatized standard solution, Derivatized sample solution, and **Blank solution:** Proceed as follows. Heat all solutions at the same temperature and for the same duration of time as indicated. Move all flasks to and from the 60° constant temperature bath at the same time.

OFFICIAL

AVA Documents
Document Sharing Hub

To separate 50-mL volumetric flasks transfer 4.0 mL of the *Standard solution*, 10.0 mL of the *Sample solution*, and 4.0 mL of water. To each flask add 10 mL of *Solution A* and 10 mL of *Solution C*, shake, and insert the stopper. Place the flasks in a constant temperature bath at 60 ± 2°, and heat for 50 ± 5 min. Remove the flasks from the bath, and allow to stand for 10 min. Add acetonitrile to about 2 mL below the 50-mL mark, allow to cool to room temperature, then dilute with acetonitrile to volume. The solutions thus obtained are the *Derivatized standard solution*, the *Derivatized sample solution*, and the *Blank solution*, respectively.

System suitability stock solution: 0.24 mg/mL of *p*-naphtholbenzein in acetonitrile. Prepare freshly.

System suitability solution: Transfer 2 mL of the *System suitability stock solution* to a 10-mL volumetric flask, dilute with *Derivatized standard solution* to volume, and use promptly.

Chromatographic system

(See *Chromatography ⟨621⟩, System Suitability*.)

Mode: LC

Detector: UV 365 nm

Column: 3.9-mm × 30-cm; packing L1

Flow rate: 1.2 mL/min

Injection volume: 20 µL

System suitability

Samples: *Derivatized standard solution* and *System suitability solution*

[NOTE—The relative retention times for *p*-naphtholbenzein and tobramycin are about 0.6 and 1.0, respectively.]

Suitability requirements

Resolution: NLT 4.0 between *p*-naphtholbenzein and tobramycin, *System suitability solution*

Relative standard deviation: NMT 2.0%, *Derivatized standard solution*

Analysis

Samples: *Derivatized standard solution*, *Derivatized sample solution*, and *Blank solution*

Use the *Blank solution* to identify the solvent and reagent peaks.

Calculate the percentage of the labeled amount of tobramycin ($C_{18}H_{37}N_5O_9$) in the portion of Ophthalmic Suspension taken:

$$\text{Result} = (r_U/r_S) \times (C_S/C_U) \times P \times F \times 100$$

r_U = peak area of tobramycin from the *Derivatized sample solution*

r_S = peak area of tobramycin from the *Derivatized standard solution*

C_S = concentration of USP Tobramycin RS in the *Standard solution* (mg/mL)

C_U = nominal concentration of tobramycin in the *Sample solution* (mg/mL)

P = potency of tobramycin in USP Tobramycin RS (µg/mg)

F = conversion factor, 0.001 mg/µg

Acceptance criteria: 90.0%–120.0%

- **DEXAMETHASONE**

Mobile phase: Acetonitrile and water (45:55)

Standard solution: 0.04 mg/mL of USP Dexamethasone RS in methanol

Sample solution: Nominally 0.04 mg/mL of dexamethasone from Ophthalmic Suspension, freshly mixed and free of air bubbles, in methanol

Chromatographic system

(See *Chromatography ⟨621⟩, System Suitability*.)

Mode: LC

Detector: UV 254 nm

Column: 3.9-mm × 25-cm; packing L1

Flow rate: 1.5 mL/min

Injection volume: 20 µL

System suitability

Sample: *Standard solution*

Suitability requirements

Column efficiency: NLT 1400 theoretical plates

Tailing factor: NMT 1.5

Relative standard deviation: NMT 2.0%

OFFICIAL

Documents
Document Sharing Hub
Full document details: Tobramycin and Dexamethasone Ophthalmic Suspension