

UIC Code


5 6 7 - 5

O R

1st edition, 1.1.95

**Standard A-type coaches
accepted for running
on international services**

Characteristics



International Union of Railways

O R

Leaflet to be classified in Volumes

IV - Operating

V - Transport stock

Amendments

.....	
.....	
.....	
.....	
.....	
.....	
.....	

Preliminary remarks:

Obligatory provisions are preceded with an asterisk: *

The double line (||) in the margin shows modifications introduced on the date indicated at the foot of the page.

Enforcement of this leaflet is governed by the provisions given under "Application" at the end of the document.

Note

This leaflet is part of a set which also includes:

- Leaflet 440 - Loudspeaker systems in RIC coaches.
- Leaflet 505-1 - Railway transport stock - Rolling stock construction gauge.
- Leaflet 513 - Mechanical vibrations to which passengers and train drivers are subjected in rail vehicles (in course of preparation).
- Leaflet 515 - Coaches - Running gear.
- Leaflet 520 - Wagons, coaches and vans - Draw gear.
- Leaflet 527-1 - Coaches, vans and wagons - Dimensions of buffer heads - Track layout on S-curves.
- Leaflet 528 - Buffer gear for coaches.
- Leaflet 532 - Trailing stock. Signal lamp brackets - Coaches - Fixed electric signal lamps.
- Leaflet 550 - Power supply installations for passenger stock.
- Leaflet 552 - Electric power supply for trains taken from the train cable.
- Leaflet 553 - Heating, ventilation and air-conditioning in coaches.

O R

- Leaflet 554-1 - Power supply to electrical equipment on stationary railway vehicles from a local mains system or another source of energy at 220 V or 380 V, 50 Hz.
- Leaflet 555 - Electric lighting in passenger rolling stock.
- Leaflet 560 - Doors, entrance platforms, windows, steps, handles and handrails of coaches and luggage vans.
- Leaflet 561 - Means of intercommunication for coaches.
- Leaflet 562 - Space for baggage racks, coat-hooks and lockers; measures to prevent baggage theft.
- Leaflet 563 - Fittings provided in coaches in the interests of hygiene and cleanliness.
- Leaflet 564-1 - Coaches - Windows made from safety glass.
- Leaflet 564-2 - Regulations relating to fire protection and fire-fighting measures in passenger-carrying railway vehicles or assimilated vehicles used on international services.
- Leaflet 565-1 - Special comfort and constructional characteristics for sleeping-cars accepted in international traffic.
- Leaflet 565-2 - Special comfort and constructional characteristics and rules of hygiene for restaurant-cars accepted in international traffic.
- Leaflet 565-3 - Indications for the layout of coaches suitable for conveying disabled passengers in their wheelchairs.

- Leaflet 566 - Loadings of coach bodies and their components.
- Leaflet 567 - General provisions for coaches.
- Leaflet 567-1 - Standard X and Y type coaches accepted for running on international services - Characteristics.
- Leaflet 567-2 - Standard Z type coaches accepted for running in international traffic - Characteristics.
- Leaflet 567-3 - Constructional arrangements on coaches with a view to the application of the automatic coupler on the member railways of the UIC and on the member railways of the OSJD.
- Leaflet 567-4 - Standard open bogie van adapted for the conveyance of motor cars - Characteristics.
- Leaflet 567-6 - Standard B-type coaches accepted for running in international traffic - Characteristics.
- Leaflet 567-7 - Standard M-type coaches accepted for running in international traffic - Characteristics.
- Leaflet 568 - Loudspeaker and telephone systems in RIC coaches - Standard technical characteristics.
- Leaflet 569 - Regulations to be observed in the construction of coaches and vans suitable for conveyance by train ferry.
- Leaflet 580 - Inscriptions and markings, route indicators and number plates to be affixed on coaching stock used in international traffic.

Contents

- 0 - General
- 1 - Common provisions
- 2 - Constructional characteristics
 - 2.1 - Underframe and body
 - 2.2 - Buffing and draw gear
 - 2.3 - Running gear
 - 2.4 - Brakes
 - 2.5 - Coach interconnections and end doors
 - 2.6 - Entrance steps
 - 2.7 - Entrance doors, compartment doors, side-corridor doors, WC doors, compartment and side-corridor windows, WC and vestibule windows
 - 2.8 - Handrails and steps
 - 2.9 - Fittings in compartments
 - 2.10 - Fittings in the side corridor
 - 2.11 - Fittings in entrances and vestibules
 - 2.12 - Fittings in washrooms and WCs
 - 2.13 - Exterior coach surface
 - 2.14 - Acoustic and thermal body insulation
 - 2.15 - Interior partitions and wall coverings
 - 2.16 - Floors and floor coverings
 - 2.17 - Ceiling
 - 2.18 - Installations of electric plugs for cleaning equipment
 - 2.19 - Lighting
 - 2.20 - Air-conditioning and heating
 - 2.21 - Heating of sink water
 - 2.22 - Equipment for the disabled
- 3 - Special provisions applicable to 1st class coaches with seating accommodation
 - 3.1 - Interior fittings
 - 3.2 - Internal dimensions of the compartments
 - 3.3 - Reading lamp

5 6 7 - 5

- 8 -

O R

- 3.4 - Seats
- 3.5 - Floor
- 3.6 - Join between floor and side-walls
- 3.7 - Provision of tables in compartments

0 - General

* **0.1** - This leaflet shall apply to A₁ and A₂ type coaches in the following versions:

Type	Coach description	Number of compartments	Number of seats/couchettes per compartment	See layout in plates
A ⁹	1st class coach with seating accommodation and side-corridor	9	6	1 and 2

* **0.2** - In addition to the provisions set out below, coaches designed for international traffic must comply with the other UIC Code regulations applicable to coaches.

* **0.3.1** - The main dimensions of coaches are laid down in point 1. The other important constructional dimensions are indicated in the corresponding paragraphs or appear in the relevant plates.

The arrangements of inside fittings is shown in plates 1 and 2.

0.3.2 - The details of the pictorial representation are not mandatory.

* 1 - Common provisions

The table on the following page only gives the main dimensions of coaches. The dimensions of the interior fittings are indicated in the enclosed plates or in the relevant provisions of this leaflet.