

UL 1474

ISBN 1-55989-938-7

Adjustable Drop Nipples for Sprinkler Systems





Underwriters Laboratories Inc.®

Northbrook, Illinois • (847) 272-8800
 Melville, New York • (516) 271-6200
 Santa Clara, California • (408) 985-2400
 Research Triangle Park,
 North Carolina • (919) 549-1400
 Camas, Washington • (360) 817-5500

Underwriters Laboratories Inc., founded in 1894, is chartered as a not-for-profit organization without capital stock, under the laws of the State of Delaware, to establish, maintain, and operate laboratories for the examination and testing of devices, systems and materials to determine their relation to hazards to life and property, and to ascertain, define and publish standards, classifications and specifications for materials, devices, products, equipment, constructions, methods, and systems affecting such hazards.

UL Standards for Safety are developed under a procedure which provides for participation and comment from the affected public as well as industry. The procedure takes into consideration a survey of known existing standards and the needs and opinions of a wide variety of interests concerned with the subject matter of the standard. Thus manufacturers, consumers, individuals associated with consumer-oriented organizations, academicians, government officials, industrial and commercial users, inspection authorities, insurance interests and others provide input to UL in the formulating of UL Standards for Safety, to keep them consonant with social and technological advances.

A not-for-profit organization
 dedicated to public safety and
 committed to quality service



Underwriters Laboratories Inc.®

A not-for-profit organization dedicated to public safety
and committed to quality service

January 31, 1996

Standard for

Adjustable Drop Nipples for Sprinkler Systems

UL 1474, Fourth Edition

Accompanying this transmittal notice is a copy of the Fourth edition of UL 1474.

A CHANGE IS INDICATED BY A SMALL PRINT NOTE FOLLOWING THE AFFECTED ITEM.

THIS EDITION OF THE STANDARD IS NOW IN EFFECT EXCEPT FOR PARAGRAPH 15.2 AND SECTION 13, WHICH BECOME EFFECTIVE JUNE 13, 1997 AS INDICATED IN THE SMALL PRINT NOTE FOLLOWING THE AFFECTED ITEMS.

THE CURRENT REQUIREMENTS IN EFFECT FOR THE REQUIREMENTS HAVING FUTURE EFFECTIVE DATES ARE LOCATED IN THE BACK OF THE STANDARD.

New product submittals made prior to a specified future effective date will be judged under all of the requirements in this standard unless the applicant specifically requests that the product be judged under the current requirements. However, should the applicant elect this option, it should be noted that compliance with all the requirements in this standard will be required as a condition of continued Listing and Follow-Up Services after the effective date and understanding of this should be signified in writing.

Revised and/or additional pages may be issued from time to time.

JANUARY 31, 1996

1

UL 1474

Standard for

Adjustable Drop Nipples for Sprinkler Systems

First Edition – October, 1977

Second Edition – February, 1987

Third Edition – July, 1990

Fourth Edition

January 31, 1996

An effective date included as a note immediately following certain requirements is one established by Underwriters Laboratories Inc.

Revisions of this standard will be made by issuing revised or additional pages bearing their date of issue. A UL Standard is current only if it incorporates the most recently adopted revisions, all of which are itemized on the transmittal notice that accompanies the latest published set of revision pages.

ISBN 1-55989-938-7

COPYRIGHT © 1977, 1996 UNDERWRITERS LABORATORIES INC.

CONTENTS**FOREWORD****INTRODUCTION**

1 Scope	5
2 General	5
3 Components	5

CONSTRUCTION

4 General	6
5 Metallic Materials	6

PERFORMANCE

6 Hydrostatic Pressure Test	6
7 Mechanical Strength Test	7
8 High Temperature Exposure Test	7
9 Vibration Test	7
10 Flow Characteristics	8
11 Salt Spray Corrosion Test	10
12 Elastomeric Parts Test	10
13 Freezing Test	11

MARKING

14 General	11
------------------	----

INSTALLATION INSTRUCTIONS

15 General	11
------------------	----

FOREWORD

A. This Standard contains basic requirements for products covered by Underwriters Laboratories Inc. (UL) under its Follow-Up Service for this category within the limitations given below and in the Scope section of this Standard. These requirements are based upon sound engineering principles, research, records of tests and field experience, and an appreciation of the problems of manufacture, installation, and use derived from consultation with and information obtained from manufacturers, users, inspection authorities, and others having specialized experience. They are subject to revision as further experience and investigation may show is necessary or desirable.

B. The observance of the requirements of this Standard by a manufacturer is one of the conditions of the continued coverage of the manufacturer's product.

C. A product which complies with the text of this Standard will not necessarily be judged to comply with the Standard if, when examined and tested, it is found to have other features which impair the level of safety contemplated by these requirements.

D. A product employing materials or having forms of construction differing from those detailed in the requirements of this Standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be judged to comply with the Standard.

E. UL, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of UL represent its professional judgment given with due consideration to the necessary limitations of practical operation and state of the art at the time the Standard is processed. UL shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. UL shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

F. Many tests required by the Standards of UL are inherently hazardous and adequate safeguards for personnel and property shall be employed in conducting such tests.