



UL 2061

STANDARD FOR SAFETY

Adapters and Cylinder Connection Devices for
Portable LP-Gas Cylinder Assemblies



Documents
Document Sharing Hub

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents

Document Sharing Hub

UL Standard for Safety for Adapters and Cylinder Connection Devices for Portable LP-Gas Cylinder Assemblies, UL 2061

Third Edition, Dated July 30, 2015

Summary of Topics

This new of ANSI/UL 2061 includes revisions to the Moist Ammonia Air Stress Cracking Test and to address the editorial maintenance of UL Standards for Safety.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated April 10, 2015.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub

July 30, 2015

1



ANSI/UL 2061-2015

UL 2061

Standard for Adapters and Cylinder Connection Devices for Portable

LP-Gas Cylinder Assemblies

First Edition – February, 1997

Second Edition – January, 2008

Third Edition

July 30, 2015

This ANSI/UL Standard for Safety consists of the Third Edition.

The most recent designation of ANSI/UL 2061 as an American National Standard (ANSI) occurred on July 30, 2015. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or effective date information.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2015 UNDERWRITERS LABORATORIES INC.

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub

No Text on This Page

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub

CONTENTS

INTRODUCTION

1 Scope	5
2 General	5
2.1 Components	5
2.2 Units of measurement	6
2.3 Undated references	6
3 Service Pressure and Temperature	6
4 Glossary	6

CONSTRUCTION

5 General	7
6 Materials	8
7 Operation	10

PERFORMANCE

8 General	10
9 Deformation Test	12
10 Operation Test	13
11 Positive Seal and External Leakage Test	13
12 Seat Leakage Test	14
13 Abuse Test	14
14 Load Test	15
15 Endurance Test	15
16 Bending Test	15
17 Temperature Activated Shutoff Test	16
18 Hydrostatic Pressure Strength Test	16
19 Moist Ammonia Air Stress Cracking Test	17
20 Accelerated Aging Test	18
21 LP-Gas Compatibility Test	18
21.1 General	18
21.2 Weight loss	18
22 Low Temperature Test	19
23 Exposure To Ultraviolet Light	19
24 Flow Limiting Test	20
24.1 General	20
24.2 Test procedure – part 1	20
24.3 Test procedure – part 2	21
25 Flow Limiting Device Endurance Test	21
26 Fire Test	22
27 Elevated Temperature Load Test	22

MANUFACTURING AND PRODUCTION TESTS

28 General	23
------------------	----

MARKING

29 General	23
------------------	----

Appendix A

Standards for Components.....	A1
-------------------------------	----

INTRODUCTION

1 Scope

1.1 These requirements cover quick-connect type and other hand-operated adapters and couplings intended to connect the cylinder valve on portable LP-Gas container assemblies to the inlet of the regulator on gas consuming equipment. These couplings are intended for vapor withdrawal service only.

1.2 The adapters and couplings covered by these requirements are used in propane systems such as, but not limited to the applications covered by the following standards:

- a) Storage and Handling of Liquefied Petroleum Gases, NFPA 58, except as noted in 1.3.
- b) Outdoor Cooking Gas Appliances, ANSI Z21.58.
- c) Outdoor Gas Grills, CGA 1.6.
- d) Standard on Recreational Vehicles, NFPA 1192.

1.3 These requirements do not cover quick closing couplings for LP-Gas that are used in industrial truck applications, and which are covered by the requirements in the Outline of Investigation for LP-Gas, Natural Gas, and Manufactured Gas Devices for Engine Fuel Systems, UL 1337.

2 General

2.1 Components

2.1.1 Except as indicated in 2.1.2, a component of a product covered by this standard shall comply with the requirements for that component. See Appendix A for a list of standards covering components generally used in the products covered by this standard.

2.1.2 A component is not required to comply with a specific requirement that:

- a) Involves a feature or characteristic not required in the application of the component in the product covered by this standard, or
- b) Is superseded by a requirement in this standard.

2.1.3 A component shall be used in accordance with its rating established for the intended conditions of use.

2.1.4 Specific components are incomplete in construction features or restricted in performance capabilities. Such components are intended for use only under limited conditions, such as certain temperatures not exceeding specified limits, and shall be used only under those specific conditions.