



UL 246

STANDARD FOR SAFETY

Hydrants for Fire-Protection Service

UL Standard for Safety for Hydrants for Fire-Protection Service, UL 246

Eighth Edition, Dated May 25, 2011

Summary of Topics

This revision of UL 246 dated July 29, 2020 includes barrel wall thickness requirements; [8.1](#), [Table 8.1](#)

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated June 12, 2019 and May 14, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

MAY 25, 2011

(Title Page Reprinted: July 29, 2020)

1

UL 246

Standard for Hydrants for Fire-Protection Service

Previous numbered and unnumbered editions of standards covering Hydrants for Fire-Protection Service have been published predating 1912. Editions published prior to 1938 were not identified by edition number.

The First, Second and third editions were titled "Hydrants, Private and Municipal Fire Department Service".

First Edition – January, 1939
Second Edition – April, 1947
Third Edition – January, 1958
Fourth Edition – September, 1967
Fifth Edition – May, 1973
Sixth Edition – July, 1979
Seventh Edition – June, 1973

Eighth Edition

May 25, 2011

This UL Standard for Safety consists of the Eighth Edition including revisions through July 29, 2020.

The Department of Defense (DoD) has adopted UL 246 on June 1, 1982. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2020 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

1	Scope	5
2	General	5
2.1	Components	5
2.2	Units of measurement	5
2.3	Undated references	6
3	Glossary	6
4	Metallic Materials	6

CONSTRUCTION

5	Outlets	6
6	Rated Pressure	7
7	Tops for Base Valve Hydrants	7
8	Barrels	7
9	Inlets	9
10	Main Valves for Base Valve Hydrants	9
11	Main Valves for Wet Barrel and Base Valve Hydrants	9
12	Clearances	10
13	Hydrant Drip Valves (Drain Valves) for Base Valve Hydrants	10
14	Operating Stems and Mechanisms for Base Valve Hydrants	10
15	Fire Hose and Pumper Connections and Valves	11
15.1	General	11
15.2	Base valve hydrants	11
15.3	Wet barrel hydrants	12
16	Hydrants With Monitor Elbows	12
17	Hose Caps	12
18	Stuffing Boxes and Seals	13
18A	Protective Interior Coatings	13

PERFORMANCE

19	Samples	13
20	Metallic Materials	13
21	10-Day Moist Ammonia Air Stress Cracking Test	13
22	Nonmetallic Materials Test	14
22.1	Plastic or other nonmetallic parts (excluding rubber and synthetic elastomers)	14
22.2	Elastomeric parts (except gaskets)	15
23	Operation	16
24	Leakage	16
25	Strength of Body	16
26	Loss of Head	17
27	Operating Torque	17
28	Tests on Organic Coating Materials (Deleted)	18
28A	Tests on Protective Interior Coatings	18

MANUFACTURING AND PRODUCTION TESTS

29	General	18
----	---------------	----

MARKING

30	General	19
----	---------------	----