



248-11

Underwriters Laboratories Inc. Standard for Safety

Low-Voltage Fuses - Part 11: Plug Fuses



*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM*



Documents

Document Sharing Hub

UL Standard for Safety for Low-Voltage Fuses - Part 11: Plug Fuses, UL 248-11

Third Edition, Dated May 13, 2011

Summary of Topics

This third edition of UL 248-11 is the result of the harmonization effort to revise the tri-national standard covering requirements for low-voltage fuses. Adoption of the third edition of UL 248-11 results in a standard that is harmonized for Canada, Mexico and the United States and co-published by all three standards development organizations (CSA, ANCE and UL).

The new requirements are substantially in accordance with Proposal(s) on this subject dated November 26, 2010.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the preface. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a "SUPERSEDED REQUIREMENTS" notice.

No Text on This Page

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents

Document Sharing Hub



Association of Standardization and Certification
NMX-J-009/248/11-ANCE
Second Edition



Canadian Standards Association
CSA C22.2 No. 248.11-11
Third Edition



Underwriters Laboratories Inc.
UL 248-11
Third Edition

Low-Voltage Fuses – Part 11: Plug Fuses

May 13, 2011



ANSI/UL 248-11-2011

UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL



Documents
Document Sharing Hub

Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (CSA), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA, and UL. CSA and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA and UL pages.

Copyright © 2011 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-55491-641-2 © 2011 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

CSA Standards are subject to periodic review, and suggestions for their improvement will be referred to the appropriate committee. To submit a proposal for change to CSA Standards, please send the following information to inquires@csa.ca and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Standards and related publications, visit CSA's Online Store at www.ShopCSA.ca or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2011 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Third Edition including revisions through May 13, 2011. The most recent designation of ANSI/UL 248-11 as an American National Standard (ANSI) occurred on May 13, 2011. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

To purchase UL Standards, visit Comm 2000 at http://www.comm-2000.com/help/how_to_order.aspx or call toll-free 1-888-853-3503.

CONTENTS

Preface	4
1 General	6
1.1 Scope	6
4 Classification	6
5 Characteristics	6
5.2 Voltage rating	6
5.3 Current rating	7
5.5 Interrupting rating	7
6 Marking	7
6.1 Marking of fuses	7
7 Construction	7
7.1 Dimensions	7
7.3 Connections	10
8 Tests	15
8.1 Fuses for operation test	15
8.2 Verification of temperature rise and current-carrying capacity	15
8.3 Verification of overload operation	15
8.4 Verification of operation at rated voltage	16
9 Special tests	16
9.1 General	16
9.2 Verification of low melting point "P" ("D" for time delay) characteristic	16
9.3 Verification of go/no go gauging requirements for Edison-base and Type C plug fuses	17
9.4 Verification of adapter requirements for Type S plug fuses	17

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub