



JOINT CANADA-UNITED STATES
NATIONAL STANDARD

ANSI/CAN/UL 2901:2022

STANDARD FOR SAFETY

Antifreeze Solutions for Use in Fire Sprinkler Systems



SCC FOREWORD

National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

UL Standard for Safety for Antifreeze Solutions for Use in Fire Sprinkler Systems, ANSI/CAN/UL 2901

First Edition, Dated September 3, 2019

Summary of Topics

The revision of ANSI/CAN/UL 2901 dated December 6, 2022 includes pipe size required for compatibility testing; [15.2](#).

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated July 8, 2022.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



ANSI/UL 2901-2022



SEPTEMBER 3, 2019

(Title Page Reprinted: December 6, 2022)

1

ANSI/CAN/UL 2901:2022

Standard for Antifreeze Solutions for Use in Fire Sprinkler Systems

First Edition

September 3, 2019

This ANSI/CAN/UL Safety Standard consists of the First Edition including revisions through December 6, 2022.

The most recent designation of ANSI/UL 2901 as an American National Standard (ANSI) occurred on December 6, 2022. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, Preface or SCC Foreword.

This standard has been designated as a National Standard of Canada (NSC) on December 6, 2022.

COPYRIGHT © 2022 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

Preface	5
---------------	---

INTRODUCTION

1 Scope	7
2 Units of measurement	7
3 Undated References	7

CONSTRUCTION

4 General	7
-----------------	---

PERFORMANCE

5 General	8
6 Characterization Tests	8
7 High Ambient Temperature Stability	8
8 Temperature Cycling Stability	9
9 Electrical Conductivity	9
10 Corrosion Rate	9
11 Pit Depth Corrosion	10
12 Exposure to Elastomeric Materials	10
13 Stress Corrosion	11
14 Impact of Galvanic Action	11
15 Compatibility with Polymeric Materials	12
16 Compatibility with Organic Coatings	12
17 Toxicity	13
18 Exposure to Fire	13
18.1 General	13
18.2 Sprinkler / Solution Supply System	13
18.3 Fire Source	14
18.4 Total Heat Release Rate Measurement	16
18.5 Test Method	16
19 Fire Fighting Effectiveness	18
19.1 Fire Fighting Effectiveness – Residential Dwelling Units	18
19.2 Fire Fighting Effectiveness – Light Hazard and Ordinary Hazard Group 1 & 2 Occupancies	19
19.3 Fire Fighting Effectiveness – Storage	19
19.4 Extra Hazard and Flammable Liquid Applications	19
19.5 Specific End Use Applications	20
20 Viscosity at Temperature Limitations	20
21 Resistance to Leakage	20

MANUFACTURING AND PRODUCTION TESTS

22 General	21
------------------	----

INSTRUCTIONS

23 Use and Installation Instructions	21
--	----

MARKING

24	General	22
----	---------------	----

ANNEX A (normative)

A1	Normative References.....	23
----	---------------------------	----

Preface

This is the First Edition of the ANSI/CAN/UL 2901, Standard for Safety for Antifreeze Solutions for Use in Fire Sprinkler Systems.

UL is accredited by the American National Standards Institute (ANSI) and the Standards Council of Canada (SCC) as a Standards Development Organization (SDO).

This Standard has been developed in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization.

This ANSI/CAN/UL 2901 Standard is under continuous maintenance, whereby each revision is approved in compliance with the requirements of ANSI and SCC for accreditation of a Standards Development Organization. In the event that no revisions are issued for a period of four years from the date of publication, action to revise, reaffirm, or withdraw the standard shall be initiated.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

To purchase UL Standards, visit the UL Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call tollfree 1-888-853-3503.

This Edition of the Standard has been formally approved by the UL Standards Technical Panel (STP) on 2901, STP Antifreeze Solutions for Use in Fire Sprinkler Systems.

This list represents the STP 2901 membership when the final text in this standard was balloted. Since that time, changes in the membership may have occurred.

STP 2901 MEMBERSHIP

Name	Representing	Interest Category	Region
Patrick Berken	American Valve & Hydrant Mfg. Co.	Supply Chain	USA
Dale Bonn	Travelers Insurance	General	USA
Chase Browning	Medford Fire Rescue	AHJ	USA
Ken Bush	Maryland State Fire Marshal's Office	AHJ	USA
Gene Colavecchia	Centurion Fire Control	Supply Chain	Ontario, Canada
Bradford Cronin	Strategic Code Solutions	General	USA
Griff Edwards – Project Manager	UL Standards & Engagement	Non-Voting	USA
Miheer Ghotikar	HD Fire Protect Pvt. Ltd.	Producer	India

STP 2901 MEMBERSHIP Continued on Next Page