



UL 60730-2-13

STANDARD FOR SAFETY

Automatic Electrical Controls – Part 2-13: Particular Requirements for Humidity Sensing Controls

UL Standard for Safety for Automatic Electrical Controls – Part 2-13: Particular Requirements for Humidity Sensing Controls, UL 60730-2-13

Third Edition, Dated February 15, 2019

Summary of Topics

This Third Edition of ANSI/UL 60730-2-13 is an adoption of IEC 60730-2-13, Edition 3, issued October 2017. This new edition dated February 15, 2019, was issued to reflect the latest approval date as an American National Standard. Please note that the National Difference document incorporates all of the U.S. national differences for UL 60730-2-13.

The requirements are substantially in accordance with Proposal(s) on this subject dated November 23, 2018.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

FEBRUARY 15, 2019



ANSI/UL 60730-2-13-2019

1

UL 60730-2-13

**Standard for Automatic Electrical Controls – Part 2-13: Particular
Requirements for Humidity Sensing Controls**

Prior to the second edition of UL 60730-2-13, the requirements for the products covered by this Standard were included in UL 60730-2-13A.

First Edition – February, 2002

Second Edition – July, 2014

Third Edition

February 15, 2019

This ANSI/UL Standard for Safety consists of the Third Edition.

The most recent designation of ANSI/UL 60730-2-13 as an American National Standard (ANSI) occurred on February 15, 2019. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page, or Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2019 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

Preface (UL)	5
NATIONAL DIFFERENCES	7
FOREWORD	9
1 Scope and normative references	13
2 Terms and Definitions	13
2.2 Definitions of types of control according to purpose	13
3 General requirements	14
4 General notes on tests	14
5 Rating	14
6 Classification	14
7 Information	14
8 Protection against electric shock	14
9 Provision for protective earthing	14
10 Terminals and terminations	14
11 Constructional requirements	14
12 Moisture and dust resistance	14
13 Electric strength and insulation resistance	15
14 Heating	15
15 Manufacturing deviation and drift	15
16 Environmental stress	15
17 Endurance	15
17.8 Test of automatic action at accelerated rate	16
17.8.4.101DV Modification of 17.8.4.101 of the Part 2 by adding the following sentence to the note:	16
17.16 Tests for particular purpose controls	16
18 Mechanical strength	16
19 Threaded parts and connections	16
20 Creepage distances, clearances and distances through solid insulation	16
21 Resistance to heat, fire and tracking	16
22 Resistance to corrosion	17
23 Electromagnetic compatibility (EMC) requirements – Emission	17
24 Components	17
25 Normal operation	17
26 Electromagnetic compatibility (EMC) requirements – Immunity	17
27 Abnormal operation	17
28 Guidance on the use of electronic disconnection	17
Figures	17

Annexes

Annex H (normative) Requirements for electronic controls

H.2 Terms and definitions	19
H.6 Classification	19
H.6.18 According to classes of control functions	19
H.7 Information	19
H.11 Constructional requirements	20
H.11.12 Controls using software	20

H.23	Electromagnetic compatibility (EMC) requirements – Emission	20
H.26	Electromagnetic compatibility (EMC) requirements – immunity	20
H.26.5	Voltage dips, voltage interruptions and voltage variations in the power supply network.....	21
H.26.8	Surge immunity test	21
H.26.9	Electrical fast transient/burst immunity test	21
H.26.10	Ring wave immunity test.....	22
H.26.10DV	Deletion of the explanatory paragraph from the part 1 starting with, "In the USA..."	22
H.26.12	Radio-frequency electromagnetic field immunity.....	22
H.26.13	Test of influence of supply frequency variations	22
H.26.14	Power frequency magnetic field immunity test	22
H.26.15	Evaluation of compliance.....	22
H.27	Abnormal operation.....	23

Annex AA (normative) Independently mounted and in-line cord controls

AA.1	Table AA.1 gives the number of cycles.	26
------	---	----

Annex BB (normative) Regional differences

H.26.10	Ring wave immunity test	27
11	Constructional requirements.....	27
17.8	Test of automatic action at accelerated rate	27
BB.1DV	Modification of this table by adding the following Note:.....	28
17.16.101	<i>Addition:</i>	28
11	Constructional requirements.....	28
17.8	Test of automatic action at accelerated rate	28

Annex CC (informative) Specific regional requirements in Japan

CC.1	General	29
H.26.10	Ring wave immunity test	29

Annex 13.DVE – Manufacturing and Production Tests (normative)

Bibliography

Preface (UL)

This UL Standard is based on IEC Publication 60730-2-13: Third edition Automatic electrical controls – Part 2-13: Particular requirements for humidity sensing controls. IEC publication 60730-2-13 is copyrighted by the IEC.

This UL Standard UL 60730-2-13 Standard for Safety for Automatic Electrical Controls – Part 2-13: Particular Requirements for Humidity Sensing Controls, is to be used in conjunction with the Fifth edition of UL 60730-1. The requirements for humidity sensing controls are contained in this Part 2 Standard and UL 60730-1.

Requirements of this Part 2 Standard, where stated, amend the requirements of UL 60730-1.

Where a particular subclause of UL 60730-1 is not mentioned in UL 60730-2-13, the UL 60730-1 subclause applies.

These materials are subject to copyright claims of IEC and UL. No part of this publication may be reproduced in any form, including an electronic retrieval system, without the prior written permission of UL. All requests pertaining to the Automatic Electrical Controls – Part 2-13: Particular Requirements for Humidity Sensing Controls, UL 60730-2-13 Standard should be submitted to UL.

Note – Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.

No Text on This Page

NATIONAL DIFFERENCES

National Differences from the text of International Electrotechnical Commission (IEC) Publication 60730-2-13, Automatic Electrical Controls – Part 2-13: Particular Requirements for Humidity Sensing Controls, copyright 2017, are indicated by notations (differences) and are presented in bold text.

There are five types of National Differences as noted below. The difference type is noted on the first line of the National Difference in the standard. The standard may not include all types of these National Differences.

DR – These are National Differences based on the ***national regulatory requirements***.

D1 – These are National Differences which are based on ***basic safety principles and requirements***, elimination of which would compromise safety for consumers and users of products.

D2 – These are National Differences from IEC requirements based on existing ***safety practices***. These requirements reflect national safety practices, where empirical substantiation (for the IEC or national requirement) is not available or the text has not been included in the IEC standard.

DC – These are National Differences based on the ***component standards*** and will not be deleted until a particular component standard is harmonized with the IEC component standard.

DE – These are National Differences based on ***editorial comments or corrections***.

Each national difference contains a description of what the national difference entails. Typically one of the following words is used to explain how the text of the national difference is to be applied to the base IEC text:

Addition / Add - An addition entails adding a complete new numbered clause, subclause, table, figure, or annex. Addition is not meant to include adding select words to the base IEC text.

Modification / Modify - A modification is an altering of the existing base IEC text such as the addition, replacement or deletion of certain words or the replacement of an entire clause, subclause, table, figure, or annex of the base IEC text.

Deletion / Delete - A deletion entails complete deletion of an entire numbered clause, subclause, table, figure, or annex without any replacement text.