



UL 912

STANDARD FOR SAFETY

Highway Emergency Signals

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents
Document Sharing Hub

UL Standard for Safety for Highway Emergency Signals, UL 912

Sixth Edition, Dated November 26, 1997

Summary of Topics

This revision of UL 912 includes the addition of requirements for flares containing no potassium perchlorate.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin. Changes in requirements are marked with a vertical line in the margin and are followed by an effective date note indicating the date of publication or the date on which the changed requirement becomes effective.

The new and revised are substantially in accordance with Proposal(s) on this subject dated September 20, 2013.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the note following the affected item. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a "SUPERSEDED REQUIREMENTS" notice.

No Text on This Page

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents

Document Sharing Hub

NOVEMBER 26, 1997

(Title Page Reprinted: November 5, 2013)

1

UL 912

Standard for Highway Emergency Signals

First Edition – September, 1938

Second Edition – September, 1940

Third Edition – June, 1973

Fourth Edition – July, 1979

Fifth Edition – February, 1993

Sixth Edition

November 26, 1997

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2013 UNDERWRITERS LABORATORIES INC.

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub

No Text on This Page

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents

Document Sharing Hub

CONTENTS

FOREWORD	4
-----------------------	----------

INTRODUCTION

1 Scope	5
2 General	5

LIQUID-BURNING FLARES**CONSTRUCTION**

3 General	6
4 Fuel	6
5 Fuel Containers	6
6 Burner Hoods	6
7 Stability	6

PERFORMANCE

8 Vibration and Shock Test	6
9 Rain Test	6
10 Wind Test	7
11 Photometric Test	7

INSTRUCTIONS AND MARKING

12 Instructions for Use	8
13 Marking	8

ELECTRIC LANTERNS**CONSTRUCTION**

14 General	8
15 Color	8

PERFORMANCE

16 Test Sequence	8
17 Vibration and Shock Test	8
18 Rain Test	9
19 Dust Test	9
20 Reliability and Life Tests	9
21 Photometric Tests	9
22 Low-Temperature Test	10

MARKING

23 General	10
------------------	----

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents
Document Sharing Hub

FUSEES**CONSTRUCTION**

24 General	10
25 Heads and Caps	11
26 Chemical Compositions	11

PERFORMANCE

27 Strength Test	12
28 Striking Test	12
29 Water Immersion Test	12
30 Submerged Burning Test	13
31 Inclined Burning Test	13
32 Burning Time Test	13
33 Ignition Temperature Test	14
34 Heating Test	15
34A Potassium Perchlorate Chemical Test	15

MARKING

35 General	16
------------------	----