

May 5, 2017

1

UL 246B

**Outline of Investigation for Tamper Resistant Features of Hydrants for
Fire-Protection Service**

Issue No. 2

May 5, 2017

Summary of Topics

This second issue of the Outline of Investigation for Tamper Resistant Features of Hydrants for Fire-Protection Service, UL 246B, covers Transition from Carbon Arc to Xenon Arc.

UL's Outlines of Investigation are copyrighted by UL LLC. Neither a printed nor electronic copy of an Outline of Investigation should be altered in any way. All of UL's Outlines of Investigation and all copyrights, ownerships, and rights regarding those Outlines of Investigation shall remain the sole and exclusive property of UL LLC.

COPYRIGHT © 2017 UL LLC

**UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL**



Documents

Document Sharing Hub

No Text on This Page

*UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL*



Documents

Document Sharing Hub

CONTENTS

INTRODUCTION

1 Scope	4
2 Components	4
3 Units of Measurement	4
4 Undated References	4

CONSTRUCTION

5 Design Features	5
-------------------------	---

PERFORMANCE

6 Attack Test	5
7 Normal Operation Test	6
8 Variable Ambient Test	6
9 Corrosion Exposure Tests	6
9.1 General	6
9.2 Salt spray (fog)	6
9.3 Moist hydrogen sulfide (H ₂ S) air mixture	7
9.4 Moist carbon dioxide (CO ₂)-sulfur dioxide (SO ₂) air mixture	7
10 Ultraviolet Light and Water Exposure Test	7
11 Gaskets and Seals used in Tamper Resistant Features	8
12 Dust Test	8
13 Humidity Test	8
14 Endurance Test	9
15 External Icing Test	9

MARKING

16 General	10
------------------	----

UL COPYRIGHTED MATERIAL –
NOT AUTHORIZED FOR FURTHER REPRODUCTION OR
DISTRIBUTION WITHOUT PERMISSION FROM UL



Documents
Document Sharing Hub