

Subject 713001

November 15, 2012

SUBJECT: Subject 713001, Proposed Subject for Testing

SUMMARY OF TOPICS

The following changes in requirements are being proposed:

1. Proposed test topic for system testing

STP BALLOTS AND ALL COMMENTS DUE: December 29, 2012

For your convenience in review, proposed additions to existing requirements are shown underlined and proposed deletions are shown ~~lined-out~~.

1. Proposed test topic for system testing

RATIONALE

This bulletin is being generated to test the new csds_proposal_bulletin_TOC.sgm template. The dri tags were moved outside of the proptext tags. The following warning now appears when you run the standards validation tool: *** ERROR: CSDS Bulletin: topic count: 0 MUST match propitem count: 1 . *** CSDS needs to be checked to see if it will pull the topic into the comment tree since it is no longer in the proptext tags. Also, check to see if the rationale gets pulled.

**FOR UL INTERNAL REFERENCE OR CSDS USE ONLY –
NOT FOR OUTSIDE DISTRIBUTION**



Documents

Document Sharing Hub

CONTENTS

INTRODUCTION

1 Scope	3
2 General	3
2.1 Units of measurement	3
2.1.1.1 Test clause 3 item	4
2.2 Components	4
2.3 Undated references	4

CONSTRUCTION

3 General	4
4 Materials	4

PERFORMANCE

5 Tip-Over Test	6
6 Operation Test	6
7 Drop Test	6
8 Fire Test	6

FOR UL INTERNAL REFERENCE OR CSDS USE ONLY –
NOT FOR OUTSIDE DISTRIBUTION



Documents
Document Sharing Hub

INTRODUCTION

1 Scope

1.1 These requirements cover metal receptacles intended primarily for temporary, indoor storage of waste paper and other similar materials. These containers are intended to be emptied regularly and their contents disposed of.

1.2 These requirements cover waste paper containers intended for use as complete assemblies, consisting of a container body and a head or cover. They may be provided with metal or nonmetallic internal liners. They are designed to:

- a) Limit the external surface temperatures of the container bottom should their contents become ignited;
- b) Extinguish the fire; and
- c) Contain the contents without contributing fuel to the fire.

1.3 A product that contains features, characteristics, components, materials, or systems new or different from those covered by the requirements in this standard, and that involves a risk of fire, electric shock, or injury to persons shall be evaluated using the appropriate additional component and end-product requirements as determined necessary to maintain the acceptable level of safety as originally anticipated by the intent of this standard. A product whose features, characteristics, components, materials, or systems conflict with specific requirements or provisions of this standard cannot be judged to comply with this standard. Where considered appropriate, revision of requirements shall be proposed and adopted in conformance with the methods employed for development, revision, and implementation of this standard.

2 General

2.1 Units of measurement

2.1.1 If a value for measurement is followed by a value in other units in parentheses, the second value may be only approximate. The first stated value is the requirement.

FOR UL INTERNAL REFERENCE OR CSDS USE ONLY –
NOT FOR OUTSIDE DISTRIBUTION



Documents
Document Sharing Hub