

**STANDARD FOR MINERAL FIBRE THERMAL INSULATION
FOR BUILDINGS, PART 2: INSTALLATION**

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited by the Standards Council of Canada as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

ULC Standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide.
For further information on ULC services, please contact:

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540
Customer Service: 1-866-937-3852

REGIONAL OFFICES

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014
Customer Service: 1-866-937-3852

PACIFIC OFFICE

13775 Commerce Parkway, Suite 330
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550
Customer Service: 1-866-937-3852

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729
Fax: (613) 231-5977
Customer Service: 1-866-937-3852

E-mail: customerservice@ulc.ca
Web site: www.ulc.ca

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for the particular application.

Copies of this ULC Standard may be ordered from ULC Standards.

STANDARD FOR MINERAL FIBRE THERMAL INSULATION FOR BUILDINGS, PART 2: INSTALLATION

ICS 91.120.10; 91.100.15

Prepared and Published by



First Edition February 2003
Second Edition May 2010
THIRD EDITION JUNE 2015

Copyright © 2015

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

TABLE OF CONTENTS

ULC STANDARDS COMMITTEE ON THERMAL INSULATION MATERIALS AND SYSTEMS	I
ULC STANDARDS TASK GROUP ON MINERAL FIBRE THERMAL INSULATION INSTALLATION	III
PREFACE	IV
1 SCOPE	1
2 REFERENCE PUBLICATIONS	1
3 TERMINOLOGY	1
4 CLASSIFICATION	3
5 GENERAL REQUIREMENTS	3
6 SPECIFIC REQUIREMENTS – INSTALLER	4
6.1 CLASS 1 (PREFORMED INSULATION) – BATTS AND ROLLS	4
6.1.1 Installation	4
6.1.2 Dimensions	4
6.1.3 Coverage	4
6.2 CLASS 1 (PREFORMED INSULATION) – BOARDS AND SHEETS	4
6.2.1 Thickness	4
6.2.2 Installation	5
6.3 CLASS 2 (LOOSE FILL)	5
6.3.1 Thickness	5
6.3.2 Coverage Calculation	5
6.3.3 Coverage	5
6.3.4 Installation	5
7 DISPUTES	6
7.1 PROCEDURE FOR DISPUTES	6
8 INSULATION INSTALLER'S DOCUMENTATION	6
8.1 GENERAL	6
8.2 JSC FOR CLASS 1 (BATTS, ROLLS, BOARDS AND SHEETS)	6
8.3 JSC FOR CLASS 2 (LOOSE FILL)	7
9 RECORD KEEPING	8
9.1 JOB SITE CERTIFICATE	8
10 INSTALLER QUALIFICATIONS	8
10.1 TRAINING OF INSULATION INSTALLERS	8
11 MANUFACTURER'S DOCUMENTATION	8

11.1 PRODUCT INFORMATION	8
12 HEALTH AND SAFETY CONSIDERATIONS	9
12.1 HEALTH AND SAFETY PRACTICES	9
FIGURES	10
ANNEX A – JOB SITE CERTIFICATE EXAMPLES (NORMATIVE)	17
ANNEX B – INSTALLER’S CHECKLIST EXAMPLE (NORMATIVE)	18
ANNEX C – FIELD AUDIT MEASUREMENTS (NORMATIVE)	19
ANNEX D – ADDITIONAL DOCUMENTATION (INFORMATIVE)	22

11/11/2015 10:00 AM

ULC STANDARDS COMMITTEE ON THERMAL INSULATION MATERIALS AND SYSTEMS

NAME	AFFILIATION	REGION	CATEGORY
L. Dalglish (Chair)	National Energy Conservation Association	Canada	User
F. Bauer	Exova	Ontario	User
D. Beaudin	Thermal Insulation Association of Canada	Canada	General Interest
S. Beecraft	Health Canada	Canada	Regulator
R. Cardinal	Spray Polyurethane Foam Producers & Applicators	Canada	Producer
P. Culyer	Exterior Insulation Finish Systems Council of Canada	Canada	User
M. Drouin	PIR Canadian Council	Canada	Producer
B. Fabian	Extruded Polystyrene Insulation Manufacturers	Canada	Producer
M. Gerskup	Royal Architectural Institute of Canada	Canada	User
C. Holzschere	Cellulose Insulation Manufacturers Association of Canada	Canada	Producer
T. Joiner	Public Works and Government Services Canada	Canada	Regulator
P. Julian	Canadian Fibreboard Manufacturers Association	Canada	Producer
P. Kalinge	Canadian Roofing Contractors Association	Canada	User
M. Kapuscinski	North American Insulation Manufacturers Association — Canada	Canada	Producer
D. Mitta	Ministry of Municipal Affairs and Housing	Ontario	Regulator
P. Mukhopadhyaya	University of Victoria	British Columbia	General Interest
K. Rector	Ready Mixed Concrete Association of Ontario	Ontario	User
C. Shirliffe	C. J. Shirliffe & Associates	Ontario	General Interest
J. Whalen	EPS Industry Alliance	Canada	Producer
M. Zeghal	Canadian Codes Centre	Canada	Regulator
D. Beauchamp (Associate Member)	Intertek Testing Services NA Ltd.	Canada	Non-voting
P. Birkbeck (Associate Member)	Icynene Inc.	Ontario	Non-Voting
G. Chu (Associate Member)	BASF Canada	Canada	Non-voting
S. Ciarlo (Associate Member)	Owens-Corning Canada	Canada	Non-voting
T. Colantonio (Associate Member)	Public Works and Government Services Canada	Canada	Non-voting
J-F Côté (Associate Member)	Soprema	Québec	Non-voting
M. Dey (Associate Member)	Intertek	U.S.A.	Non-voting
K. Halpenny (Associate Member)	Health Canada	Canada	Non-voting
L. Hess (Associate Member)	The Dow Chemical Company	U.S.A.	Non-Voting
A. Hoodless (Associate Member)	Intertek	Canada	Non-voting
F. Lalande (Associate Member)	Demilec	Québec	Non-Voting
G. Lennox (Associate Member)	The Dow Chemical Company	U.S.A.	Non-Voting
F. Lohmann (Associate Member)	Canadian Codes Centre	Canada	Non-Voting
R. Marshall (Associate Member)	Cedaridge Services Inc.	Ontario	Non-Voting
A. McGowan (Associate Member)	Levelton Consultants Ltd.	British Columbia	Non-Voting
G. McIntosh (Associate Member)	Snell Infrared Canada	Ontario	Non-Voting

Table (Continued)

NAME	AFFILIATION	REGION	CATEGORY
R. McPhee (Associate Member)	Canadian Wood Council	Canada	Non-Voting
A. Piggin (Associate Member)	P:M:L Associates Inc.	Ontario	Non-Voting
J. Scott (Associate Member)	Roxul, Inc.	Canada	Non-Voting
R. Sculthorpe (Associate Member)	Consultant	Ontario	Non-Voting
B. Spensieri (Associate Member)	Underwriters Laboratories of Canada	Canada	Non-Voting
L. Truksa (Associate Member)	Consultant	Ontario	Non-voting
J. Wade (Secretary)	ULC Standards	Canada	Non-Voting

This list represents the membership at the time the Committee balloted on the final text of this edition. Since that time, changes in the membership may have occurred.

ULC STANDARDS TASK GROUP ON MINERAL FIBRE THERMAL INSULATION INSTALLATION**MEMBER****REPRESENTING**

M. Kapuscinski (Chair)	NAIMA Canada
F. Bauer	Exova
D. Beauchamp	Intertek Testing Services NA Ltd.
B. Belanger	CertainTeed Corporation
S. Ciarlo	Owens Corning Canada, Inc.
J. Coombs	Knauf Insulation
C. Frysinger	Owens Corning Canada, Inc.
T. Ponder	CertainTeed Corporation
V. Salvador	Owens Corning Canada, Inc.
J. Scott	Roxul, Inc.
I. Stuart	Johns Manville Canada, Inc.
A. Zaidi	Johns Manville Canada, Inc.

.....

STANDARD FOR MINERAL FIBRE THERMAL INSULATION FOR BUILDINGS, PART 2: INSTALLATION

PREFACE

This is the Third Edition of the Standard for Mineral Fibre Thermal Insulation for Buildings, Part 2: Installation, ULC-S702.2.

This Edition of the Standard has been formally approved by the ULC Standards Committee on Thermal Insulation Materials and Systems.

Only metric SI units of measurement are used in this Standard. If a value for measurement is followed by a value in other units in parentheses, the second value may be approximate. The first stated value is the requirement.

Annexes A, B and C, identified as normative, form a mandatory part of this document.

Annex D, identified as informative, is for informational purposes only.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

This Third Edition ULC Standard is based on, and now supersedes, the Second Edition.

Attention is drawn to the possibility that some of the elements of this Canadian standard may be the subject of patents rights. Underwriters' Laboratories of Canada shall not be held responsible for identifying any or all such patents rights.

Requests for interpretation of this Standard should be sent to the Standards Department of Underwriters' Laboratories of Canada. The requests should be worded in such a manner as to permit a "yes" or "no" answer based on the literal text of the requirement concerned.

The initiation of the review of this Standard will commence within 5 years of the date of publication, unless the Standard is identified as fitting within a stabilized category, whereby the review will commence within the appropriate time frame set out by ULC Standards.

This Standard is not intended to be used for conformity assessment

1 SCOPE

1.1 This Standard specifies the requirements for installation of mineral fibre thermal insulation products for buildings such that, when installed, a product manufactured and packaged according to CAN/ULC-S702 will provide the properties declared by the manufacturer.

1.2 This Standard stipulates the requirements for the installation of the product, documentation on the installation and a declaration by the insulation installer that the installation has been done in accordance with this Standard.

1.3 This Standard does not specify all the requirements for the product to determine fitness for purpose according to their intended use; some of these aspects are specified in Building Codes. The insulation installer must ensure, when choosing a product, that the product is suitable for the application (i.e. wall insulation or attic insulation, etc), based on the manufacturer's recommendations.

1.4 The material, as installed, may have to meet additional requirements specified by the authority having jurisdiction and/or the customer.

2 REFERENCE PUBLICATIONS

2.1 The documents shown below are referenced in the text of this Standard or provide additional information required for installation of products in accordance with this Standard. Unless otherwise stated, the references shall be considered to indicate the edition and/or revision of the document in effect at the date of approval of the document. All undated references shall be interpreted as referring to the latest edition of that document.

2.2 The following documents are applicable to this Standard:

Documents Published by ULC Standards (prior to May, 2010, identified as Underwriters Laboratories of Canada)

171 Nepean Street, Suite 400, Ottawa, ON K2P 0B4 Canada

Telephone: (416) 757-3611, ext. 61744; Fax (613) 231-5977, "ATTN: Publications"

E-mail: publications@ulc.ca

www.ulc.ca

- CAN/ULC S702, Standard for Mineral Fibre Thermal Insulation for Buildings.
- CAN/ULC S773, Standard for Thermal Insulation Terminology.

3 TERMINOLOGY

NOTE 1: Definitions and symbols used in this specification are found in CAN/ULC-S773, Standard for Thermal Insulation Terminology. Definitions from CAN/ULC-S773 have been listed below and are identified as such. Additional definitions not currently listed in CAN/ULC-S773 but required for this Standard have been listed below.

NOTE 2: Terms used in this Standard that are in italic print are defined as follows:

3.1 *ATTIC* — The enclosed space between the roof and ceiling (CAN/ULC-S773).

3.2 *AUTHORITY HAVING JURISDICTION* — A representative of a governmental (federal, provincial or municipal) agency predominantly involved in regulating by statute the use of products, materials and services (CAN/ULC-S773).