



CAN/ULC-S711.1-11-R2018 (Reaffirmed 2018)

STANDARD FOR THERMAL INSULATION – BEAD-APPLIED TWO COMPONENT POLYURETHANE AIR SEALANT FOAM, PART 1: MATERIAL SPECIFICATION



ULC Standards
Normes ULC



Standards Council of Canada
Conseil canadien des normes



Documents
Document Sharing Hub

Underwriters Laboratories of Canada (ULC) was established in 1920 by letters patent issued by the Canadian Government. It maintains and operates laboratories and certification services for the examination, testing and certification of appliances, equipment, materials, constructions and systems to determine their relation to life, fire and property hazards as well providing inspection services.

Underwriters Laboratories of Canada is accredited as a Certification Organization, a Testing Organization, and an Inspection Body under the National Standards System of Canada.

ULC Standards develops and publishes standards and other related publications for building construction, security and burglar protection, environmental safety, electrical equipment, fire protection equipment, gas and oil equipment, thermal insulation products, materials and systems, energy use in the built environment and electrical utility safety.

ULC Standards is a not-for-profit organization and is accredited by the Standards Council of Canada as a Standards Development Organization.

National Standards of Canada developed by ULC Standards conform to the criteria and procedures established by the Standards Council of Canada. Such standards are prepared using the consensus principle by individuals who provide a balanced representation of interests relevant to the subject area on a national basis.

ULC is represented across Canada as well as many countries worldwide. For further information on ULC services, please contact:

Customer Service: 1-866-937-3852

National Standard of Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

CORPORATE HEADQUARTERS

Underwriters Laboratories of Canada
7 Underwriters Road
Toronto, Ontario M1R 3A9
Telephone: (416) 757-3611
Fax: (416) 757-9540

REGIONAL OFFICES

PACIFIC OFFICE

13775 Commerce Parkway, Suite 130
Richmond, British Columbia V6V 2V4
Telephone: (604) 214-9555
Fax: (604) 214-9550

EASTERN OFFICE

6505, Rte Transcanadienne, Suite 330
St-Laurent, Québec H4T 1S3
Telephone: (514) 363-5941
Fax: (514) 363-7014

For further information on ULC standards, please contact:

ULC STANDARDS

171 Nepean Street, Suite 400
Ottawa, Ontario K2P 0B4
Telephone: (613) 755-2729

To purchase ULC Standards, visit: www.ulc.ca/ulcstandards

The intended primary application of this standard is stated in its scope. It is important to note that it remains the responsibility of the user of the standard to judge its suitability for the particular application.

Copies of this National Standard of Canada may be ordered from ULC Standards.

CETTE NORME NATIONALE DU CANADA EST DISPONIBLE EN VERSIONS FRANÇAISE ET ANGLAISE

11-11-2018

Standard for Thermal Insulation – Bead-Applied Two Component Polyurethane Air Sealant Foam, Part 1:
Material Specification, CAN/ULC-S711.1-11-R2018

Second Edition, Dated December 2011

Summary of Topics

This revision of CAN/ULC-S711.1 is being issued to update the title page to reflect the reaffirmation of this Second Edition National Standard of Canada. No changes in requirements are involved.

The revised requirements are substantially in accordance with Proposal(s) on this subject dated June 30, 2016.

PLEASE NOTE THAT CERTAIN CODES MAY REFER TO A SUPERSEDED VERSION OF THIS STANDARD. IN THOSE INSTANCES, THE RELEVANT VERSIONS ARE AVAILABLE FOR PURCHASE.

Comments, or proposals for revisions on any part of this Standard, may be submitted to ULC Standards at any time. Proposals should be submitted via a Proposal Request in ULC Standards' on-line Collaborative Standards Development System (CSDS) at <https://csds.ul.com/canada>.

No Text on This Page



STANDARD FOR THERMAL INSULATION – BEAD-APPLIED TWO COMPONENT POLYURETHANE AIR SEALANT FOAM, PART 1: MATERIAL SPECIFICATION

ICS 91.100.50; 91.120.10



First Edition February 2005
SECOND EDITION.....DECEMBER 2011
REAFFIRMED MAY 2018

Copyright © 2018

ULC Standards

All rights reserved. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission.

TABLE OF CONTENTS

ULC STANDARDS COMMITTEE ON THERMAL INSULATION MATERIALS AND SYSTEMS	I
ULC STANDARDS TASK GROUP ON POLYURETHANE FOAM THERMAL INSULATION AND SEALANT SYSTEMS	III
PREFACE	IV
1. SCOPE	1
2. REFERENCE PUBLICATIONS	1
3. TERMS AND DEFINITIONS	3
3.1 INTRODUCTION	3
4. CLASSIFICATION	3
4.1 FLAME SPREAD RATINGS	3
5. REQUIREMENTS	4
5.1 GENERAL REQUIREMENTS	4
5.2 DETAILED REQUIREMENTS	4
6. TESTING	4
6.1 SAMPLING	4
6.2 SAMPLE PREPARATION	4
6.2.1 General	4
6.2.2 Sample Preparation for Test Methods	5
6.2.2.1 Air Permeance	5
6.2.2.2 Open Cell Content	5
6.2.2.3 Density	5
6.2.2.4 Dimensional Stability	5
6.2.2.5 Durability Performance	5
6.2.2.6 Tensile Strength and Elongation at Break	6
6.2.2.7 Thermal Resistance	6
6.2.2.8 Surface Burning Characteristics	6
6.2.2.9 Tack Free Time	6
6.2.2.10 Volatile Organic Compounds	6
6.3 CONDITIONING OF SAMPLES	6
6.4 PREPARATION OF SPECIMENS	7
6.4.1 General	7
6.4.2 Open Cell Content	7
6.4.3 Density	7
6.4.4 Dimensional Stability	7
6.4.5 Durability Performance	7
6.4.6 Tensile Strength and Elongation at Break	7
6.4.7 Thermal Resistance	7
6.4.8 Surface Burning Characteristics	7

6.4.9 Tack Free Time	7
6.4.10 Volatile Organic Compounds	8
6.5 TEST METHODS	8
6.5.1 Air Permeance	8
6.5.2 Open Cell Content	8
6.5.3 Density	8
6.5.4 Dimensional Stability	8
6.5.5 Durability Performance	8
6.5.6 Tensile Strength and Elongation at Break	9
6.5.7 Long Term Thermal Resistance (LTTR)	9
6.5.8 Surface Burning Characteristics Classification	9
6.5.9 Tack-Free Time	9
6.5.10 Volatile Organic Compound	9
6.6 REPORTING REQUIREMENTS	10
7. PACKAGING AND LABELLING	10
7.1 PACKAGING	10
7.2 MARKING / LABELLING	10
8. MANUFACTURER'S DOCUMENTATION	11
8.1 INFORMATION TO BE PROVIDED	11
TABLES	12
FIGURES	13
ANNEX A (INFORMATIVE) — DURABILITY CRITERIA FOR BEAD-APPLIED URETHANE-BASED FOAM INTENDED FOR SEALING AIR BARRIER MATERIALS AT WALL PENETRATIONS	21
ANNEX B (INFORMATIVE) — CONFORMITY CONTROL	25

ULC STANDARDS COMMITTEE ON THERMAL INSULATION MATERIALS AND SYSTEMS

NAME	AFFILIATION	REGION	CATEGORY
L. Dalglish (Chair)	National Energy Conservation Association	Canada	User
F. Bauer	Exova	Ontario	User
D. Beaudin	Thermal Insulation Association of Canada	Canada	General Interest
D. Beauchamp	Canadian Construction Materials Centre	Canada	General Interest
S. Beecraft	Health Canada	Canada	Regulator
R. Cardinal	Spray Polyurethane Foam Producers & Applicators	Canada	Producer
P. Culyer	Exterior Insulation Finish Systems Council of Canada	Canada	User
M. Drouin	PIR Canadian Council	Canada	Producer
B. Fabian	Extruded Polystyrene Foam Association	Canada	Producer
P. Kalinge	Canadian Roofing Contractors Association	Canada	User
M. Kapuscinski	North American Insulation Manufacturers Association — Canada	Canada	Producer
D. Lea	Cellulose Insulation Manufacturers Association of Canada	Canada	Producer
J. Martin	Canadian Fibreboard Manufacturers Association	Canada	Producer
P. Mukhopadhyaya	University of Victoria	British Columbia	General Interest
V. Odaimi	Ministry of Municipal Affairs	Ontario	Regulator
K. Rector	Insulating Concrete Forms Manufacturers Association	Ontario	User
C. Shirtliffe	C. J. Shirtliffe & Associates	Ontario	General Interest
J. Whalen	EPS Industry Alliance	Canada	Producer
M. Zeghal	Canadian Codes Centre	Canada	Regulator
P. Birkbeck (Associate Member)	Icynene Inc.	Ontario	Non-Voting
G. Chu (Associate Member)	BASF Canada	Canada	Non-voting
S. Ciarlo (Associate Member)	Owens-Corning Canada	Canada	Non-voting
T. Colantonio (Associate Member)	Public Works and Government Services Canada	Canada	Non-voting
J-F Côté (Associate Member)	Soprema	Québec	Non-voting
J. DeRose (Associate Member)	Intertek	Canada	Non-voting
M. Dey (Associate Member)	Intertek	U.S.A.	Non-voting
M. Drzyzga (Associate Member)	The Dow Chemical Company	U.S.A.	Non-Voting
D. Haithcock (Associate Member)	Underwriters Laboratories Inc.	U.S.A.	Non-Voting
K. Halpenny (Associate Member)	Health Canada	Canada	Non-voting
F. Lalande (Associate Member)	Demilec	Quebec	Non-Voting
D. Lefebvre (Associate Member)	National Research Council Canada	Canada	Non-Voting
G. Lennox (Associate Member)	The Dow Chemical Company	U.S.A.	Non-Voting
R. Marshall (Associate Member)	Cedaridge Services Inc.	Ontario	Non-Voting
A. McGowan (Associate Member)	Levelton Consultants Ltd.	British Columbia	Non-Voting
G. McIntosh (Associate Member)	Snell Infrared Canada	Ontario	Non-Voting

Table (Continued)

NAME	AFFILIATION	REGION	CATEGORY
R. McPhee (Associate Member)	Canadian Wood Council	Canada	Non-Voting
R. Monsour (Associate Member)	Insulating Concrete Forms Manufacturers Association	Ontario	Non-Voting
A. Piggan (Associate Member)	P:M:L Associates Inc.	Ontario	Non-Voting
I. Radovic (Associate Member)	Intertek Testing Services NA, Ltd.	Canada	Non-voting
J. Scott (Associate Member)	North American Insulation Manufacturers Association — Canada	Canada	Non-Voting
R. Sculthorpe (Associate Member)	Consultant	Ontario	Non-Voting
B. Spensieri (Associate Member)	Underwriters Laboratories of Canada	Canada	Non-Voting
J. Thomas (Associate Member)	The Dow Chemical Company	U.S.A.	Non-Voting
L. Truksa (Associate Member)	Consultant	Ontario	Non-Voting
K. Wu (Project Manager)	ULC Standards	Canada	Non-Voting

This list represents the membership at the time the Committee balloted on the final text of this edition. Since that time, changes in the membership may have occurred.

Copyright Underwriters' Laboratories of Canada
Provided by IHS Markit under license with ULC
No reproduction or networking permitted without license from IHS

ULC STANDARDS TASK GROUP ON POLYURETHANE FOAM THERMAL INSULATION AND SEALANT SYSTEMS

MEMBER

REPRESENTING

R. Cardinal (Chair)	BASF Canada
T. Abisaleh	Huntsman Polyurethanes Inc.
F. Bauer	Exova
D. Beauchamp	Canadian Construction Materials Centre
P. Birkbeck	Icynene Inc.
M. Bogdan	Honeywell
A. Cole	Canadian Urethane Foam Contractors Association
L. Dalglish	Building Professionals
G. Gardin	BASF Canada
R. Giona	QAI Laboratories
S. Gump	ICP Adhesives & Sealants, Inc.
T. Harris	Demilec Inc.
D. Loconte	Arkema
N. Longuiera (Secretary)	Morrison Hershfield
A. Luffman	Urethane Foam Consultants
J. Maxwell	CertainTeed
L. Norton	Solvay Fluorides LLC
I. Radovic	Intertek Canada
S. Reesor	Great Northern Insulation Ltd.
M. Richmond	Genyk
R. Romero	Covestro LLC
J. Thomas	Dow Chemical Company
J. Volk	Elastochem
P. Warren	SWD Urethane
D. Watson	Premium Spray Products Canada
S. Williams	Lapolla Industries Ltd.
J. Zhang	Convenience Products/Clayton Corporation

STANDARD FOR THERMAL INSULATION – BEAD-APPLIED TWO COMPONENT POLYURETHANE AIR SEALANT FOAM, PART 1: MATERIAL SPECIFICATION

PREFACE

This is the Reaffirmation of the Second Edition of the Standard for Thermal Insulation – Bead-Applied Two Component Polyurethane Air Sealant Foam, Part 1: Material Specification, CAN/ULC-S711.1.

This Edition of the Standard has been formally approved by the ULC Standards Committee on Thermal Insulation Materials and Systems.

This Standard has been developed in compliance with the requirements of SCC for accreditation of a Standards Development Organization.

Only metric SI units of measurement are used in this Standard. If a value for measurement is followed by a value in other units in parentheses, the second value may be approximate. The first stated value is the requirement.

Annexes A and B, identified as informative, are for informational purposes only.

In Canada, there are two official languages, English and French. All safety warnings must be in French and English. Attention is drawn to the possibility that some Canadian authorities may require additional markings and/or installation instructions to be in both official languages.

This Second Edition National Standard of Canada was based on the First Edition, and has now been reaffirmed.

Attention is drawn to the possibility that some of the elements of this Canadian standard may be the subject of patent rights. ULC Standards shall not be held responsible for identifying any or all such patent rights.

Requests for interpretation of this Standard should be sent to ULC Standards. The requests should be worded in such a manner as to permit a “yes” or “no” answer based on the literal text of the requirement concerned.

The review and action to revise or reaffirm this Standard will not exceed 5 years from the date of publication, unless the Standard is identified as fitting within a stabilized category, whereby the review will commence within the appropriate time frame set out by ULC Standards.

This Standard is intended to be used for conformity assessment.