


ULC SUBJECT C14(e)-M1985



GUIDE
FOR
HARDWARE FOR FIRE DOORS
AND
EMERGENCY EXITS

UNDERWRITERS' LABORATORIES OF CANADA

ULC SUBJECT C14(e)-M1985

GUIDE
FOR
HARDWARE FOR FIRE DOORS
AND
EMERGENCY EXITS

FIRST EDITION JULY, 1985

TABLE OF CONTENTS

	<u>PAGE</u>
1. SCOPE	1
2. REFERENCE PUBLICATIONS	1
3. DESCRIPTION OF HARDWARE, MOUNTING, AND TESTS	2
3.1 General	2
3.2 Exit Control Device	2
3.3 Panic Hardware	3
3.4 Door Holders	3
3.5 Door Closers	3
3.6 Door Closers and Holders With or Without Integral Smoke Detectors	4
3.7 Fire Exit Hardware	4
3.8 Flush and Surface Bolts	4
3.9 Single Point Locks or Latches	5
3.10 Passenger Elevator Fire Door Hardware	5
3.11 Fire Door Hardware	6
3.12 Hinges	6
3.13 Spring Hinges	6
3.14 Auxiliary Locks	7
3.15 Open Back Strikes	7
3.16 Electric Strikes	8
3.17 Door Operators	8
3.18 Gasketing Material	9
3.19 Door Coordinators	9
3.20 Special Purpose Hardware	10



INCORPORATED 1920

UNDERWRITERS' LABORATORIES OF CANADA

General Offices and Testing Station 7 CROUSE ROAD, SCARBOROUGH, ONTARIO M1R 3A9

Telephone 757-3611 Area Code 416

Telex 06-963643

In Replying
Please Refer to

ULC SUBJECT C14(e)-M1985

GUIDE

FOR

HARDWARE FOR FIRE DOORS AND EMERGENCY EXITS

1. SCOPE

1.1 This Guide is primarily for use by manufacturers and users of hardware.

1.2 This Guide covers the test requirements for hardware intended for use on fire doors and emergency exits for swinging and sliding doors.

1.3 These requirements shall pertain to both fire protection and panic features.

1.4 This Guide does not cover non-essentials such as push plates, pull handles, protective plates, plant-ons, etc.

2. REFERENCE PUBLICATIONS

2.1 This Guide refers to the following Standards and the year dates shown indicate the latest editions available at the time of printing:

CAN4-S104-M80	Standard Method for Fire Tests of Door Assemblies.
CAN4-S113-79	Standard Specification for Wood Core Doors Meeting the Performance Required by CAN4-S104 for Twenty Minute Fire Rated Closure Assemblies.
ULC-S121-1974	Standard for Sliding Hardware for Standard Horizontal Mounted Tin Clad Fire Doors.
ULC-S123-1974	Standard for Swinging Hardware for Standard Tin Clad Fire Doors Mounted Singly and in Pairs.